

SAFETY DATA SHEET

Version 6.12
Revision Date 05/24/2023
Print Date 04/27/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Acrolein

Product Number : 110221
Brand : Aldrich
Index-No. : 605-008-00-3
CAS-No. : 107-02-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 2), H225
Acute toxicity, Oral (Category 2), H300
Acute toxicity, Inhalation (Category 1), H330
Acute toxicity, Dermal (Category 3), H311
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318
Carcinogenicity (Category 2), H351
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statement(s)

H225	Highly flammable liquid and vapor.
H300 + H330	Fatal if swallowed or if inhaled.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H351	Suspected of causing cancer.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal

Aldrich - 110221

Page 2 of 13

plant.

Sensitizing components:
hydroquinone
May produce an allergic reaction.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 2-Propenal

Formula : C₃H₄O

Molecular weight : 56.06 g/mol

CAS-No. : 107-02-8

EC-No. : 203-453-4

Index-No. : 605-008-00-3

Component	Classification	Concentration
Acrylaldehyde		
	Flam. Liq. 2; Acute Tox. 2; Acute Tox. 1; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H300, H330, H311, H314, H318, H400, H410 Concentration limits: >= 0.1 %: Skin Corr. 1B, H314; M-Factor - Aquatic Acute: 10	<= 100 %

hydroquinone		
	Acute Tox. 4; Eye Dam. 1; Skin Sens. 1B; Muta. 2; Carc. 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H317, H341, H351, H400, H410	>= 0.1 - < 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stability

Recommended storage temperature
2 - 8 °C

Store under inert gas. Handle and open container with care. Light sensitive. Heat- and air-sensitive.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Acrylaldehyde	107-02-8	C	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen Danger of cutaneous absorption		
		TWA	0.1 ppm 0.25 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	0.3 ppm 0.8 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.1 ppm 0.25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		C	0.1 ppm 0.25 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		
hydroquinone	123-31-9	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Dermal Sensitization Confirmed animal carcinogen with unknown relevance to humans		
		TWA	2 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		C	2 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
hydroquinone	123-31-9	Methemoglobin	5% Hb	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	During or at the end of the shift			

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: liquid
b) Odor	No data available
c) Odor Threshold	0.014 ppm
d) pH	6 at 100 g/l at 25 °C (77 °F)
e) Melting point/freezing point	Melting point/range: -87 °C (-125 °F) - lit.
f) Initial boiling point and boiling range	53 °C 127 °F - lit.
g) Flash point	-29 °C (-20 °F) - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 31 %(V) Lower explosion limit: 2.8 %(V)
k) Vapor pressure	1,090 hPa at 55 °C (131 °F) 279.2 hPa at 20 °C(68 °F)
l) Vapor density	1.94 - (Air = 1.0)
m) Density	0.839 g/cm ³ at 25 °C (77 °F) - lit.

	Relative density	No data available
n)	Water solubility	208 g/l at 20 °C (68 °F) - completely soluble
o)	Partition coefficient: n-octanol/water	log Pow: -0.01 - Bioaccumulation is not expected.
p)	Autoignition temperature	220 °C (428 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information

Surface tension	27.6 mN/m at 20 °C (68 °F)
Relative vapor density	1.94 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .
Contains the following stabilizer(s):
hydroquinone (≥ 0.25 - ≤ 0.35 %)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

May polymerize on exposure to light. Air Heat.
Warming.

10.5 Incompatible materials

Oxidizing agents, Oxygen, Bases, Strong acids

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 26 mg/kg

(Calculation method)

LD50 Oral - Mouse - male - 13.9 mg/kg

(OECD Test Guideline 401)

LD50 Oral - Rat - 26 mg/kg

Acute toxicity estimate Inhalation - 4 h - 0.058 mg/l - vapor (Calculation method)

LC50 Inhalation - Hamster - male and female - 4 h - 0.058 mg/l - vapor

Remarks: (ECHA)

Inhalation: Corrosive to respiratory system.

Acute toxicity estimate Dermal - 300 mg/kg

(Calculation method)

Acute toxicity estimate Dermal - 300 mg/kg

(Expert judgment)

Dermal: No data available

No data available

Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: Chromosome aberration test
Species: Rat
Cell type: Bone marrow
Application Route: Intraperitoneal

Result: negative
Remarks: (ECHA)

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 2A - Group 2A: Probably carcinogenic to humans (Acrylaldehyde)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Corrosive to the respiratory tract.

Remarks: No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: AS1050000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 0.019 mg/l - 96 h (OECD Test Guideline 203)
------------------	---

Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.03 mg/l - 48 h Remarks: (ECOTOX Database)
---	--

Aldrich - 110221

Page 10 of 13

Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 0.061 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	EC50 - activated sludge - ca. 400 mg/l - 30 min Remarks: (ECHA)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - <i>Pimephales promelas</i> (fathead minnow) - 0.011 mg/l - 60 d Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - <i>Daphnia magna</i> (Water flea) - 0.017 mg/l - 64 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 7 d Result: 100 % - Readily biodegradable. Remarks: (ECHA)
------------------	--

12.3 Bioaccumulative potential

Bioaccumulation	<i>Lepomis macrochirus</i> - 28 d - 13.1 µg/l(Acrylaldehyde)
	Bioconcentration factor (BCF): 344

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information**DOT (US)**

UN number: 1092 Class: 6.1I (3) Packing group: I
Proper shipping name: Acrolein, stabilized
Reportable Quantity (RQ): 1 lbs
Marine pollutant: yes Poison Inhalation Hazard:
Hazard Zone A

IMDG

UN number: 1092 Class: 6.1 (3) Packing group: I EMS-No: F-E, S-D
Proper shipping name: ACROLEIN, STABILIZED
Marine pollutant : yes
Marine pollutant : yes

IATA

UN number: 1092 Class: 6.1 (3)
Proper shipping name: Acrolein, stabilized
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

SECTION 15: Regulatory information**SARA 302 Components**

Acrylaldehyde	CAS-No. 107-02-8	Revision Date 2007-07-01
---------------	---------------------	-----------------------------

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Acrylaldehyde	CAS-No. 107-02-8	Revision Date 2007-07-01
---------------	---------------------	-----------------------------

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acrylaldehyde	CAS-No. 107-02-8	Revision Date 2007-07-01
hydroquinone	123-31-9	2007-03-01

Pennsylvania Right To Know Components

Acrylaldehyde	CAS-No. 107-02-8	Revision Date 2007-07-01
hydroquinone	123-31-9	2007-03-01

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com.

Version: 6.12

Revision Date: 05/24/2023

Print Date: 04/27/2024