

# SAFETY DATA SHEET

Version 7.0 Revision Date 09/30/2024 Print Date 10/01/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name : tert-Butyl isocyanate

**Product Number** 144452 Brand Aldrich CAS-No. 1609-86-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

> (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 **UNITED STATES** 

Telephone : +1 314 771-5765 +1 800 325-5052 Fax

1.4 **Emergency telephone** 

> Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

> > 527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 1), H330

Skin corrosion (Category 1B), H314

Aldrich - 144452

Page 1 of 11



Serious eye damage (Category 1), H318 Respiratory sensitization (Category 1), H334 Skin sensitization (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

rictograffi	
Signal Word	Danger
Hazard Statements	
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
	smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
F200	protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
D222 - D242	rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/

Aldrich - 144452 Page 2 of 11

doctor.



P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

Lachrymator.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula :  $C_5H_9NO$ Molecular weight : 99.13 g/mol CAS-No. : 1609-86-5 EC-No. : 216-544-9

Component	Classification	Concentration
tert-Butyl isocyanate		
	Flam. Liq. 2; Acute Tox. 3;	<= 100 %
	Acute Tox. 1; Skin Corr. 1B; Eye Dam. 1; Resp.	
	Sens. 1; Skin Sens. 1;	
	STOT SE 3; H225, H301,	
	H330, H314, H318, H334,	
	H317, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Aldrich - 144452

Page 3 of 11



### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

Water Foam

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Aldrich - 144452

Page 4 of 11



For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep workplace dry. Do not allow product to come into contact with water.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Never allow product to get in contact with water during storage.

Store under inert gas.

### **Storage class**

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Aldrich - 144452

Page 5 of 11



### 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

required

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor pungent

c) Odor Threshold No data availabled) pH No data availablee) Melting No data available

point/freezing point

f) Initial boiling point 85 - 86 °C 185 - 187 °F - lit. and boiling range

g) Flash point -4 °C (25 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

Aldrich - 144452



j) Upper/lower No data available flammability or

explosive limits

k) Vapor pressure 79 hPa at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex,

A.4

I) Vapor density No data available

m) Density 0.868 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available

n) Water solubility No data available

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data temperature

No data available

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapors may form explosive mixture with air.

#### 10.2 Chemical stability

sensitive to moisture

#### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Warming. Moisture.

### 10.5 Incompatible materials

Strong oxidizing agentsAlcohols, Strong bases, Amines, acids, Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Millipore

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 185 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 1.59 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 1 h

Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

Remarks: (ECHA)

Remarks: No data available

#### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, To the best of our

Aldrich - 144452

Page 8 of 11



knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 100 mg/l

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2484 Class: 6.1I (3) Packing group: I

Proper shipping name: tert-Butyl isocyanate

Reportable Quantity (RQ):

Poison Inhalation Hazard: Hazard Zone A

**IMDG** 

UN number: 2484 Class: 6.1 (3) Packing group: I EMS-No: F-E, S-D

Aldrich - 144452 Page 9 of 11



Proper shipping name: tert-BUTYL ISOCYANATE

#### **IATA**

UN number: 2484 Class: 6.1 (3)

Proper shipping name: tert-Butyl isocyanate IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

### **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

**Hazards** Acute Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

### **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

tert-Butyl isocyanate 1609-86-5

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### **New Jersey Right To Know**

tert-Butyl isocyanate 1609-86-5

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Aldrich - 144452

Page 10 of 11



#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

### Relevant changes since previous version

5. Fire-fighting measures

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 7.0 Revision Date: 09/30/2024 Print Date: 10/01/2024

Aldrich - 144452

