

# SAFETY DATA SHEET

Version 7.7 Revision Date 11/04/2025 Print Date 11/05/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Luperox® P, tert-Butyl peroxybenzoate

Product Number : 159042 Brand : Aldrich CAS-No. : 614-45-9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# Hazards for the product as supplied

Organic peroxides : Type C

Aldrich - 159042

Page 1 of 16



Acute toxicity (Inhalation)

: Category 4

Skin irritation : Category 2

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard

: Category 1

Long-term (chronic) aquatic hazard

Category 3

### Other hazards

None known.

## **GHS label elements**

Hazard pictograms







Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

# Precautionary statements : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P220 Keep/ Store away from clothing/ combustible

materials.

P234 Keep only in original container. P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed

out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

Aldrich - 159042

Page 2 of 16

POISON CENTER/ doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get

medical advice/ attention.

P362 Take off contaminated clothing and wash before

reuse.

P391 Collect spillage.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P410 Protect from sunlight.

P420 Store away from other materials.

## Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

CAS-No. : 614-45-9

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Tert-Butyl perbenzoate	614-45-9*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. If breathing stops: mouth-

to-mouth breathing or artificial respiration. Oxygen if

necessary. Immediately call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Aldrich - 159042 Page 3 of 16



Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For pe

: For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Has a fire-promoting effect due to release of oxygen.

Explosive decomposition possible on heating.

Avoid shock and friction.

Vapours are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or

vapours possible in the event of fire.

In the event of decomposition: danger of explosion!

Aldrich - 159042

Page 4 of 16



Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information

: Remove container from danger zone and cool with

water.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g.

Chemizorb $\ensuremath{\mathbb{R}}$  ). Dispose of properly. Clean up affected

area.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion

: Keep away from open flames, hot surfaces and

sources of ignition.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Aldrich - 159042

Page 5 of 16



Storage class : 4.1A, Other explosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Store at temperatures not exceeding 38 °C/ 100 °F.

Keep cool.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

## **Personal protective equipment**

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 898)

Material : Nitrile rubber
Break through time : 30 min
Glove thickness : 0.4 mm

Protective index : Splash contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating

Aldrich - 159042 Page 6 of 16



from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid (68 °F / 20 °C, 1,013 hPa)

Color : light yellow

Odor : weakly aromatic

Odor Threshold : No data available pH : No data available

Melting point/ range : 48 - 52 °F / 9 - 11 °C

(1,013 hPa)

Method: OECD Test Guideline 102

Boiling point/boiling range : 167 - 169 °F / 75 - 76 °C (0.3 hPa)

Method: lit.

Flash point : 200.1 °F / 93.4 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Aldrich - 159042

Millipore

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : < 0.003 hPa (68 °F / 20 °C)

Relative vapour density : 6.71

(Air = 1.0)

Relative density : No data available

Density : 1.021 g/cm3 (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility : 1.18 g/l soluble

Partition coefficient: n-

octanol/water

: log Pow: 3 (77 °F / 25 °C)

pH: 6.5

Method: OECD Test Guideline 117

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : No data available

Decomposition

temperature

 $: > 140 \, ^{\circ}\text{F} / > 60 \, ^{\circ}\text{C}$ 

Self-Accelerating

decomposition temperature (SADT) : 140 °F / 60 °C

Viscosity

Viscosity, dynamic : 7.5 mPa.s (68 °F / 20 °C)

Method: OECD Test Guideline 114

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 194.23 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Aldrich - 159042 Page 8 of 16 Reactivity : Forms explosive mixtures with air on intense heating.

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

Chemical stability : Sensitivity to light

The product is chemically stable under standard

ambient conditions (room temperature).

Possibility of hazardous

reactions

: Risk of explosion with:

Risk of ignition or formation of inflammable gases or

vapours with: Heavy metal salts Strong acids alkalines

Reducing agents

combustible substances

Metals

Organic Substances

Conditions to avoid : Heating may cause a fire.

Strong heating.

Incompatible materials : Lead

> rubber Copper brass

> > Polyvinylchloride

Mild steel

products

Hazardous decomposition : In the event of fire: see section 5

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

LC50 Inhalation - Rat - male and female - 4 h - 1.01 - 4.9 mg/l - dust/mist

(OECD Test Guideline 436)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

Aldrich - 159042

Page 9 of 16

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

# Respiratory or skin sensitization

Sensitisation test: - Mouse

Result: positive

(OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Oral

Result: negative Remarks: (ECHA)

Test Type: in vivo assay

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 489

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - No observed adverse effect

level - 30 mg/kg Remarks: (ECHA) Subchronic toxicity

Aldrich - 159042

illipore

Page 10 of 16

RTECS: SD9450000

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

## **Tert-Butyl perbenzoate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.6 mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 11 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green

algae)): 0.4 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: EC10 (Daphnia magna (Water flea)): 0.49 mg/l

End point: reproduction rate

Exposure time: 21 d Test Type: semi-static test

Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

Toxicity to : EC50 (activated sludge): 43 mg/l

microorganisms Exposure time: 0.5 h

Test Type: static test

Aldrich - 159042 Page 11 of 16

Method: OECD Test Guideline 209

GLP: yes

# Persistence and degradability

#### **Components:**

## **Tert-Butyl perbenzoate:**

Biodegradability : aerobic

Concentration: 1 mg/l

Result: Readily biodegradable.

Biodegradation: 70 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

# **Bioaccumulative potential**

#### **Components:**

# **Tert-Butyl perbenzoate:**

Partition coefficient: n- :

octanol/water

: log Pow: 3 (77 °F / 25 °C)

pH: 6.5

Method: OECD Test Guideline 117

GLP: yes

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

#### Other adverse effects

# **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

Aldrich - 159042

Page 12 of 16

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

IATA-DGR

UN/ID No. : UN 3103

Proper shipping name : Organic peroxide type C, liquid (tert-Butyl

peroxybenzoate)

(tert-Butyl peroxybenzoate)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label -

Keep Away From Heat

Packing instruction (cargo: 570

aircraft)

Packing instruction : 570

(passenger aircraft)

IMDG-Code

UN number : UN 3103

Proper shipping name : ORGANIC PEROXIDE TYPE C, LIQUID (tert-BUTYL

PEROXYBENZOATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R Marine pollutant : no

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **National Regulations**

49 CFR Road

UN/ID/NA number : UN 3103

Proper shipping name : Organic peroxide type C, liquid (tert-Butyl

peroxybenzoate, >77-100%) (tert-Butyl peroxybenzoate)

Class : 5.2

Packing group : Not assigned by regulation
Labels : Division 5.2 - Organic peroxides

ERG Code : 146 Marine pollutant : no

Poison Inhalation Hazard : No

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Aldrich - 159042

Page 13 of 16

#### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

#### **Massachusetts Right To Know**

Tert-Butyl perbenzoate 614-45-9

# Pennsylvania Right To Know

Tert-Butyl perbenzoate 614-45-9

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Aldrich - 159042

Page 14 of 16



#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall

Aldrich - 159042 Page 15 of 16



not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/04/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 159042 Page 16 of 16

