

# SAFETY DATA SHEET

Version 7.0 Revision Date 09/24/2025 Print Date 09/25/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Aluminum sulfate

Product Number : 202614
Brand : Aldrich
CAS-No. : 10043-01-3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Hazards for the product as supplied

Corrosive to metals : Category 1

Aldrich - 202614

Page 1 of 15



Serious eye damage : Category 1

#### Other hazards

None known.

#### **GHS label elements**

Hazard pictograms



Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.

H318 Causes serious eye damage.

Precautionary statements : **Prevention:** 

P234 Keep only in original packaging. P280 Wear eye protection/ face protection.

**Response:** 

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P390 Absorb spillage to prevent material damage.

Storage:

P406 Store in a corrosion resistant container with a

resistant inner liner.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

# Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
aluminium sulfate	10043-01-3*	>= 80 - <= 100	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

Aldrich - 202614 Page 2 of 15

Millipore SigMa In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Sulphur oxides

Aluminum oxide

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Aldrich - 202614

990qillil

Page 3 of 15

Special protective equipment for fire-fighters

: In the event of fire, wear self-contained breathing

apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Conditions for safe

storage

: No metal containers.

Further information on

storage conditions

: Tightly closed.

Dry.

Storage class : 11, Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: hygroscopic

Store under inert gas.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control	Basis

Aldrich - 202614

Page 4 of 15



		(Form of parameters / exposure) Permissible concentration		
aluminium sulfate	10043-01-3	TWA	2 mg/m3 (Aluminium)	NIOSH REL

**Engineering measures** : No data available

## Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : odourless

Odor Threshold : Not applicable

pH : No data available

Aldrich - 202614

Page 5 of 15



Melting point/ range : 1418 °F / 770 °C

Method: dec.

Boiling point/boiling range : 234 - 241 °F / 112 - 116 °C

Flash point : No data available

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 2.71 g/mL (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility : ca. 0.00001 g/l insoluble (70.7 °F / 21.5 °C)

pH: 6

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 342.15 g/mol

Aldrich - 202614 Page 6 of 15

Metal corrosion rate : May be corrosive to metals.

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : Air

Exposure to moisture

no information available

Incompatible materials : No data available

products

Hazardous decomposition : In the event of fire: see section 5

## **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 5,000 mg/kg

(OECD Test Guideline 402)

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

# Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Aldrich - 202614



Result: negative

(OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Micronucleus test Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: Micronucleus test

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: aluminium hydroxide

Species: Rat

Application Route: Oral

Remarks: Cytogenetic analysis

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

Aldrich - 202614

AilliPORE

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - No observed adverse effect level - 18 mg/kg - Lowest observed adverse effect level - 90 mg/kg

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: aluminium(III) chloride,

anhydrous

RTECS: BD1700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

#### **Components:**

#### aluminium sulfate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 87.5 mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 200 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (microalgae)):

0.24 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Aldrich - 202614 Page 9 of 15

Toxicity to fish (Chronic toxicity)

: NOEC (Salvelinus fontinalis (Brook trout)): 0.024 mg/l

End point: mortality Exposure time: 60 d

Test Type: semi-static test Analytical monitoring: yes

Remarks: (ECHA)

NOEC (Salvelinus fontinalis (Brook trout)): 0.024 mg/l

End point: mortality Exposure time: 60 d Test Type: semi-static test Analytical monitoring: yes

Remarks: (ECHA)

NOEC (Salvelinus fontinalis (Brook trout)): 0.024 mg/l

End point: mortality Exposure time: 60 d Test Type: semi-static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Ceriodaphnia dubia (water flea)): 3.8 mg/l

End point: reproduction rate

Exposure time: 8 d

Test Type: semi-static test

Method: US-EPA

Toxicity to

microorganisms

: EC50 (activated sludge): > 200 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

# **Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### Persistence and degradability

#### Components:

## aluminium sulfate:

Biodegradability : Remarks: The methods for determining

biodegradability are not applicable to inorganic

substances.

## **Bioaccumulative potential**

#### **Components:**

#### aluminium sulfate:

Partition coefficient: n-

octanol/water

: Remarks: Not applicable for inorganic substances

## Mobility in soil

No data available

## Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

IATA-DGR

UN/ID No. : UN 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.

(aluminium sulfate)

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 864

aircraft)

Packing instruction : 860

(passenger aircraft)

IMDG-Code

UN number : UN 3260

Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(aluminium sulfate)

Class : 8

Aldrich - 202614 Page 11 of 15

Packing group : III Labels : 8 EmS Code : F-A, S-B

Marine pollutant : no

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

#### 49 CFR Road

UN/ID/NA number : UN 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.

(aluminium sulfate)

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

ERG Code : 154 Marine pollutant : no

Poison Inhalation Hazard : No

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component   Calculated prod	
		RQ (lbs)	RQ (lbs)
aluminium sulfate	10043-01-3	5000	5000

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Aldrich - 202614

Page 12 of 15

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

aluminium sulfate 10043-01-3 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

aluminium sulfate 10043-01-3 >= 90 - <= 100 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

# **Massachusetts Right To Know**

aluminium sulfate 10043-01-3

# Pennsylvania Right To Know

aluminium sulfate 10043-01-3

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

## Relevant changes since previous version

7. Handling and storage

#### Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

Aldrich - 202614 Page 13 of 15



AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-- Superfund Accelerating Decomposition Temperature; SARA Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 09/24/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information

Aldrich - 202614

Page 14 of 15



in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 202614

Millipore SidMa