

# SAFETY DATA SHEET

Version 6.10 Revision Date 11/06/2025 Print Date 11/07/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Zinc sulfate heptahydrate

Product Number : 204986 Brand : Aldrich

Index-No. : 030-006-00-9 CAS-No. : 7446-20-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# Hazards for the product as supplied

Acute toxicity (Oral) : Category 4

Aldrich - 204986 Page 1 of 14



Serious eye damage : Category 1

Short-term (acute)

aquatic hazard

: Category 1

Long-term (chronic)

aquatic hazard

: Category 1

## Other hazards

None known.

## **GHS label elements**

Hazard pictograms







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

CAS-No. : 7446-20-0

Aldrich - 204986

Page 2 of 14



## Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Zinc sulfate heptahydrate	7446-20-0*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

Aldrich - 204986 Page 3 of 14

Hazardous combustion

products

: Sulphur oxides

Zinc/zinc oxides

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water carry jet

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: In the event of fire, wear self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Dry.

Aldrich - 204986

Page 4 of 14



Storage class : 13, Non Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Hygroscopic.

Packaging material : Suitable material: LDPE Bottle/Jar

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and

Aldrich - 204986

Page 5 of 14



for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Preventive skin

protection recommended. Wash hands after working

with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder, crystalline

Color : white

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point : 212 °F / 100 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Aldrich - 204986



Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

: 1.97 g/cm3 Density

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : Not applicable

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

: No data available Explosive properties

Oxidizing properties : none

Molecular weight : 287.56 g/mol

Particle characteristics

: No data available Particle size

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

: The product is chemically stable under standard Chemical stability

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

Strong oxidizing agents

: no information available Conditions to avoid

Incompatible materials : Metals

products

Hazardous decomposition : In the event of fire: see section 5

Aldrich - 204986

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Mouse - male - 926 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

# Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative Remarks: (ECHA)

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)
Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA) Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

Aldrich - 204986

Millipore SigMa

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

## 11.2 Additional Information

RTECS: ZH5300000

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, airway resistance, Cardiovascular effects., pulmonary edema, congestive heart failure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# **Components:**

# Zinc sulfate heptahydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.330

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.4 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Analytical monitoring: yes Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Chlorella vulgaris (Fresh water algae)): 64.8

mq/l

Exposure time: 72 h Remarks: (IUCLID)

M-Factor (Acute aquatic : 1

toxicity)

Aldrich - 204986



Page 9 of 14

Toxicity to fish (Chronic

toxicity)

: NOEC (Salmo trutta): 0.056 mg/l

Exposure time: 116 d

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 210

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Shrimp): 0.0318 mg/l

End point: mortality Exposure time: 7 d

Test Type: semi-static test Analytical monitoring: yes

Method: US-EPA

M-Factor (Chronic aquatic: 1

toxicity)

Toxicity to

: EC50 (activated sludge): 5.2 mg/l

microorganisms Exposure time: 3 h

Test Type: static test

Method: OECD Test Guideline 209

# Persistence and degradability

# **Components:**

# Zinc sulfate heptahydrate:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic

substances.

# **Bioaccumulative potential**

### **Components:**

# Zinc sulfate heptahydrate:

Bioaccumulation : Species: Channa punctata

Bioconcentration factor (BCF): 0.4

Exposure time: 45 d

Temperature: 81 °F / 27 °C

Partition coefficient: n-

octanol/water

: Remarks: Not applicable for inorganic substances

# Mobility in soil

No data available

## Other adverse effects

# **Components:**

# Zinc sulfate heptahydrate:

Results of PBT and vPvB : PBT/vPvB: Not applicable for inorganic substances

Aldrich - 204986

Page 10 of 14

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Zinc sulfate heptahydrate)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and

articles

Packing instruction (cargo: 956

aircraft)

Packing instruction : 956

(passenger aircraft)

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Zinc sulfate heptahydrate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

49 CFR Road

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Zinc sulfate heptahydrate)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and

articles

Aldrich - 204986 Page 11 of 14



ERG Code : 171 Marine pollutant : no

Poison Inhalation Hazard : No

## Special precautions for user

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code

2.10.3) for single packagings and combination packagings containing inner packagings with

Dangerous Goods > 5L for liquids or > 5kg for solids.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RO (lbs)	Calculated product RO (lbs)
Zinc sulfate heptahydrate	7446-20-0	1000	1000

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Zinc sulfate 7446-20-0 >= 90 - <= 100 %

heptahydrate

**US State Regulations** 

**Massachusetts Right To Know** 

Zinc sulfate heptahydrate 7446-20-0

Pennsylvania Right To Know

Zinc sulfate heptahydrate 7446-20-0

**Maine Chemicals of High Concern** 

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern** 

Product does not contain any listed chemicals

**Washington Chemicals of High Concern** 

Aldrich - 204986 Page 12 of 14



### Product does not contain any listed chemicals

## The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Aldrich - 204986 Page 13 of 14



The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 204986

