Sigma-Aldrich.

SAFETY DATA SHEET

Version 6.6 Revision Date 03/04/2024 Print Date 05/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | [:] Silver(I) fluoride |
|----------------|---------------------------------|
| Product Number | : 226866 |
| Brand | : Aldrich |
| CAS-No. | : 7775-41-9 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|---------------------|---|---|
| Telephone Fax | | +1 314 771-5765 +1 800 325-5052 |
| Emergency telephone | | |

| Emergency Phone # | : | 800-424-9300 CHEMTREC (USA) +1-703- |
|-------------------|---|--------------------------------------|
| | | 527-3887 CHEMTREC (International) 24 |
| | | Hours/day; 7 Days/week |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 226866

1.4

Page 1 of 11



2.2 GHS Label elements, including precautionary statements

| Pictogram | |
|--|--|
| Signal Word | Danger |
| Hazard Statements H314 | Causes severe skin burns and eye damage. |
| Precautionary Statements P260 P264 P280 | Do not breathe dust. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face |
| P301 + P330 + P331 P303 + P361 + P353 | protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| P363 P405 P501 | Wash contaminated clothing before reuse. Store locked up. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Strong hydrogen fluoride-releaser

SECTION 3: Composition/information on ingredients

| 3.1 Substances Formula Molecular weight CAS-No. EC-No. | | : AgF : 126.87 g/mol : 7775-41-9 : 231-895-8 | | |
|---|-----------------|---|--|---------------|
| | Component | | Classification | Concentration |
| | silver fluoride | | | |
| | | | Skin Corr. 1B; Eye Dam. 1; H314, H318 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 226866

Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Aldrich - 226866

Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride Silver/silver oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Light sensitive. Store under inert gas. hygroscopic Do not store in glass

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 226866

Page 4 of 11



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Component | CAS-No. | Value | Control | Basis |
|-----------------|-----------|--|------------|--|
| | | | parameters | |
| silver fluoride | 7775-41-9 | TWA | 0.01 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 2.5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | TWA | 0.01 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 2.5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Not classifiable as a human carcinogen | | |
| | | TWA | 0.01 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | PEL | 0.01 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | PEL | 2.5 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

Ingredients with workplace control parameters

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------------|-----------|--|---|---------------------|--|
| silver fluoride | 7775-41-9 | Fluoride | 2 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Prior to shift | Prior to shift (16 hours after exposure ceases) | | |
| | | Fluoride | 3 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift (As soon as possible after exposure ceases) | | | |

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Aldrich - 226866

Page 5 of 11



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

b) Odor

Form: solid Color: brown, tan

No data available

- No data available
- c) Odor Threshold
 - No data available

d) pH Aldrich - 226866

Page 6 of 11



| e) | Melting point/freezing point | 435 °C (815 °F) |
|----------|--|------------------------------|
| f) | Initial boiling point and boiling range | 1,150 °C 2,102 °F |
| g) | Flash point | ()No data available |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapor pressure | No data available |
| I) | Vapor density | No data available |
| m) | Density | 5.852 g/cm3 at 25 °C (77 °F) |
| | Relative density | No data available |
| n) | Water solubility | No data available |
| o) | Partition coefficient: n-octanol/water | No data available |
| p) | Autoignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | none |
| ~ | <i>. .</i> | |

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Reacts dangerously with glass. no information available

Aldrich - 226866

Page 7 of 11



10.5 Incompatible materials glass

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: VW4250000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm,

Aldrich - 226866

Page 8 of 11



inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, pneumonitis, pulmonary edema, Symptoms and signs of poisoning are:, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Acute symptoms of overexposure include:, Salivation, Abdominal pain, Fever, Breathing difficulties, Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Prolonged or repeated exposure may cause:, perforation of the nasal septum, excessive calcification of the bones, ligaments, and tendons., May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity No data available

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Aldrich - 226866

Page 9 of 11



SECTION 14: Transport information

DOT (US)

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (silver fluoride) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3260 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (silver fluoride)

ΙΑΤΑ

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (silver fluoride)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| CAS-No. 7775-41-9 | Revision Date 1993-04-24 |
|----------------------|--|
| | |
| | |
| CAS-No. 7775-41-9 | Revision Date 1993-04-24 |
| | |
| CAS-No. 7775-41-9 | Revision Date 1993-04-24 |
| | 7775-41-9 CAS-No. 7775-41-9 CAS-No. |

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Aldrich - 226866

Page 10 of 11



with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 03/04/2024 Print Date: 05/12/2024

Aldrich - 226866

Page 11 of 11

