www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET

Version 6.12 Revision Date 05/20/2025 Print Date 05/21/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name:*p*-ToluidineProduct Number:236314Brand:AldrichIndex-No.:612-160-00-4CAS-No.:106-49-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765

Fax	:	+1 800 325-5052
	•	

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral)	: Category 3
Acute toxicity Idrich - 236314	: Category 3

А

Page 1 of 16



(Inhalation)

Acute toxicity (Dermal)	: Category 3
Eye irritation	: Category 2A
Skin sensitisation	: Sub-category 1A
Carcinogenicity	: Category 2
Short-term (acute) aquatic hazard	: Category 1
Long-term (chronic) aquatic hazard	: Category 2
Other hazards	
None known.	
GHS label elements	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	 H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

H411 Toxic to aquatic life with long lasting effects.

Response:

Aldrich - 236314

Page 2 of 16



P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
p-toluidine	106-49-0*	>= 80 - <= 100	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: First aiders need to protect themselves.
	Show this safety data sheet to the doctor in
	attendance.
If inhaled	: After inhalation: fresh air. Immediately call in
	physician.
	If breathing stops: immediately apply artificial
Aldrich - 236314	

Page 3 of 16



		respiration, if necessary also oxygen.
In case of skin contact	:	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
If swallowed	:	If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.
Most important symptoms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards during fire fighting	:	Combustible.
		Vapours are heavier than air and may spread along floors.
		Forms explosive mixtures with air on intense heating.
Aldrich - 236314		Development of hazardous combustion gases or Page 4 of 16



vapours possible in the event of fire.

Hazardous combustion products	:	Carbon oxides
		Nitrogen oxides (NOx)
Specific extinguishing methods	:	No data available
Further information	:	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire- fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Aldrich - 236314

Page 5 of 16



Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Advice on safe handling	:	Work under hood. Do not inhale substance/mixture.
Further information on storage conditions	:	Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.
Storage class	:	6.1A, Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials
Recommended storage temperature	:	Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
p-toluidine	106-49-0	TWA	2 ppm	ACGIH

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter : Filter A-(P3) type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection Material

: Nitrile rubber

Aldrich - 236314

Page 6 of 16



Break through time Glove thickness Protective index Manufacturer	:	480 min 0.11 mm Full contact KCL 741 Dermatril® L
Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Splash contact KCL 741 Dermatril® L
Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin and body protection	:	Flame retardant antistatic protective clothing.
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	crystalline
Color	:	white
Odor	:	alcohol-like
Odor Threshold pH	-	No data available alkaline
Melting point/ range	:	106 - 115 °F / 41 - 46 °C Method: lit.
Boiling point/boiling range	:	392 °F / 200 °C Method: lit.

Aldrich - 236314

Page 7 of 16



Flash point	:	189 °F / 87 °C (1,013 hPa) Method: DIN 51758, closed cup
Evaporation rate	:	No data available
Burning rate	:	No data available
Self-ignition	:	896 °F / 480 °C Method: DIN 51794
Upper explosion limit / Upper flammability limit	:	6.6 %(V)
Lower explosion limit / Lower flammability limit	:	1.1 %(V)
Vapor pressure	:	1.3 hPa (122 °F / 50 °C)
Relative vapour density	:	3.9
Relative density	:	No data available
Density	:	0.973 g/mL (77 °F / 25 °C) Method: lit.
Solubility(ies) Water solubility	:	7.5 g/l (68 °F / 20 °C)
Partition coefficient: n- octanol/water	:	log Pow: 1.39 Method: (experimental) (Lit.) Bioaccumulation is not expected.
Autoignition temperature	:	896 °F / 480 °C Method: DIN 51794
Decomposition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Molecular weight	:	107.15 g/mol
Particle characteristics		

Aldrich - 236314

Page 8 of 16



SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Forms explosive mixtures with air on intense heating.
		A range from approx. 15 Kelvin below the flash point is to be rated as critical.
		The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
Chemical stability	:	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	:	Risk of explosion with: Nitric acid Risk of ignition or formation of inflammable gases or vapours with: mineral acids acids
Conditions to avoid	:	Strong heating.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgement) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Symptoms: Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapour

(Expert judgement) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rabbit - 890 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h

Aldrich - 236314

Page 9 of 16



(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Patch test: - Guinea pig Result: positive Remarks: (ECHA)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: Metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: positive

Carcinogenicity

Suspected of causing cancer.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: XU3150000

Cough, Shortness of breath, Headache, Nausea, Vomiting, Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

Aldrich - 236314

Page 10 of 16



After absorption of toxic quantities:

Drowsiness CNS disorders cardiovascular disorders Methaemoglobinaemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea, and spasms, key symptom: cyanosis (blue colouration of the blood). narcosis

Toxic effect on:

Liver Kidney

Effect potentiated by: ethanol

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

p-toluidine:		
Toxicity to fish	xposure time: 9	cipes (Orange-red killifish)): 120 mg/l 16 h est Guideline 203
Toxicity to daphnia and other aquatic invertebrates	nd point: Immo xposure time: 4 est Type: semi- nalytical monito	8 h static test
Toxicity to algae/aquatic plants	lgae)): 24 mg/l xposure time: 7 est Type: Grow	

Aldrich - 236314

Page 11 of 16



		GLP: yes
		NOEC (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Orange-red killifish)): 0.6 mg/l End point: Growth inhibition Exposure time: 21 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.011 mg/l End point: reproduction rate Exposure time: 21 d Method: OECD Test Guideline 211 GLP: yes
Toxicity to since the second s	:	EC50 (Photobacterium phosphoreum): 4.27 mg/l Exposure time: 30 min Test Type: microtox test Remarks: (Lit.)

Persistence and degradability

Components:

p-toluidine:		
Biodegradability	 aerobic Inoculum: activated sludge, non-adapted Concentration: 3 mg/l Result: Readily biodegradable. Biodegradation: > 68 % Exposure time: 20 d Method: OECD Test Guideline 301D 	d
Biochemical Oxygen Demand (BOD)	: 1,630 mg/g Incubation time: 5 d	

Bioaccumulative potential

Components:

p-toluidine:

Partition coefficient: n-	:	log Pow: 1.39
octanol/water		Method: (experimental)

Aldrich - 236314

Page 12 of 16



Remarks: (Lit.) Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product
		itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	:	UN 3451 Toluidines, solid 6.1 II Division 6.1 - Toxic substances 676 669
IMDG-Code UN number Proper shipping name	-	UN 3451 TOLUIDINES, SOLID
Class Packing group Labels EmS Code Marine pollutant	:	6.1 II 6.1 F-A, <u>S-A</u> yes

Aldrich - 236314

Page 13 of 16



Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road UN/ID/NA number Proper shipping name	-	UN 3451 Toluidines, solid
Class Packing group Labels ERG Code Marine pollutant	:	6.1 II Division 6.1 - Toxic substances 153 yes
Poison Inhalation Hazard	:	No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
p-toluidine	106-49-0	100	100

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute Health Hazard Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Aldrich - 236314

Page 14 of 16



This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know	
p-toluidine	106-49-0
Pennsylvania Right To Know	
p-toluidine	106-49-0
Maine Chemicals of High Concern Product does not contain any listed chemicals	
Vermont Chemicals of High Concern	
Product does not contain any listed chemicals	
Washington Chemicals of High Concern	
Product does not contain any listed chemicals	
The components of this product are reported in the fo	ollowing inventorie
TCCA . All substances listed as activ	a an the TCCA invers

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

Aldrich - 236314

Page 15 of 16

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



es:

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Accelerating Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/20/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 236314

Page 16 of 16

