

SAFETY DATA SHEET

Version 6.9 Revision Date 03/04/2024 Print Date 05/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Thallium
Product Number	: 277932
Brand	: Aldrich
Index-No.	: 081-001-00-3
CAS-No.	: 7440-28-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals, Synthesis of substances	
Uses advised against	The product is being supplied under the TSCA R&D Exemp (40 CFR Section 720.36). It is the recipient's responsibility comply with the requirements of the R&D exemption. The	y to

Hours/day; 7 Days/week

MilliporeSigma.

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Specific target organ toxicity - repeated exposure (Category 2), H373

Aldrich - 277932

1.4

Page 1 of 10



Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H300 + H330 H373 H402	Fatal if swallowed or if inhaled. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life.
H413	May cause long lasting harmful effects to aquatic life.
Precautionary Statements P260 P264 P270 P271 P273 P284 P301 + P310 + P330 P304 + P340 + P310	Do not breathe dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P314 P403 + P233 P405 P501	Get medical advice/ attention if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	TI
Molecular weight	:	204.38 g/mol
CAS-No.	:	7440-28-0
EC-No.	:	231-138-1
Index-No.	:	081-001-00-3

Component	Classification	Concentration	
Thallium			
	Acute Tox. 2; STOT RE 2;	<= 100 %	
	Aquatic Acute 3; Aquatic		
	Chronic 4; H300, H330,		
	H373, H402, H413		

Aldrich - 277932

Page 2 of 10



For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

thallium oxides Not combustible. Ambient fire may liberate hazardous vapours.

Aldrich - 277932

Page 3 of 10



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **Environmental precautions** 6.2 Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **Reference to other sections** 6.4 For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 277932

Page 4 of 10



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Ingredients with workplace control parameters					
Component	CAS-No.	Value	Control	Basis	
			parameters		
Thallium	7440-28-0	TWA	0.1 mg/m3	USA. Occupational Exposure	
				Limits (OSHA) - Table Z-1	
				Limits for Air Contaminants	
	Remarks	Skin desigr	nation		
		TWA	0.02 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
		Danger of cutaneous absorption			
		TWA	0.1 mg/m3	USA. NIOSH Recommended	
				Exposure Limits	
		Potential fo	r dermal absorp	tion	
		PEL	0.1 mg/m3	California permissible exposure	
				limits for chemical	
				contaminants (Title 8, Article	
				107)	
	Skin				

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

Aldrich - 277932

Page 5 of 10



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	· · · · · · · · · ·	
a)	Appearance	Form: granular Color: light gray
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 303 °C (577 °F) - lit.
f)	Initial boiling point and boiling range	1,457 °C 2,655 °F - lit.
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety informatio	n

No data available

Aldrich - 277932

9.2

Page 6 of 10



SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Air sensitive. no information available
- **10.5 Incompatible materials** Strong acids, Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 5.1 mg/kg (Expert judgment) Oral: No data available Acute toxicity estimate Inhalation - 4 h - 0.051 mg/l - dust/mist

(Expert judgment) Dermal: No data available No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - 277932

Page 7 of 10



Reproductive toxicity

Possible risk of congenital malformation in the fetus. No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

11.2 Additional Information

RTECS: XG3425000

The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Cyprinodon variegatus (sheepshead minnow) - 21.0 mg/l - 96.0 h

mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 14.0 mg/l $\,$ - 96.0 h

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Aldrich - 277932

Page 8 of 10



12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 3288 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, inorganic, n.o.s. (Thallium) Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: II EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Thallium)

ΙΑΤΑ

UN number: 3288 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, inorganic, n.o.s. (Thallium)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Thallium	7440-28-0	2007-07-01

SARA 311/312 Hazards

Aldrich - 277932

Page 9 of 10



Massachusetts Right To Know Components		
Thallium	CAS-No. 7440-28-0	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
Thallium	CAS-No. 7440-28-0	Revision Date 2007-07-01

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/04/2024 Print Date: 05/12/2024

Aldrich - 277932

Page 10 of 10

