# **SAFETY DATA SHEET**

Version 6.4 Revision Date 03/02/2024 Print Date 04/13/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	:	2-Methylpropene
Product Number	:	295469
Brand	:	Aldrich
Index-No.	:	601-012-00-4
CAS-No.	:	115-11-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Synthesis of substances
Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Flammable gases (Category 1), H220 Gases under pressure (Liquefied gas), H280 Simple Asphyxiant,

Aldrich - 295469

1.4

Page 1 of 10



For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H220 H280	Extremely flammable gas. Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381 P410 + P403	Eliminate all ignition sources if safe to do so. Protect from sunlight. Store in a well-ventilated place.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Synonyms	:	Isobutylene		
	Formula Molecular weight CAS-No. EC-No. Index-No.		C₄H <sub>8</sub> 56.11 g/mol 115-11-7 204-066-3 601-012-00-4		
	Component			Classification	Concentration
	2-Methylpropene				
				Flam. Gas 1; Press. Gas Liquefied gas; SA ; H220, H280,	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

Aldrich - 295469

Page 2 of 10



## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** Use water spray to cool unopened containers.

## **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

**6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Clean up promptly by sweeping or vacuum.
- **6.4** Reference to other sections For disposal see section 13.

Aldrich - 295469

Page 3 of 10



## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

## Advice on safe handling

Avoid inhalation of vapor or mist.

## Advice on protection against fire and explosion

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

## Storage class

Storage class (TRGS 510): 2A: Gases

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
2-Methylpropene	115-11-7 TWA	250 ppm	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Not classifiable as a human carcinogen					

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

Aldrich - 295469

Page 4 of 10



with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 60 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: Liquefied gas
- b) Odor unpleasant
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting Melting point/range: -140 °C (-220 °F) point/freezing point
- f) Initial boiling point -6.9 °C 19.6 °F lit. and boiling range
- Aldrich 295469

Page 5 of 10



Oth	Other safety information							
t)	Oxidizing properties	No data available						
s)	Explosive properties	No data available						
r)	Viscosity	No data available						
q)	Decomposition temperature	No data available						
p)	Autoignition temperature	No data available						
o)	Partition coefficient: n-octanol/water	log Pow: 2.34						
n)	Water solubility	No data available						
	Relative density	No data available						
m)	Density	No data available						
I)	Vapor density	2.25						
k)	Vapor pressure	4,370 hPa at 37.7 °C (99.9 °F)						
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 9.6 %(V) Lower explosion limit: 1.8 %(V)						
i)	Flammability (solid, gas)	No data available						
h)	Evaporation rate	No data available						
g)	Flash point	-80 °C (-112 °F) - closed cup						

Relative vapor 2.25 density

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

9.2

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Strong oxidizing agents, Strong acids, Halogens
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Aldrich - 295469

Page 6 of 10



## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

### Acute toxicity

Oral: No data available LC50 Inhalation - Rat - male and female - 4 h - 23 mg/l - gas

(OECD Test Guideline 403) Dermal: No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

#### **Respiratory or skin sensitization** No data available

#### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (IUCLID) Test Type: In vitro mammalian cell gene mutation test Test system: Human lymphocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse

Application Route: Inhalation Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - 295469

Page 7 of 10



## **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

## **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 28 Days - NOAEL (No observed adverse effect level) - 148.6 mg/kg

#### RTECS: UD0890000

Acts as a simple asphyxiant by displacing air., Dizziness, Disorientation, Headache, excitement, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After uptake of large quantities:

Headache Dizziness Nausea ataxia (impaired locomotor coordination) Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

Aldrich - 295469

Page 8 of 10



## SECTION 13: Disposal considerations

### **13.1 Waste treatment methods**

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 1055 Class: 2.1 Proper shipping name: Isobutylene Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 1055 Class: 2.1 Proper shipping name: ISOBUTYLENE EMS-No: F-D, S-U

### ΙΑΤΑ

UN number: 1055 Class: 2.1 Proper shipping name: Isobutylene IATA Passenger: Not permitted for transport

### **SECTION 15: Regulatory information**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Aldrich - 295469

Page 9 of 10



Fire Hazard, Sudden Release of Pressure Hazard					
Massachusetts Right To Know Components	CAS-No.	Revision Date			
2-Methylpropene	115-11-7	1993-04-24			
2-Methylpropene	CAS-No. 115-11-7	Revision Date 1993-04-24			
Pennsylvania Right To Know Components	CAS-No.	Revision Date			
2-Methylpropene	115-11-7	1993-04-24			
2-Methylpropene	CAS-No. 115-11-7	Revision Date 1993-04-24			
New Jersey Right To Know Components	CAS-No.	Revision Date			
2-Methylpropene	115-11-7	1993-04-24			

### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.4 Revision Date: 03/02/2024 Print Date: 04/13/2024

Aldrich - 295469

Page 10 of 10

