

# SAFETY DATA SHEET

Version 6.8 Revision Date 03/02/2024 Print Date 04/13/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Nitrous oxide

Product Number : 295590 Brand : Aldrich CAS-No. : 10024-97-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing gases (Category 1), H270

Gases under pressure (Liquefied gas), H280

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Simple Asphyxiant,

Aldrich - 295590

Page 1 of 10



For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

**Hazard Statements** 

H270 May cause or intensify fire; oxidizer.

H280 Contains gas under pressure; may explode if heated.

H336 May cause drowsiness or dizziness.

May displace oxygen and cause rapid suffocation.

Precautionary Statements

P220 Keep/Store away from clothing/ combustible materials.

P244 Keep reduction valves free from oil and grease.

P261 Avoid breathing gas.

P271 Use only outdoors or in a well-ventilated area.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P370 + P376 In case of fire: Stop leak if safe to do so.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May displace oxygen and cause rapid suffocation.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Laughing gas

Dinitrogen monoxide

Formula :  $N_2O$ 

Molecular weight : 44.01 g/mol CAS-No. : 10024-97-2 EC-No. : 233-032-0

Component	Classification	Concentration				
Dinitrogen oxide						
	Ox. Gas 1; Press. Gas	<= 100 %				
	Liquefied gas; STOT SE 3;					
	SA; H270, H280, H336,					

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 295590

Page 2 of 10



#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich - 295590



#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.

#### **6.4** Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from combustible materials and sources of ignition.

Contents under pressure.

#### Storage class

Storage class (TRGS 510): 2A: Gases

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 295590

Aillipore

Component	CAS-No.	Value	Control parameters	Basis
Dinitrogen oxide	10024-97-	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		TWA	25 ppm 46 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	50 ppm 90 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

## **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

# **Personal protective equipment**

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 60 min

Material tested:

### **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Aldrich - 295590

Page 5 of 10



required when vapours/mists are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: Liquefied gas

Color: colorless

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting Melting point/range: -91 °C (-132 °F) - lit. point/freezing point

f) Initial boiling point -88 °C -126 °F - lit. and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 57,195.30 hPa at 25 °C (77 °F)

I) Vapor density 1.52 - (Air = 1.0)

m) Density 1.23 g/cm3 at -89 °C (-128 °F)

Relative density No data available

n) Water solubility 1.5 g/l at 15 °C (59 °F)

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

Aldrich - 295590

MILLIPORE

t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 1.

# 9.2 Other safety information

Relative vapor density

1.52 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Carbon dioxide (CO2)

Risk of ignition or formation of inflammable gases or vapours with:

Boron Hydrogen

Risk of explosion with:

Amines

Ammonia

Carbon monoxide

Hydrocarbons

phosphine

hydrogen sulphide

Hydrogen

silicon compounds

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

# **Acute toxicity**

Oral: No data available

Symptoms: respiratory arrest, Suffocation

Dermal: No data available

Aldrich - 295590

....

Page 7 of 10

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

## Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Brain

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: QX1350000 anesthetic effects

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After uptake of large quantities:

depressed respiration Tiredness narcosis inebriation Unconsciousness

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Aldrich - 295590

Page 8 of 10



# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Pressurised gas bottle: dispose of only in empty condition!

# **SECTION 14: Transport information**

### DOT (US)

UN number: 1070 Class: 2.2 (5.1) Proper shipping name: Nitrous oxide

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1070 Class: 2.2 (5.1)

Aldrich - 295590

EMS-No: F-C, S-W
Page 9 of 10

Millipore SigMa Proper shipping name: NITROUS OXIDE

**IATA** 

UN number: 1070 Class: 2.2 (5.1) Proper shipping name: Nitrous oxide

# **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Dinitrogen oxide	10024-97-2	2007-03-01

## **Pennsylvania Right To Know Components**

Dinitrogen oxide CAS-No. Revision Date 10024-97-2 2007-03-01

### California Prop. 65 Components

, which is/are known to the State of California to CAS-No. Revision Date cause birth defects or other reproductive harm. For 10024-97-2 2013-12-20 more information go to

www.P65Warnings.ca.gov.Dinitrogen oxide

### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 03/02/2024 Print Date: 04/13/2024

Aldrich - 295590

Page 10 of 10

