

SAFETY DATA SHEET

Version 6.6 Revision Date 03/07/2024 Print Date 05/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : (Methylcyclopentadienyl)manganese(I)

tricarbonyl

Product Number : 317632 Brand : Aldrich CAS-No. : 12108-13-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 2), H310

Aldrich - 317632

Page 1 of 11



Skin irritation (Category 2), H315

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H301 Toxic if swallowed.

H310 + H330 Fatal in contact with skin or if inhaled.

H315 Causes skin irritation.

H372 Causes damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe mist or vapors.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Rinse mouth.

P302 + P350 + P310 IF ON SKIN: Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/ physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C₉H₇MnO₃

Aldrich - 317632

Page 2 of 11



Molecular weight : 218.09 g/mol CAS-No. : 12108-13-3 EC-No. : 235-166-5

Component	Classification	Concentration			
(Methylcyclopentadienyl)manganese(I) tricarbonyl					
	Acute Tox. 3; Acute Tox. 1; Acute Tox. 2; Skin Irrit. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H310, H315, H372, H400, H410 M-Factor - Aquatic Acute: 1	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich - 317632

Page 3 of 11



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Manganese/manganese oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Aldrich - 317632

Page 4 of 11



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stabilityRecommended storage temperature

2 - 8 °C

Air, light, and moisture sensitive. Heat sensitive.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Ingredients with workplace control parameters						
Component	CAS-No.	Value	Control parameters	Basis		
(Methylcyclopenta dienyl)manganese (I) tricarbonyl	12108-13-	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Danger of cutaneous absorption				
		TWA	0.2 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential for dermal absorption				
		PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		Skin				
		С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Aldrich - 317632

Page 5 of 11



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: viscous

Color: yellow-orange

b) Odorc) Odor Thresholddata available

d) pH No data available

e) Melting point/range: -1 °C (30 °F) - lit. point/freezing point

f) Initial boiling point 232 - 233 °C 450 - 451 °F - lit. and boiling range

g) Flash point 96 °C (205 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 0.07 hPa at 20 °C (68 °F)

I) Vapor density 7.53 - (Air = 1.0)

Aldrich - 317632

Millipore SigMa m) Density 1.38 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available

n) Water solubility ca.0.01 g/l at 22 °C (72 °F) - slightly soluble

o) Partition coefficient: log Pow: 3.4 at 26 °C (79 °F)

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Surface tension ca.72.9 mN/m at 20.2 °C (68.4 °F)

Relative vapor 7.53 - (Air = 1.0)

density

SECTION 10: Stability and reactivity

10.1 Reactivity

Aldrich - 317632

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5





Page 7 of 11

operates as MilliporeSigma in the US and Canada

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 58 mg/kg (OECD Test Guideline 423) LC50 Inhalation - Rat - male - 4 h - 0.07 mg/l - vapor

(OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - 196.7 mg/kg (OECD Test Guideline 402) No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: Does not cause skin sensitization.

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Species: Mouse

Method: OECD Test Guideline 478

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Aldrich - 317632

Millipore Sigma

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Lungs

Aspiration hazard

No data available

11.2 Additional Information

RTECS: OP1450000

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Cyprinus carpio (Carp) - 0.21 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 0.83 mg/l - 48 h

and other aquatic invertebrates

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 56 d

Result: 4 % - Not biodegradable (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

Aldrich - 317632

4illiPDRE

Page 9 of 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3281 Class: 6.1 Packing group: II

Proper shipping name: Metal carbonyls, liquid, n.o.s. ((Methylcyclopentadienyl)manganese(I) tricarbonyl)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3281 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: METAL CARBONYLS, LIQUID, N.O.S.

((Methylcyclopentadienyl)manganese(I) tricarbonyl)

IATA

UN number: 3281 Class: 6.1 Packing group: II

Proper shipping name: Metal carbonyls, liquid, n.o.s. ((Methylcyclopentadienyl)manganese(I) tricarbonyl)

SECTION 15: Regulatory information

SARA 302 Components

(Methylcyclopentadienyl)manganese(I) tricarbonyl CAS-No. Revision Date 12108-13-3 2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

(Methylcyclopentadienyl)manganese(I) tricarbonyl CAS-No. Revision Date 2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Aldrich - 317632 Page 10 of 11

Millipore SigMa

Massachusetts Right To Know Components

(Methylcyclopentadienyl)manganese(I) tricarbonyl CAS-No. Revision Date 2008-11-03

Pennsylvania Right To Know Components

(Methylcyclopentadienyl)manganese(I) tricarbonyl CAS-No. Revision Date 12108-13-3 2008-11-03

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 03/07/2024 Print Date: 05/12/2024

Aldrich - 317632

