

SAFETY DATA SHEET

Version 6.12 Revision Date 08/25/2025 Print Date 08/26/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Trimethoxy(octyl)silane

Product Number : 376221 Brand : Aldrich CAS-No. : 3069-40-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Acute toxicity : Category 3

(Inhalation)

Aldrich - 376221

Page 1 of 15



Skin irritation : Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H331 Toxic if inhaled.

Precautionary statements : **Prevention:**

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical

advice/ attention.

P362 Take off contaminated clothing and wash before

reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep

container tightly closed. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Aldrich - 376221

Page 2 of 15



Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
trimethoxyoctylsilane	3069-40-7*	>= 90 - <= 100	-

^{*} Indicates that the identifier is a CAS No. Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

: After eye contact: rinse out with plenty of water. In case of eye contact

Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical

or carbon dioxide.

Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Aldrich - 376221

Page 3 of 15



For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

: Combustible.

Vapours are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

: Carbon oxides

silicon oxides

Specific extinguishing methods

: No data available

Further information

: Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Aldrich - 376221



Page 4 of 15

operates as MilliporeSigma in the US and Canada

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

: Tightly closed.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to

qualified or authorised persons.

Storage class : 6.1C, Combustible, acute toxic Cat.3 / toxic

compounds or compounds which causing chronic

effects

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Exposure to moisture

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

: Filter type ABEK

Aldrich - 376221

Page 5 of 15



type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 898)

Material : butyl-rubber Break through time : 480 min Glove thickness : 0.7 mm

Protective index : Splash contact

Manufacturer : Butoject® (KCL 898)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear, liquid

Color : colourless

Odor : fruity

Aldrich - 376221

Page 6 of 15



Odor Threshold : No data available pH : No data available

Melting point/ range : $-87 \, ^{\circ}\text{F} / -66 \, ^{\circ}\text{C}$

(1,013 hPa)

Method: OECD Test Guideline 102

Boiling point/boiling range : 441 °F / 227 °C (1,013 hPa)

Method: OECD Test Guideline 103

GLP: yes

Flash point : $203 \, ^{\circ}\text{F} / 95 \, ^{\circ}\text{C}$

(1,013 hPa)

Method: Regulation (EC) No. 440/2008, Annex, A.9,

closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 437 °F / 225 °C

1,018.5 - 1,022 hPa Autoignition temperature Method: DIN 51794

GLP: yes

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 2.1 Pa (68 °F / 20 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.4

GLP: yes

Relative vapour density : No data available

Relative density : $0.91 (68 \, ^{\circ}\text{F} / 20 \, ^{\circ}\text{C})$

Method: Regulation (EC) No. 440/2008, Annex, A.3

GLP: yes

Density : 0.907 g/mL (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Aldrich - 376221

Millipore SigMa

Page 7 of 15

Water solubility : 0.0133 g/l slightly soluble (68 °F / 20 °C)

pH: 3.45 - 4.01

Method: OECD Test Guideline 105

GLP: yes

Partition coefficient: n-

octanol/water

: log Pow: 3.9 (75 °F / 24 °C)

pH: 7.5 - 7.7

Method: OECD Test Guideline 107

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity

Viscosity, dynamic : 2 mPa.s (68 °F / 20 °C)

Method: OECD Test Guideline 114

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 53 mN/m, 68 °F / 20 °C, Regulation (EC) No.

440/2008, Annex, A.5, GLP: yes

Molecular weight : 234.41 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

bases acids

Aldrich - 376221

Page 8 of 15



Conditions to avoid : Strong heating.

Incompatible materials : No data available

products

Hazardous decomposition : In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 3,500 - 5,000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 3.9 mg/l - vapour

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is OSHA:

on OSHA's list of regulated carcinogens.

Aldrich - 376221

Page 9 of 15



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Gavage - 90 d - No observed adverse effect level - >= 150 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

trimethoxyoctylsilane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): >

0.055 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 0.049 mg/l

Exposure time: 48 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata): > 0.13 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

: NOEC (Daphnia magna (Water flea)): 32 mg/l

End point: mortality Exposure time: 21 d

Aldrich - 376221

Page 10 of 15

toxicity) Test Type: semi-static test

Analytical monitoring: yes

Method: OECD Test Guideline 211

GLP: yes

Toxicity to microorganisms

: NOEC (activated sludge): > 1,000 mg/l

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Persistence and degradability

Components:

trimethoxyoctylsilane:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Concentration: 5 mg/l

Result: Readily biodegradable. Biodegradation: 31.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Bioaccumulative potential

Components:

trimethoxyoctylsilane:

Partition coefficient: n-

octanol/water

: log Pow: 3.9 (75 °F / 24 °C)

pH: 7.5 - 7.7

Method: OECD Test Guideline 107

GLP: yes

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

Aldrich - 376221

Page 11 of 15



with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

: UN 2810 UN/ID No.

: Toxic liquid, organic, n.o.s. Proper shipping name

(trimethoxyoctylsilane)

Class : 6.1 : III Packing group

: Division 6.1 - Toxic substances Labels

Packing instruction (cargo: 663

aircraft)

Packing instruction : 655

(passenger aircraft)

IMDG-Code

UN number : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

(trimethoxyoctylsilane)

Class : 6.1 Packing group : III Labels : 6.1 EmS Code : F-A, S-A

Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

: UN 2810 UN/ID/NA number

Proper shipping name : Toxic, liquids, organic, n.o.s.

(trimethoxyoctylsilane)

Class : 6.1 Packing group : III

: Division 6.1 - Toxic substances Labels

ERG Code : 153 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety

Aldrich - 376221

Page 12 of 15



Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

: No SARA Hazards

Hazards

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Aldrich - 376221



Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 08/25/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich - 376221

Page 14 of 15



Aldrich - 376221

Page 15 of 15



