

## SAFETY DATA SHEET

Version 6.5  
Revision Date 03/02/2024  
Print Date 04/21/2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Manganese(II) carbonate

Product Number : 377449  
Brand : Aldrich  
CAS-No. : 598-62-9

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Aldrich - 377449

Page 1 of 11

Pictogram	none
Signal Word	none
Hazard Statements	
H401	Toxic to aquatic life.
Precautionary Statements	
P273	Avoid release to the environment.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: $\text{CMnO}_3$
Molecular weight	: 114.95 g/mol
CAS-No.	: 598-62-9
EC-No.	: 209-942-9

Component	Classification	Concentration
<b>Manganous carbonate</b>		
	Aquatic Acute 2; H401	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Manganese/manganese oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Dry.

Hygroscopic.

### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Manganous carbonate	598-62-9	C	5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		TWA	0.02 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		
		TWA	1 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		ST	3 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		PEL	0.2 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

### **Respiratory protection**

Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                            |                                                                                     |
|--------------------------------------------|-------------------------------------------------------------------------------------|
| a) Appearance                              | Form: powder<br>Color: light brown                                                  |
| b) Odor                                    | No data available                                                                   |
| c) Odor Threshold                          | No data available                                                                   |
| d) pH                                      | No data available                                                                   |
| e) Melting point/freezing point            | Melting point/range: > 450 °C (> 842 °F) - Regulation (EC) No. 440/2008, Annex, A.1 |
| f) Initial boiling point and boiling range | No data available                                                                   |
| g) Flash point                             | ( )Not applicable                                                                   |
| h) Evaporation rate                        | No data available                                                                   |
| i) Flammability (solid, gas)               | The product is not flammable.                                                       |
| j) Upper/lower flammability or             | No data available                                                                   |

explosive limits

- |    |                                        |                                                                                            |
|----|----------------------------------------|--------------------------------------------------------------------------------------------|
| k) | Vapor pressure                         | No data available                                                                          |
| l) | Vapor density                          | No data available                                                                          |
| m) | Density                                | 3.12 g/cm <sup>3</sup> at 25 °C (77 °F) - lit.                                             |
|    | Relative density                       | 3.2722 °C - Regulation (EC) No. 440/2008, Annex, A.3                                       |
| n) | Water solubility                       | 0.00363 g/l at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex, A.6 - slightly soluble |
| o) | Partition coefficient: n-octanol/water | Not applicable for inorganic substances                                                    |
| p) | Autoignition temperature               | No data available                                                                          |
| q) | Decomposition temperature              | No data available                                                                          |
| r) | Viscosity                              | No data available                                                                          |
| s) | Explosive properties                   | No data available                                                                          |
| t) | Oxidizing properties                   | none                                                                                       |

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Avoid moisture.

no information available

### 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 5.35 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Manganese oxide

Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Manganese oxide

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: manganese(II) chlorideTest

Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: manganese(II) chlorideTest

Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: manganese(II) chloride

#### Carcinogenicity

Aldrich - 377449

Page 7 of 11

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

### **11.2 Additional Information**

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	flow-through test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - 3.17 mg/l - 96 h Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Manganese Sulfate Monohydrate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - <i>Daphnia magna</i> (Water flea) - > 3.6 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - <i>Pseudokirchneriella subcapitata</i> (green algae) - > 2.2 mg/l - 72 h (OECD Test Guideline 201)



Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Manganese oxide
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - <i>Salvelinus fontinalis</i> (Brook trout) - 0.55 mg/l - 65 d (OECD Test Guideline 210) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Manganese Sulfate Monohydrate
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	static test EC50 - <i>Ceriodaphnia dubia</i> (water flea) - 4.1 mg/l - 8 d (OECD Test Guideline 211) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Manganese oxide

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

### Further information

Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15: Regulatory information

### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Manganous carbonate	598-62-9	2015-07-08

### SARA 311/312 Hazards

Chronic Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Manganous carbonate	598-62-9	2015-07-08

---

## SECTION 16: Other information

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.5

Revision Date: 03/02/2024

Print Date: 04/21/2024