

# **SAFETY DATA SHEET**

Version 6.8 Revision Date 11/27/2023 Print Date 04/21/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifiers**

1.2

2	Relevant identified use	es	of the substance or mixture and uses advised against
	Product Number Brand	-	476552 Aldrich
	Product name	:	Vinylmagnesium chloride solution

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

# 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Chemicals which, in contact with water, emit flammable gases (Category 1), H260 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

# Aldrich - 476552

Page 1 of 14



Pictogram	
Signal Word	Danger
Hazard Statements H225 H260	Highly flammable liquid and vapor. In contact with water releases flammable gases which may
H302 H314 H335 H336 H351	ignite spontaneously. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer.
Precautionary Statements	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P223 P231 + P232 P233 P240	Do not allow contact with water. Handle under inert gas. Protect from moisture. Keep container tightly closed. Ground/bond container and receiving equipment.
P240 P241 P242 P243	Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
P261 P264 P270	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P280	Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 P335 + P334	IF exposed or concerned: Get medical advice/ attention. Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.
P363 P370 + P378	Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P402 + P404 P403 + P233 P403 + P235	Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.
Aldrich - 476552	Page 2 of 14



P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water., May form explosive peroxides.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures Formula

Molecular weight

: C<sub>2</sub>H<sub>3</sub>ClMg : 86.80 g/mol

Component		Classification	Concentration
Tetrahydrofuran			
CAS-No. EC-No. Index-No. Registration number	109-99-9 5-53 603-025-00-0 01-2119444314-46- XXXX	Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; Carc. 2; STOT SE 3; H225, H302, H319, H351, H335, H336 Concentration limits: >= 25 %: Eye Irrit. 2, H319; >= 25 %: STOT SE 3, H335;	>= 70 - < 90 %
ChlorovinyImagnes	sium		
CAS-No. EC-No.	3536-96-7 222-575-9	1; Skin Corr. 1B; Eye Dam. 1; H260, H314, H318	>= 10 - < 20 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

Aldrich - 476552

Page 3 of 14



# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

- Suitable extinguishing media Dry powder
- 5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas Magnesium oxide
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

# **SECTION 6: Accidental release measures**

# **6.1 Personal precautions, protective equipment and emergency procedures** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.
- **6.4 Reference to other sections** For disposal see section 13.

Aldrich - 476552

Page 4 of 14



# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

# Advice on protection against fire and explosion

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage.

Store under inert gas. Dry residue is explosive. Test for peroxide formation periodically and before distillation. Dry residue is explosive. Store under inert gas. Test for peroxide formation periodically and before distillation.

# Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetrahydrofuran	109-99-9	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption		
		STEL	USA. ACGIH Threshold Limit Values (TLV)	
		Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption		

Aldrich - 476552

Page 5 of 14



ST	250 ppm 735 mg/m3	USA. NIOSH Recommended Exposure Limits
TWA	200 ppm 590 mg/m3	USA. NIOSH Recommended Exposure Limits
TWA	200 ppm 590 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
PEL	200 ppm 590 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
STEL	250 ppm 735 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Tetrahydrofuran	109-99-9	Tetrahydrof uran	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	narks End of shift (As soon as possible after expo			osure ceases)		

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 10 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist

Aldrich - 476552

Page 6 of 14



and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: dark brown
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	-17 °C (1 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	0.980 g/cm3
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient:	No data available
h - 4	76552	

Aldrich - 476552

Page 7 of 14



n-octanol/water

- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

# **9.2 Other safety information** No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# **10.2** Chemical stability

Stable under recommended storage conditions.

# **10.3** Possibility of hazardous reactions

Vapors may form explosive mixture with air. Reacts violently with water.

# **10.4** Conditions to avoid

Heat, flames and sparks. Exposure to moisture.

# **10.5 Incompatible materials** Oxidizing agents, Oxygen, Reacts violently with water.

**10.6 Hazardous decomposition products** In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# **11.1 Information on toxicological effects**

#### Mixture

# Acute toxicity

Oral: No data available Acute toxicity estimate Oral - 1,922 mg/kg (Calculation method)

Inhalation: No data available

Dermal: No data available

Aldrich - 476552

Page 8 of 14



Acute toxicity estimate Dermal - 2,912 mg/kg (Calculation method)

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Tetrahydrofuran)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea Stomach - Irregularities - Based on Human Evidence

#### Components

#### Tetrahydrofuran

#### Acute toxicity

LD50 Oral - Rat - male and female - 1,650 mg/kg Remarks: (ECHA) Symptoms: Irritation of mucous membranes

Aldrich - 476552

Page 9 of 14



LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapor (US-EPA) LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 72 h (Draize Test) Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. Remarks: (IUCLID) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

# Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells **Result:** negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes) Result: negative

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity** No data available

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) May cause drowsiness or dizziness. Acute oral toxicity - Irritation of mucous membranes

# Specific target organ toxicity - repeated exposure

#### **Aspiration hazard**

No data available

Aldrich - 476552

Page 10 of 14



# ChlorovinyImagnesium

# Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

**Skin corrosion/irritation** Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

**Carcinogenicity** No data available

# Reproductive toxicity No data available

No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Aldrich - 476552

Page 11 of 14



# **12.6 Endocrine disrupting properties**

No data available

# 12.7 Other adverse effects

No data available

# Components

<b>Tetrahydrofuran</b> Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 2,160 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3,485 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 216 mg/l  - 33 d Remarks: (ECHA)

# ChlorovinyImagnesium

No data available

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

# Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

# DOT (US)

UN number: 3399 Class: 4.3 (3) Packing group: I Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (Tetrahydrofuran, Chlorovinylmagnesium) (Tetrahydrofuran, Chlorovinylmagnesium) Reportable Quantity (RQ): 1164 lbs Poison Inhalation Hazard: No

Aldrich - 476552

Page 12 of 14



# IMDG

UN number: 3399 Class: 4.3 (3) Packing group: I EMS-No: F-G, S-N Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Chlorovinylmagnesium, Tetrahydrofuran) (Chlorovinylmagnesium, Tetrahydrofuran)

# ΙΑΤΑ

UN number: 3399 Class: 4.3 (3) Packing group: I Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (Chlorovinylmagnesium, Tetrahydrofuran) (Chlorovinylmagnesium, Tetrahydrofuran) IATA Passenger: Not permitted for transport

# SECTION 15: Regulatory information

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

# Massachusetts Right To Know Components

Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 1993-02-16
Pennsylvania Right To Know Components Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 1993-02-16
<b>California Prop. 65 Components</b> , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 2021-12-31

# **SECTION 16: Other information**

# **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its

Aldrich - 476552

Page 13 of 14



Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.8 Revision Date: 11/27/2023 Print Date: 04/21/2024

Aldrich - 476552

Page 14 of 14

