

# SAFETY DATA SHEET

Version 6.7  
Revision Date 04/24/2025  
Print Date 04/24/2025

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Lithium manganese(III,IV) oxide  
Product Number : 482277  
Brand : Aldrich  
CAS-No. : 12057-17-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances  
Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### Other hazards

None known.

Aldrich - 482277

Page 1 of 11

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore**  
**Sigma**

**GHS label elements**

Not a hazardous substance or mixture.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

**Components**

| Chemical name                   | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---------------------------------|-------------------|-----------------------|--------------|
| Lithium manganese(III,IV) oxide | 12057-17-9*       | >= 90 - <= 100        | -            |

\* Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

**SECTION 5. FIRE-FIGHTING MEASURES**

Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

Hazardous combustion products : Lithium oxides  
Manganese/manganese oxides

Specific extinguishing : No data available

methods

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:  
Avoid inhalation of dusts.  
Ensure adequate ventilation.  
Evacuate the danger area, observe emergency procedures, consult an expert.  
Advice for emergency responders:  
For personal protection see section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills.  
Observe possible material restrictions (see sections 7 and 10).  
Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Further information on storage conditions : Tightly closed.  
Dry.

Storage class : 11, Combustible Solids

Recommended storage temperature : Recommended storage temperature see product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis |
|------------|---------|-------------------------------------|---|-------|
|            |         |                                     |   |       |

|                                 |            |                                     |                                    |           |
|---------------------------------|------------|-------------------------------------|------------------------------------|-----------|
| Lithium manganese(III,IV) oxide | 12057-17-9 | C                                   | 5 mg/m <sup>3</sup> (Manganese)    | OSHA Z-1  |
|                                 |            | TWA (Inhalable particulate matter)  | 0.1 mg/m <sup>3</sup> (Manganese)  | ACGIH     |
|                                 |            | TWA (Respirable particulate matter) | 0.02 mg/m <sup>3</sup> (Manganese) | ACGIH     |
|                                 |            | TWA                                 | 1 mg/m <sup>3</sup> (Manganese)    | NIOSH REL |
|                                 |            | ST                                  | 3 mg/m <sup>3</sup> (Manganese)    | NIOSH REL |

**Engineering measures** : No data available

#### **Personal protective equipment**

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Hand protection

Material : Nitrile rubber  
 Break through time : 480 min  
 Glove thickness : 0.11 mm  
 Protective index : Full contact  
 Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber  
 Break through time : 480 min  
 Glove thickness : 0.11 mm  
 Protective index : Splash contact  
 Manufacturer : KCL 741 Dermatril® L

|                  |   |
|------------------|---|
| Remarks          | : Handle with impervious gloves.<br>This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). |
| Eye protection   | : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Safety glasses   |
| Hygiene measures | : Change contaminated clothing. Wash hands after working with substance.  |

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                       |
|---|---------------------------------------|
| Appearance  | : powder                              |
| Color   | : black                               |
| Odor  | : No data available                   |
| Odor Threshold                                      | : No data available                   |
| pH  | : No data available                   |
| Melting point/ range                                | : > 752 °F / > 400 °C<br>Method: lit. |
| Boiling point/boiling range                         | : No data available                   |
| Flash point   | : No data available                   |
| Evaporation rate                                    | : No data available                   |
| Flammability (solid, gas)                           | : No data available                   |
| Flammability (liquids)                              | : No data available                   |
| Burning rate  | : No data available                   |
| Upper explosion limit /<br>Upper flammability limit | : No data available                   |
| Lower explosion limit /<br>Lower flammability limit | : No data available                   |

|  |                     |
|--|---------------------|
| Vapor pressure                         | : No data available |
| Relative vapor density                 | : No data available |
| Relative density                       | : No data available |
| Density                                | : No data available |
| Water solubility                       | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Autoignition temperature               | : No data available |
| Decomposition temperature              | : No data available |
| Viscosity, dynamic                     | : No data available |
| Viscosity, kinematic                   | : No data available |
| Flow time                              | : No data available |
| Explosive properties                   | : No data available |
| Oxidizing properties                   | : No data available |
| Molecular weight                       | : 180.81 g/mol      |
| Particle characteristics               |                     |
| Particle size                          | : No data available |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : No data available   |
| Chemical stability                 | : The product is chemically stable under standard ambient conditions (room temperature) . |
| Possibility of hazardous reactions | : No data available   |
| Conditions to avoid                | : no information available  |
| Incompatible materials             | : Strong oxidizing agents   |
| Hazardous decomposition products   | : In the event of fire: see section 5   |

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral: No data available  
Inhalation: No data available  
Dermal: No data available

#### **Skin corrosion/irritation**

No data available

#### **Serious eye damage/eye irritation**

No data available

#### **Respiratory or skin sensitization**

No data available

#### **Germ cell mutagenicity**

No data available

#### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No data available

### **Persistence and degradability**

#### **Components:**

##### **Lithium manganese(III,IV) oxide:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### **Components:**

##### **Lithium manganese(III,IV) oxide:**

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Components:**

##### **Lithium manganese(III,IV) oxide:**

Results of PBT and vPvB : PBT/vPvB: Not applicable for inorganic substances assessment

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

Aldrich - 482277

Page 8 of 11

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore  
Sigma**

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**National regulation****49 CFR Road**

Not regulated as a dangerous good

Poison Inhalation Hazard : No

**Special precautions for user**

Remarks : Not classified as dangerous in the meaning of transport regulations.

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

| Components                  | CAS-No.  | Component TPQ (lbs) |
|-----------------------------|--|---------------------|
| <b>SARA 311/312 Hazards</b> | : Chronic Health Hazard  |                     |
| <b>SARA 313</b>             | : The following components are subject to reporting levels established by SARA Title III, Section 313: |                     |
|                             | Lithium manganese(III,IV) oxide  | 12057-17-9 100 %    |

**US State Regulations****Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Lithium manganese(III,IV) oxide 12057-17-9

**Pennsylvania Right To Know**

Lithium manganese(III,IV) oxide 12057-17-9

**New Jersey Right To Know**

Aldrich - 482277

Page 9 of 11

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore  
Sigma**

**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

Lithium manganese(III,IV) oxide 12057-17-9

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

|                 |   |
|-----------------|---|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)   |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits  |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : 8-hour, time-weighted average   |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| NIOSH REL / ST  | : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday    |
| OSHA Z-1 / C    | : Ceiling   |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed

Aldrich - 482277

Page 10 of 11

(Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/24/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN