

# SAFETY DATA SHEET

according to the OSHA  
Hazard Communication Standard

Version 8.8  
Revision Date 04/16/2026  
Print Date 04/17/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Hexylzinc bromide solution

Product Number : 498769  
Brand : Aldrich  
CAS-No. : 124397-96-2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

**Hazards for the product as supplied**

Flammable liquids	: Category 2
Chemicals which, in contact with water, emit flammable gases	: Category 2
Acute toxicity (Oral)	: Category 4
Serious eye damage	: Category 1
Carcinogenicity	: Category 2
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)

**Other hazards**

May form explosive peroxides.

**GHS label elements**

Hazard pictograms	:	
-------------------	---	--

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H261 In contact with water releases flammable gases.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P223 Do not allow contact with water.  
P231 + P232 Handle and store contents under inert gas. Protect from moisture.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.

P243 Take action to prevent static discharges.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P402 + P404 Store in a dry place. Store in a closed container.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
CAS-No. : 124397-96-2

**Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret

Tetrahydrofuran	109-99-9*	>= 80 - <= 100	TSC
-----------------	-----------	----------------	-----

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

---

#### SECTION 4. FIRST AID MEASURES

General advice	: Show this safety data sheet to the doctor in attendance.
If inhaled	: After inhalation: fresh air. Call in physician.
In case of skin contact	: In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	: After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	: After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delayed	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	: For personal protection see section 8.
Notes to physician	: No data available

---

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO <sub>2</sub> ) Dry powder
Unsuitable extinguishing media	: Water Foam
Specific hazards during fire fighting	: Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along floors.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion products	: Carbon oxides  Hydrogen bromide gas  Zinc/zinc oxides
Specific extinguishing methods	: No data available
Further information	: Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-fighters	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
---	--

- Environmental precautions : Do not let product enter drains.  
Risk of explosion.
- Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).  
Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

- Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.  
Take precautionary measures against static discharge.
- Advice on safe handling : Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.  
Keep workplace dry. Do not allow product to come into contact with water.
- Further information on storage conditions : Tightly closed.  
Keep away from heat and sources of ignition.
- Materials to avoid : Never allow product to get in contact with water during storage.
- Storage class : 4.3, Hazardous materials, which set free flammable gases upon contact with water
- Recommended storage temperature : 36 - 46 °F / 2 - 8 °C  
  
/
- Further information on storage stability : Store under inert gas.  
Dry residue is explosive.  
Test for peroxide formation periodically and before distillation.  
Test for peroxide formation periodically and before distillation.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
------------	---------	------------------------	----------------------	-------

Aldrich - 498769

Page 6 of 17

		exposure)	Permissible concentration	
Tetrahydrofuran	109-99-9	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		ST	250 ppm 735 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm 590 mg/m <sup>3</sup>	OSHA Z-1

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Tetrahydrofuran	109-99-9	Tetrahydrofuran	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Aldrich - 498769

Page 7 of 17

- Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Tightly fitting safety goggles
- Skin and body protection : Flame retardant antistatic protective clothing.
- Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available  
pH : No data available
- Melting point : No data available
- Boiling point/boiling range : 149.0 - 152.6 °F / 65.0 - 67.0 °C
- Flash point : 1 °F / -17 °C  
Method: closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Flammability (liquids) : No data available
- Burning rate : No data available
- Upper explosion limit /  
Upper flammability limit : 11.8 %(V)
- Lower explosion limit /  
Lower flammability limit : 1.8 %(V)
- Vapor pressure : No data available
- Relative vapour density : No data available

Relative density	: No data available
Density	: 0.965 g/cm <sup>3</sup> (77 °F / 25 °C)
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Molecular weight	: 230.46 g/mol
Particle characteristics Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Formation of peroxides possible.  Vapours may form explosive mixture with air.
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: No data available
Conditions to avoid	: Warming.  Moisture.
Incompatible materials	: Oxidizing agents Oxygen
Hazardous decomposition products	: Peroxides

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Acute toxicity estimate Oral - 1,651 mg/kg

(Calculation method)

Symptoms: Possible symptoms: , mucosal irritations, Cough, Shortness of breath, Possible damages: , damage of respiratory tract

Acute toxicity estimate Dermal - 2,500 mg/kg

(Calculation method)

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

Evidence of a carcinogenic effect.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Tetrahydrofuran)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available

### 11.2 Additional Information

Central nervous system depression, Cough, chest pain, Difficulty in breathing, Exposure to high airborne concentrations can cause anesthetic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

## Components

### Tetrahydrofuran

#### Acute toxicity

LD50 Oral - Rat - male and female - 1,650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes

LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapour  
(US-EPA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg  
(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 72 h

(Draize Test)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis,  
due to degreasing properties of the product.

#### Serious eye damage/eye irritation

Eyes - Rabbit

(Evaluated according F.H.S.A.= Federal Hazardous Substance Act.)

Remarks: Causes serious eye damage.

(ECHA)

Eyes - Rabbit

(Tested according to Annex V of Directive 67/548/EEC.)

Remarks: Causes serious eye damage.

(ECHA)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

**Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness.

Acute oral toxicity - Irritation of mucous membranes

**Specific target organ toxicity - repeated exposure**

**Aspiration hazard**

No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**Tetrahydrofuran:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,160 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,485 mg/l  
End point: mortality  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 216 mg/l  
End point: Growth inhibition  
Exposure time: 33 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Remarks: (ECHA)

**Persistence and degradability**

**Components:**

**Tetrahydrofuran:**

Aldrich - 498769

Page 12 of 17

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 2 mg/l  
Biochemical oxygen demand  
Result: Not readily biodegradable.  
Biodegradation: 39 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### **Bioaccumulative potential**

#### **Components:**

##### **Tetrahydrofuran:**

Partition coefficient: n- : log Pow: 0.45 (77 °F / 25 °C)  
octanol/water Method: OECD Test Guideline 107  
Remarks: Bioaccumulation is not expected.

##### **Mobility in soil**

No data available

##### **Other adverse effects**

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part  
82 Protection of Stratospheric Ozone - CAA Section  
602 Class I Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as  
defined by the U.S. Clean Air Act Section 602 (40 CFR  
82, Subpt. A, App.A + B).

#### **Components:**

##### **Tetrahydrofuran:**

Results of PBT and vPvB : Substance does not meet the criteria for PBT or vPvB  
assessment according to Regulation (EC) No 1907/2006, Annex  
XIII.

##### **Endocrine disrupting properties**

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance  
with the national and local regulations. Leave  
chemicals in original containers. No mixing with other  
waste. Handle uncleaned containers like the product  
itself.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

UN/ID No. : UN 3399  
Proper shipping name : Organometallic substance, liquid, water-reactive,  
flammable  
(Hexylzinc bromide, Tetrahydrofuran)  
Class : 4.3  
Subsidiary risk : 3  
Packing group : II  
Labels : Division 4.3 - Substances which in contact with water  
emit flammable gases, Class 3 - Flammable liquids  
Packing instruction (cargo : 494  
aircraft)  
Packing instruction : 493  
(passenger aircraft)

#### IMDG-Code

UN number : UN 3399  
Proper shipping name : ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-  
REACTIVE, FLAMMABLE  
(Hexylzinc bromide, Tetrahydrofuran)  
Class : 4.3  
Subsidiary risk : 3  
Packing group : II  
Labels : 4.3 (3)  
EmS Code : F-G, S-N  
Marine pollutant : no

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3399  
Proper shipping name : Organometallic substance, liquid, water-reactive,  
flammable  
(Hexylzinc bromide, Tetrahydrofuran)  
Class : 4.3  
Subsidiary risk : 3  
Packing group : II  
Labels : Division 4.3 - Substances which in contact with water  
emit flammable gases, Class 3 - Flammable liquids  
ERG Code : 138  
Marine pollutant : no  
Poison Inhalation Hazard : No

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Tetrahydrofuran	109-99-9	1000	1000

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

Tetrahydrofuran

109-99-9

#### Pennsylvania Right To Know

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**California Prop. 65**

WARNING: This product can expose you to chemicals including Tetrahydrofuran, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). **The components of this product are reported in the following inventories:**

US TSCA : Product contains substance(s) not listed on TSCA inventory.

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
 OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -

International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/16/2026

US / EN