

# SAFETY DATA SHEET

Version 8.8 Revision Date 03/02/2024 Print Date 04/28/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Deuterium chloride solution

Product Number : 532991 Brand : Aldrich

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aldrich - 532991

Page 1 of 13



For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram Signal Word Danger Hazard Statements H225 Highly flammable liquid and vapor. Harmful if swallowed. H302 H315 Causes skin irritation. H318 Causes serious eye damage. May cause drowsiness or dizziness. H336 **Precautionary Statements** Keep away from heat/ sparks/ open flames/ hot surfaces. No P210 smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing mist or vapors. P261 Wash skin thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 P271 Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. P280 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 + P330 unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated P303 + P361 + P353 clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P312 for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue P310 rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. P332 + P313 P362 Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant P370 + P378 foam to extinguish. Store in a well-ventilated place. Keep container tightly closed. P403 + P233 P403 + P235 Store in a well-ventilated place. Keep cool.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

plant.

Store locked up.

Dispose of contents/ container to an approved waste disposal

May form explosive peroxides.

Repeated exposure may cause skin dryness or cracking.

Aldrich - 532991

P405

P501



## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : Hydrochloric acid-dsolution

Formula : CID

Component		Classification	Concentration
Diethyl ether			
CAS-No. EC-No. Index-No. Registration number	60-29-7 200-467-2 603-022-00-4 01-2119535785-29- XXXX	Flam. Liq. 1; Acute Tox. 4; STOT SE 3; H224, H302, H336 Concentration limits: >= 20 %: STOT SE 3, H336;	>= 90 - <= 100 %
hydrochloric acid-d <sub>1</sub>			
CAS-No. EC-No.	7698-05-7 231-715-8	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H290, H314, H318, H335	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich - 532991

Page 3 of 13



#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Aldrich - 532991

Page 4 of 13



# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

**Storage stability**Recommended storage temperature

2 - 8 °C

Test for peroxide formation periodically and before distillation.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Ingi calcines with				
Component	CAS-No.	Value	Control parameters	Basis
Diethyl ether	60-29-7	TWA	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	500 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 1,200 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	500 ppm 1,500 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	400 ppm 1,200 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
hydrochloric acid- d <sub>1</sub>	7698-05-7	С	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

Aldrich - 532991 Page 5 of 13



С	5 ppm 7 mg/m3	USA. NIOSH Recommended Exposure Limits
С	5 ppm 7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
PEL	0.3 ppm 0.45 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
С	2 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

# **Appropriate engineering controls**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

# **Personal protective equipment**

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# **Skin protection**

required

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

#### .1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odorc) Odor Thresholddata availableNo data available

Aldrich - 532991 Page 6 of 13



d) pH No data available No data available e) Melting point/freezing point No data available Initial boiling point f) and boiling range -40 °C (-40 °F) - closed cup g) Flash point h) Evaporation rate No data available i) Flammability (solid, No data available gas) Upper/lower No data available j) flammability or explosive limits k) Vapor pressure No data available Vapor density No data available I) No data available m) Density Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available n-octanol/water No data available p) Autoignition temperature No data available q) Decomposition temperature Viscosity No data available r) s) Explosive properties Not classified as explosive. Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Formation of peroxides possible. Vapors may form explosive mixture with air.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

No data available

Aldrich - 532991



#### 10.4 Conditions to avoid

Warming. Moisture.

#### 10.5 Incompatible materials

Oxidizing agents, Strong acids

## 10.6 Hazardous decomposition products

Peroxides

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

## **Acute toxicity**

Oral: No data available

Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Remarks: Repeated exposure with the mixture may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

#### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

Aldrich - 532991

AilliPDRE

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

# **Components**

# Diethyl ether

## **Acute toxicity**

LD50 Oral - Rat - 1,211 mg/kg

Remarks: (RTECS)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary

edema and pneumonitis.

LC50 Inhalation - Mouse - 4 h - 97.5 mg/l - vapor

Remarks: (RTECS)

Symptoms: mucosal irritations

LD50 Dermal - Rabbit - male - > 20,000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: Dermatitis

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

#### **Germ cell mutagenicity**

Test Type: Micronucleus test Test system: Human lymphocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Aldrich - 532991

Result: negative

## Carcinogenicity

No data available

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Oral - May cause drowsiness or dizziness. - Central nervous system Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity - mucosal irritations

# Specific target organ toxicity - repeated exposure

## **Aspiration hazard**

No data available

# hydrochloric acid-d1

# **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

## Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive

(OECD Test Guideline 431)

Remarks: (in analogy to similar products)

## Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Corrosive

(OECD Test Guideline 437)

Remarks: (in analogy to similar products) Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Remarks: (in analogy to similar products)

Aldrich - 532991

*Aillipore* 

Page 10 of 13

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Mixture**

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **Components**

# Diethyl ether

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill sunfish) - > 10,000 mg/l

- 96 h

Remarks: (IUCLID)

Toxicity to daphnia and other aquatic

invertebrates

EC50 - Daphnia magna (Water flea) - 1,380 mg/l - 48 h

Remarks: (IUCLID)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Desmodesmus subspicatus (green algae) -

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 21,000 mg/l - 3 h

(OECD Test Guideline 209)

static test NOEC - activated sludge - 42 mg/l - 3 h

(OECD Test Guideline 209)

Aldrich - 532991 Page 11 of 13

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - > 100 and other aquatic mq/l - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

hydrochloric acid-d1

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 2924 Class: 3 (8) Packing group: I

Proper shipping name: Flammable liquids, corrosive, n.o.s. (hydrochloric acid-d1, Diethyl

ether) (hydrochloric acid-d<sub>1</sub>, Diethyl ether)

Reportable Quantity (RQ): 103 lbs
Reportable Quantity (RQ): 100 lbs
Poison Inhalation Hazard: No

**IMDG** 

UN number: 2924 Class: 3 (8) Packing group: I EMS-No: F-E, S-C Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (hydrochloric acid-d<sub>1</sub>,

Diethyl ether) (hydrochloric acid-d<sub>1</sub>, Diethyl ether)

**IATA** 

UN number: 2924 Class: 3 (8) Packing group: I

Proper shipping name: Flammable liquid, corrosive, n.o.s. (hydrochloric acid-d1, Diethyl

ether) (hydrochloric acid-d<sub>1</sub>, Diethyl ether)

#### **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

Aldrich - 532991

Page 12 of 13



The following components are subject to reporting levels established by SARA Title III, Section 313:

hydrochloric acid-d<sub>1</sub> CAS-No. Revision Date 7698-05-7 2013-02-08

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Reportable Quantity** F003 lbs

# **Massachusetts Right To Know Components**

Diethyl ether	CAS-No. 60-29-7	Revision Date 1993-02-16
hydrochloric acid-d1	7698-05-7	2013-02-08

Pennsylvania Right To Know Components

Diethyl ether	CAS-No. 60-29-7	Revision Date 1993-02-16
hydrochloric acid-d1	7698-05-7	2013-02-08

# **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.8 Revision Date: 03/02/2024 Print Date: 04/28/2024

Aldrich - 532991

AilliPORE