

# SAFETY DATA SHEET

Version 6.5 Revision Date 03/08/2024 Print Date 05/12/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name	<sup>:</sup> 1-Ethylpiperidine
Product Number Brand	: E45708 : Aldrich
CAS-No.	: 766-09-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052
Emergency telephone		

# 1.4

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

# SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 4), H312

Aldrich - E45708

Page 1 of 12



Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard Statements H225 H301 + H331 H312 H314 H402	Highly flammable liquid and vapor. Toxic if swallowed or if inhaled. Harmful in contact with skin. Causes severe skin burns and eye damage. Harmful to aquatic life.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# **2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** - none Aldrich - E45708

Page 2 of 12



# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Synonyms	: N-Ethylpiperidine	
Formula Molecular weight CAS-No. EC-No.	: C7H15N : 113.20 g/mol : 766-09-6 : 212-161-6	
Component		Classification
1-ethylpiperidine		
		Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 3; H225, H301, H331, H312, H314, H318, H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 **Description of first-aid measures**

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

Aldrich - E45708

Page 3 of 12

Concentration

<= 100 %



- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

# **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4** Reference to other sections For disposal see section 13.

Aldrich - E45708

Page 4 of 12



# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to gualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

# Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Aldrich - E45708

Page 5 of 12



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 30 min Material tested:Butoject® (KCL 898)

# **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	amine-like
c)	Odor Threshold	Do not attempt to smell the product as it is hazardous.
d)	pН	12.2 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point: < -50 °C (< -58 °F)
f)	Initial boiling point and boiling range	131 °C 268 °F - lit.
g)	Flash point	17 °C (63 °F) - DIN 51755 Part 1

Aldrich - E45708

Page 6 of 12



h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 12.1 %(V) Lower explosion limit: 1.9 %(V)
k)	Vapor pressure	12.76 hPa at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapor density	No data available
m)	Density	0.824 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	6 g/l at 20 °C (68 °F)
0)	Partition coefficient: n-octanol/water	log Pow: 1.75 - (experimental) - (Lit.), Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	1.06 mm2/s at 20 °C (68 °F) - OECD Test Guideline 114 - 0.83 mm2/s at 40 °C (104 °F) - OECD Test Guideline 114 -
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	on and a second s
	Surface tension	66.28 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

9.2

Vapors may form explosive mixture with air.

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3 Possibility of hazardous reactions**

Violent reactions possible with: Acid anhydrides acid halides Strong oxidizing agents acids Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

# **10.4** Conditions to avoid

Warming.

Aldrich - E45708

Page 7 of 12



#### **10.5 Incompatible materials** No data available

**10.6 Hazardous decomposition products** In the event of fire: see section 5

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - male and female - 280 mg/kg (OECD Test Guideline 401) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. LC50 Inhalation - Rat - male and female - 4 h - 2.4 mg/l - vapor

(OECD Test Guideline 403) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Inhalation: Corrosive to respiratory system. LD50 Dermal - Rabbit - male and female - > 1,000 - < 2,000 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: 1-methylpiperidine

# Skin corrosion/irritation

Skin - Rabbit Result: Corrosive Remarks: (External MSDS)

# Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Aldrich - E45708

Page 8 of 12



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 28 d - NOAEL (No observed adverse effect level) - > 80 mg/kg Remarks: Subacute toxicity

#### RTECS: TN0250000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 25 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l $$ - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 24.6 mg/l - 72 h (OECD Test Guideline 201)

Aldrich - E45708

Page 9 of 12



Toxicity to bacteria	static test EC20 - activated sludge - > 100 - < 500 mg/l $$ - 0.5 h (ISO 8192)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 2.2 mg/l - 21 d (OECD Test Guideline 211)

# 12.2 Persistence and degradability

Bi	iodegradability	Result: 90 - 100 % - Easily eliminable. (OECD Test Guideline 302B) aerobic - Exposure time 28 d Result: > 60 % - Readily biodegradable. (OECD Test Guideline 310)
	iochemical Oxygen emand (BOD)	3 mg/g Remarks: (External MSDS)
	hemical Oxygen emand (COD)	2,030 mg/g Remarks: (External MSDS)

Ratio BOD/ThBOD < 1 % Remarks: (External MSDS)

# **12.3 Bioaccumulative potential**

No data available

#### **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

# 12.7 Other adverse effects

Additional ecological Discharge into the environment must be avoided. information

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

## Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Aldrich - E45708

Page 10 of 12



# **SECTION 14:** Transport information

### DOT (US)

UN number: 2386 Class: 3 (8) Packing group: II Proper shipping name: 1-Ethylpiperidine Reportable Quantity (RQ): Poison Inhalation Hazard: No

# IMDG

UN number: 2386 Class: 3 (8) E, S-C Proper shipping name: 1-ETHYLPIPERIDINE

Packing group: II EMS-No: F-

## IATA

UN number: 2386 Class: 3 (8) Packing group: II Proper shipping name: 1-Ethylpiperidine

## **SECTION 15: Regulatory information**

## SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# **SECTION 16: Other information**

## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Aldrich - E45708

Page 11 of 12



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.5 Revision Date: 03/08/2024 Print Date: 05/12/2024

Aldrich - E45708

Page 12 of 12

