

# **SAFETY DATA SHEET**

Version 6.11 Revision Date 08/08/2025 Print Date 08/09/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Nitroguanidine

Product Number : N17351 Brand : Aldrich CAS-No. : 556-88-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids : Category 1

Aldrich - N17351

Page 1 of 13



# Other hazards

Explosive when dry. Desensitised explosive

#### **GHS label elements**

Hazard pictograms



Signal Word : Danger

Hazard Statements : H228 Flammable solid.

Precautionary statements : **Prevention:** 

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P280 Wear protective gloves/ eye protection/ face

protection.

**Response:** 

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

# Components

| Chemical name    | CAS<br>No./Unique ID | Concentration (% w/w) | Trade<br>secret |
|------------------|----------------------|-----------------------|-----------------|
| 1-Nitroguanidine | 556-88-7*            | >= 70 - < 90          | ı               |

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Aldrich - N17351

Page 2 of 13



In case of eye contact : After eye contact: rinse out with plenty of water.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most). Consult doctor if feeling unwell.

Most important

symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective

equipment for fire-

fighters

: In the event of fire, wear self-contained breathing

apparatus.

Aldrich - N17351



#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Further information on

: Tightly closed.

storage conditions

Keep away from heat and sources of ignition.

Storage class : 4.1B, Flammable solid hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

| Components       | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis   |
|------------------|----------|-------------------------------------|--|---------|
| 1-Nitroguanidine | 556-88-7 | TWA                                 | 7 mg/m3  | US WEEL |

**Engineering measures** : No data available

Aldrich - N17351

Millipore SiGMa

Page 4 of 13

## Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This

recommendation is advisory only and must be

evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Aldrich - N17351

AilliPDRe

Page 5 of 13

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point/ range : 462 °F / 239 °C

Method: dec.

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : The substance or mixture is a flammable solid with

the category 1.

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

operates as MilliporeSigma in the US and Canada

Aldrich - N17351

Page 6 of 13

Density : No data available

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Desensitized explosives with a corrected burning rate

less than 60 kg/min

Oxidizing properties : No data available

Molecular weight : 104.07 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : The following applies in general to flammable organic

substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Contains the following

stabiliser(s):

: water (25 %)

Possibility of hazardous

reactions

: No data available

Conditions to avoid : no information available

Incompatible materials : Strong oxidizing agents

Strong bases

Hazardous decomposition : In the event of fire: see section 5

Aldrich - N17351

Page 7 of 13



#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

## **Acute toxicity**

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

LD50 Oral - Rat - female - 4,345 mg/kg (1-Nitroguanidine)

Remarks: (ECHA)

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit (1-Nitroguanidine) Result: No skin irritation - 4 h

Remarks: (ECHA)

## Serious eye damage/eye irritation

Eyes - Rabbit (1-Nitroguanidine) Result: No eye irritation - 72 h

Remarks: (ECHA)

## Respiratory or skin sensitization

Buehler Test - Guinea pig (1-Nitroguanidine)

Result: Not a skin sensitizer.

Remarks: (ECHA)

# Germ cell mutagenicity

(1-Nitroguanidine)

Test Type: gene mutation test Species: Drosophila melanogaster

Application Route: Oral

Result: negative Remarks: (ECHA)

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

Aldrich - N17351

illipore

Page 8 of 13

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: MF4600000

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated. (1-Nitroguanidine)

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Components:**

## 1-Nitroguanidine:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,600 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 3,000 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to fish (Chronic

toxicity)

: NOEC (Pimephales promelas (fathead minnow)):

1,050 mg/l

Exposure time: 28 d

Test Type: flow-through test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Ceriodaphnia dubia (water flea)): 260 mg/l

Exposure time: 7 d

Test Type: semi-static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to microorganisms

: EC50 (activated sludge): > 300 mg/l

Exposure time: 10.5 min Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Aldrich - N17351

*Aillipore* 

Page 9 of 13

# Persistence and degradability

No data available

#### **Bioaccumulative potential**

#### **Components:**

# 1-Nitroguanidine:

Partition coefficient: n- : log Pow: ca. -0.815 (68 °F / 20 °C)

octanol/water pH: 6.6 - 7.3

Method: OECD Test Guideline 107

GLP: yes

Remarks: Bioaccumulation is not expected.

## Mobility in soil

No data available

## Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

## IATA-DGR

UN/ID No. : UN 1336

Proper shipping name : Nitroguanidine, wetted

Class : 4.1 Packing group : I

Labels : Division 4.1 - Flammable solids

Packing instruction (cargo: 451

aircraft)

Packing instruction : 451

(passenger aircraft)

## IMDG-Code

UN number : UN 1336

Proper shipping name : NITROGUANIDINE, WETTED

Class : 4.1
Packing group : I
Labels : 4.1
EmS Code : F-B, S-J

Aldrich - N17351

4:11:0000

Page 10 of 13

Marine pollutant : no

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

## 49 CFR Road

UN/ID/NA number : UN 1336

Proper shipping name : Nitroguanidine, wetted

Class : 4.1 Packing group : I

Labels : Division 4.1 - Flammable solids

ERG Code : 113 Marine pollutant : no

Poison Inhalation Hazard : No

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

## **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

# Massachusetts Right To Know

water 7732-18-5

# Pennsylvania Right To Know

1-Nitroguanidine 556-88-7 water 7732-18-5

#### **Maine Chemicals of High Concern**

Aldrich - N17351 Page 11 of 13



water 7732-18-5

**Vermont Chemicals of High Concern** 

water 7732-18-5

**Washington Chemicals of High Concern** 

water 7732-18-5

**New Jersey Right To Know** 

1-Nitroguanidine 556-88-7 water 7732-18-5

## The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels

(WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development;

Aldrich - N17351 Page 12 of 13



OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 08/08/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - N17351

