

# **SAFETY DATA SHEET**

Version 6.3 Revision Date 10/07/2021 Print Date 04/28/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name : TERT-OCTYLAMINE, 95% Product Number : 06000 Brand : Aldrich CAS-No. : 107-45-9

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

#### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 3), H301 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word Aldrich - O6000

Page 1 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Hazard statement(s)	
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all
	contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
1909 11991 11990	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P310	Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see supplemental first aid instructions on
1 521	this label).
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	1,1,3,3-Tetramethylbutylamine 2-Amino-2,4,4-trimethylpentane		
	Formula Molecular weight CAS-No. EC-No.	:	C <sub>8</sub> H <sub>19</sub> N 129.24 g/mol 107-45-9 203-491-1		
	Component			Classification	Concentration

Aldrich - O6000

Page 2 of 10



The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

1,1,3,3-Tetramethylbutylamine		
	Flam. Liq. 3; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1C; Eye Dam. 1; Aquatic Acute 2; Aquatic Chronic 2; H226, H290, H302,	<= 100 %
	H314, H318, H401, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical powder or carbon dioxide. Large amounts of water are ineffective. Cool containers with large amounts of water.

5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Aldrich - O6000

Page 3 of 10



## 5.4 Further information

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - O6000

Page 4 of 10



## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### **Personal protective equipment**

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - O6000

Page 5 of 10



# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid
		Color: light brown
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	137 - 143 °C 279 - 289 °F - lit.
g)	Flash point	33 °C (91 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	4.46 - (Air = 1.0)
m)	Density	0.805 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	No data available
0)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Otł	ner safety informatio	on
	Relative vapor density	4.46 - (Air = 1.0)

# SECTION 10: Stability and reactivity

#### **10.1** Reactivity

No data available

Aldrich - O6000

9.2

Page 6 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



## **10.2 Chemical stability**

Stable under recommended storage conditions.

#### **10.3** Possibility of hazardous reactions

Vapors may form explosive mixture with air.

#### **10.4** Conditions to avoid

Heat, flames and sparks.

- **10.5 Incompatible materials** acids, Acid chlorides, Acid anhydrides, Strong oxidizing agents, Carbon dioxide (CO2)
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### Acute toxicity

Acute toxicity estimate Oral - 218 mg/kg (Calculation method) LD50 Oral - Rat - female - 313 mg/kg (OECD Test Guideline 401) Inhalation: No data available Acute toxicity estimate Dermal - 2,500 mg/kg (Calculation method) LD50 Dermal - Rabbit - > 3,000 mg/kg No data available

**Skin corrosion/irritation** No data available

**Serious eye damage/eye irritation** Causes serious eye damage.

#### **Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Aldrich - O6000

Page 7 of 10



OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available

#### Specific target organ toxicity - single exposure No data available

#### **Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

#### **11.2 Additional Information**

#### RTECS: E03850000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., prolonged or repeated exposure can cause:, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

## **12.1 Toxicity**

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 24.6 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 9.49 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 13.3 mg/l - 72 h (OECD Test Guideline 201)

# **12.2** Persistence and degradability

No data available

**12.3 Bioaccumulative potential** No data available

**12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

Aldrich - O6000

Page 8 of 10



## 12.7 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. No data available

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

## DOT (US)

UN number: 2734 Class: 8 (3) Packing group: II Proper shipping name: Amines, liquid, corrosive, flammable n.o.s. (1,1,3,3-Tetramethylbutylamine) Poison Inhalation Hazard: No

#### IMDG

UN number: 2734 Class: 8 (3) Packing group: II EMS-No: F-E, S-C Proper shipping name: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1,1,3,3-Tetramethylbutylamine)

# ΙΑΤΑ

UN number: 2734 Class: 8 (3) Packing group: II Proper shipping name: Amines, liquid, corrosive, flammable, n.o.s. (1,1,3,3-Tetramethylbutylamine)

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Aldrich - O6000

Page 9 of 10



Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components		
	CAS-No.	Revision Date
1,1,3,3-Tetramethylbutylamine	107-45-9	1993-04-24

No components are subject to the Massachusetts Right to Know Act.

<b>Pennsylvania Right To Know Components</b> 1,1,3,3-Tetramethylbutylamine	CAS-No. 107-45-9	Revision Date 1993-04-24
1,1,3,3-Tetramethylbutylamine	CAS-No. 107-45-9	Revision Date 1993-04-24
New Jersey Right To Know Components 1,1,3,3-Tetramethylbutylamine	CAS-No. 107-45-9	Revision Date 1993-04-24

## **California Prop. 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 10/07/2021

Print Date: 04/28/2024

Aldrich - O6000

Page 10 of 10



