

# **SAFETY DATA SHEET**

Version 6.7 Revision Date 03/02/2024 Print Date 04/14/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1** Product identifiers

	Product name	:	Tin(II) 2-ethylhexanoate
	Product Number Brand Index-No. CAS-No.	:	S3252 Aldrich 607-230-00-6 301-10-0
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1 2	Details of the sumplice	~ 4	the enfety data cheet

# **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Reproductive toxicity (Category 1B), H360

Aldrich - S3252

1.4

Page 1 of 11



Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements	
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360	May damage fertility or the unborn child.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist or vapors.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
<b>BBBBBBBBBBBBB</b>	protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Synonyms	:	Stannous octoate Stannous 2-ethylhexanoate 2-Ethylhexanoic acidtin(II) salt	
Aldria	Formula Molecular weight CAS-No. EC-No.		C <sub>16</sub> H <sub>30</sub> O₄Sn 405.12 g/mol 301-10-0 206-108-6	

Aldrich - S3252

Page 2 of 11



Index-No.

Component	Classification	Concentration
Tin(II) bis(2-ethylhexanoate)		
	Eye Dam. 1; Skin Sens. 1; Repr. 1B; Aquatic Acute 2; Aquatic Chronic 3; H318, H317, H360, H401, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air. Call in physician.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Aldrich - S3252

Page 3 of 11



# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Tin/tin oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections** For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Aldrich - S3252

Page 4 of 11



# Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Ingredients with workplace control parameters

Ingredients with workplace control parameters					
Component	CAS-No.	Value	Control	Basis	
			parameters		
Tin(II) bis(2-	301-10-0	TWA	0.1 mg/m3	USA. Occupational Exposure	
ethylhexanoate)				Limits (OSHA) - Table Z-1	
				Limits for Air Contaminants	
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit	
			_	Values (TLV)	
	Remarks	Not classifia	able as a human	carcinogen	
		Danger of cutaneous absorption			
		STEL	0.2 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
		Not classifia	able as a human	carcinogen	
		Danger of cutaneous absorption			
		TWA	0.1 mg/m3	USA. NIOSH Recommended	
				Exposure Limits	
		Potential fo	r dermal absorp	tion	
		PEL	0.1 mg/m3	California permissible exposure	
			_	limits for chemical	
				contaminants (Title 8, Article	
				107)	
		Skin			
		STEL	0.2 mg/m3	California permissible exposure	
				limits for chemical	
				contaminants (Title 8, Article	
				107)	
		Skin			

### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### **Personal protective equipment**

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Aldrich - S3252

Page 5 of 11



# Skin protection

required

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: viscous liquid Color: light yellow
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 9 °C (48 °F) at 1,013.0 hPa - OECD Test Guideline 102
f)	Initial boiling point and boiling range	No data available
g)	Flash point	ca.137 °C (279 °F) - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	< 0.1 hPa at 25 °C (77 °F) - Regulation (EC) No. 440/2008, Annex, A.4
I)	Vapor density	No data available
m)	Density	1.251 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	1.26

Aldrich - S3252

Page 6 of 11



n)	Water solubility	4.585 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - soluble			
o)	Partition coefficient: n-octanol/water	log Pow: 2.64 at 25 °C (77 °F) - Bioaccumulation is not expected., (ECHA)			
p)	Autoignition temperature	> 400 °C (> 752 °F) at 1010.50 - 1011.10 hPa			
q)	Decomposition temperature	No data available			
r)	Viscosity	No data available			
s)	Explosive properties	No data available			
t)	Oxidizing properties	none			
Otł	Other safety information				

Surface tension55.9 mN/m at 20.5 °C (68.9 °F) - OECD Test Guideline 115Dissociation constant5.09 at 20 °C (68 °F)

# SECTION 10: Stability and reactivity

## **10.1 Reactivity**

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - male - 5,870 mg/kg Remarks: (ECHA) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) No data available

Aldrich - S3252

Page 7 of 11



# Skin corrosion/irritation

Skin - Rabbit Result: slight irritation - 24 h

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation (OECD Test Guideline 405)

# Respiratory or skin sensitization

Maximization Test - Guinea pig Result: May cause sensitization by skin contact. (OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

# Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

May damage the unborn child.

#### **Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

Repeated dose toxicity - Rat - Oral - NOAEL (No observed adverse effect level) - 250 mg/kg

### RTECS: M07870000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 116 Aldrich - S3252

Page 8 of 11



		mg/l - 96 h (OECD Test Guideline 203)		
an	oxicity to daphnia nd other aquatic vertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l $$ - 48 h (OECD Test Guideline 202)		
То	oxicity to algae	ErC50 - Pseudokirchneriella subcapitata (green algae) - 6.9 mg/l - 72 h (OECD Test Guideline 201)		
		Growth rate NOEC - Pseudokirchneriella subcapitata (green algae) - 0.54 mg/l - 72 h (OECD Test Guideline 201)		
		NOEC - Pseudokirchneriella subcapitata (green algae) - 0.22 mg/l - 72 h (OECD Test Guideline 201)		
То	oxicity to bacteria	EC50 - activated sludge - 299 mg/l - 3 h (OECD Test Guideline 209)		
	ersistence and degr odegradability	<b>radability</b> aerobic - Exposure time 28 d Result: 99 % - Readily biodegradable. (OECD Test Guideline 301E) Remarks:		
12.3 Bioaccumulative potential				

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Aldrich - S3252

Page 9 of 11



#### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### IMDG

Not dangerous goods

#### ΙΑΤΑ

Not dangerous goods

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

Tin(II) bis(2-ethylhexanoate)

CAS-No.	
301-10-0	

Revision Date 1993-04-24

# **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Aldrich - S3252

Page 10 of 11



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.7 Revision Date: 03/02/2024 Print Date: 04/14/2024

Aldrich - S3252

Page 11 of 11

