

SAFETY DATA SHEET

Version 6.10 Revision Date 07/23/2025 Print Date 07/24/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Triethylamine

Product Number : W424601 Brand : Aldrich

Index-No. : 612-004-00-5 CAS-No. : 121-44-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 3

Aldrich - W424601

Page 1 of 17



Acute toxicity (Inhalation)

: Category 3

Acute toxicity (Dermal) : Category 3

Skin corrosion : Sub-category 1A

Serious eye damage : Category 1

Short-term (acute) aquatic hazard

: Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact

with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H401 Toxic to aquatic life.

Supplemental Hazard

Statements

: Corrosive to the respiratory tract.

Precautionary statements:

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving

equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye

protection and face protection.

Aldrich - W424601 Page 2 of 17

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

	CAS No./Unique ID	Concentration (% w/w)	Trade secret
triethylamine	121-44-8*	>= 80 - <= 100	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

Aldrich - W424601 Page 3 of 17



physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed: give water to drink (two glasses at

most). Seek medical advice immediately. In

exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and

consult a doctor as quickly as possible.

Do not attempt to neutralise.

Most important symptoms and effects

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Carbon dioxide (CO2)

Foam Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along

floors.

Aldrich - W424601

4illiPDRE

Page 4 of 17

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion

: Carbon oxides

products

Nitrogen oxides (NOx)

Specific extinguishing

: No data available

methods

Further information

: Remove container from danger zone and cool with

water.

Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

Aldrich - W424601

Aillipore

Page 5 of 17

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

: Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Advice on safe handling

: Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

: Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to

qualified or authorised persons.

Storage class

: 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

Packaging material : Suitable material: Any Metal Drum

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
triethylamine	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m3	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter A-(P3)

Aldrich - W424601

*990*9illi

Page 6 of 17

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.4 mm
Protective index : Full contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Material : Nitrile rubber Break through time : 10 min

Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colourless

Odor : amine-like

Aldrich - W424601 Page 7 of 17



Odor Threshold : No data available pH : 12.7 (59 °F / 15 °C)

Concentration: 100 g/l

Melting point/ range : $-175 \, ^{\circ}\text{F} \, / \, -115 \, ^{\circ}\text{C}$

Boiling point/boiling range : 191.8 °F / 88.8 °C

Flash point : $12 \, ^{\circ}\text{F} / -11 \, ^{\circ}\text{C}$

Method: c.c., closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit /

Upper flammability limit

: Upper explosion limit

9.3 %(V)

Lower explosion limit / Lower flammability limit : Lower explosion limit

1.2 %(V)

Vapor pressure : 72 hPa (68 °F / 20 °C)

Relative vapour density : 3.48

Relative density : No data available

Density : 0.726 g/mL (77 °F / 25 °C)

Solubility(ies)

Water solubility : 112.4 g/l soluble (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

: log Pow: 1.45

pH: 13

Method: (calculated)

Bioaccumulation is not expected.

Autoignition temperature : 419 °F / 215 °C

Decomposition : No data available

temperature

Viscosity

Viscosity, dynamic : 0.36 mPa.s (68 °F / 20 °C)

Aldrich - W424601

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 101.19 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Vapours may form explosive mixture with air.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Exothermic reaction with:

anhydrides

Halogenated hydrocarbon organic nitro compounds Risk of explosion with:

nitrogen dioxide

Acids

Risk of ignition or formation of inflammable gases or

vapours with: Oxidizing agents

Caution! In contact with nitrites, nitrates, nitrous acid

possible liberation of nitrosamines!

Conditions to avoid : Warming.

Incompatible materials : No data available

products

Hazardous decomposition : In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 100 mg/kg

(Expert judgement)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

LC50 Inhalation - Rat - male and female - 4 h - 3.63 mg/l - vapour

Aldrich - W424601

990qillil

Page 9 of 17

(OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 580 mg/kg

(OECD Test Guideline 402) Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: Risk of corneal clouding. Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapour)

Result: negative **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Upper respiratory tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Aldrich - W424601



11.2 Additional Information

RTECS: YE0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough,

wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system - Irregularities - Based on Human Evidence

Central nervous system - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

triethylamine:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 24 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates

: LC50 (Ceriodaphnia dubia (water flea)): 17 mg/l

End point: mortality Exposure time: 48 h Test Type: semi-static test

Analytical monitoring: yes

Method: US-EPA GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green

algae)): 8 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: LC50 (Oncorhynchus mykiss (rainbow trout)): 137

End point: mortality Exposure time: 60 d Test Type: semi-static test

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: EC50 (Daphnia magna (Water flea)): 38 mg/l

End point: reproduction rate

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to : EC50 (Pseudomonas putida): 95 mg/l

Aldrich - W424601



Page 11 of 17

End point: Growth rate microorganisms

> Exposure time: 17 h Test Type: static test Method: DIN 38421 TEIL 8

Persistence and degradability

Components:

triethylamine:

Biodegradability : aerobic

> Inoculum: activated sludge Concentration: 25.7 mg/l Result: Readily biodegradable. Biodegradation: 80.3 %

Exposure time: 29 d

Method: OECD Test Guideline 301B

GLP: yes

Bioaccumulative potential

Components:

triethylamine:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): < 0.5

Exposure time: 42 d Temperature: 77 °F / 25 °C Concentration: 0.5 mg/l

Method: OECD Test Guideline 305C Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: 1.45

pH: 13

Method: (calculated)

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Aldrich - W424601

Page 12 of 17

Components:

triethylamine:

Results of PBT and vPvB

assessment

: Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1296
Proper shipping name : Triethylamine

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

Packing instruction (cargo: 363

aircraft)

Packing instruction : 352

(passenger aircraft)

IMDG-Code

UN number : UN 1296

Proper shipping name : TRIETHYLAMINE

Class : 3
Subsidiary risk : 8
Packing group : II
Labels : 3 (8)
EmS Code : F-E, S-C
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number : UN 1296
Proper shipping name : Triethylamine

Aldrich - W424601 Page 13 of 17

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

ERG Code : 132 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
triethylamine	121-44-8	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard

Chronic Health Hazard

SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

triethylamine 121-44-8 >= 90 - <= 100 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

triethylamine 121-44-8 >= 90 - <= 100 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

triethylamine 121-44-8 >= 90 - <= 100 %

Aldrich - W424601

Page 14 of 17



Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

triethylamine 121-44-8 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311,

Table 117.3:

triethylamine 121-44-8 >= 90 - <= 100 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

triethylamine 121-44-8

Pennsylvania Right To Know

triethylamine 121-44-8

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response;

Aldrich - W424601 Page 15 of 17



EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/23/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - W424601

Page 16 of 17



Aldrich - W424601

Page 17 of 17

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

