

SAFETY DATA SHEET

Version 6.13 Revision Date 11/06/2025 Print Date 11/07/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Thallium(I) acetate

Product Number : 14765

Brand : Sigma-Aldrich Index-No. : 081-002-00-9 CAS-No. : 563-68-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Acute toxicity (Oral) : Category 2

Sigma-Aldrich - 14765

Page 1 of 14



Acute toxicity (Inhalation)

: Category 2

Specific target organ toxicity - repeated

exposure

: Category 2

Long-term (chronic) aquatic hazard

: Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms







Signal word Danger

Hazard statements : H300 + H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs through prolonged

or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P284 Wear respiratory protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call

a POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep

container tightly closed. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

Sigma-Aldrich - 14765

Page 2 of 14



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 563-68-8

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
thallium(I)-acetate	563-68-8*	>= 90 - <= 100	-

^{*} Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in

physician.

If breathing stops: immediately apply artificial

respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : If swallowed: give water to drink (two glasses at

most). Seek medical advice immediately. In

exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and

consult a doctor as quickly as possible.

Most important symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Sigma-Aldrich - 14765

MilliPORE

Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

thallium oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe

distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Advice for non-emergency personnel:

Avoid generation and inhalation of dusts in all

circumstances.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders:

Sigma-Aldrich - 14765

Page 4 of 14



For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7

and 10).

Take up carefully. Dispose of properly. Clean up

affected area.

Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on storage conditions

: Tightly closed.

Dry.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to

qualified or authorised persons.

Storage class : 6.1A, Combustible, acute toxic Cat. 1 and 2 / very

toxic hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: hygroscopic

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thallium(I)-acetate	563-68-8	TWA	0.1 mg/m3 (Thallium)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.02 mg/m3 (Thallium)	ACGIH
		TWA	0.1 mg/m3 (Thallium)	NIOSH REL



Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

: Nitrile rubber Material Break through time : 480 min Glove thickness : 0.11 mm : Full contact Protective index

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.11 mm : Splash contact Protective index

Manufacturer : KCL 741 Dermatril® L

Remarks : Handle with impervious gloves.

> This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing



with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : beige

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point/ range : 268 °F / 131 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

: No data available

: No data available

Upper explosion limit / Upper flammability limit

Lower explosion limit /

Lower flammability limit

over manimasine, inine

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 3.680 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n- : No data available

Sigma-Aldrich - 14765

Page 7 of 14

octanol/water

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 263.43 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : The following applies in general to flammable organic

substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : Heat

no information available

Incompatible materials : Strong oxidizing agents

Strong acids

Hazardous decomposition

products

: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 5.1 mg/kg

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0.051 mg/l - dust/mist

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

11.2 Additional Information

The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the

Sigma-Aldrich - 14765

Page 9 of 14



legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

thallium(I)-acetate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

thallium(I)-acetate:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

thallium(I)-acetate:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

thallium(I)-acetate:

Stability in soil : Remarks: No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

Sigma-Aldrich - 14765 Page 10 of 14



SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1707

Proper shipping name : Thallium compound, n.o.s.

(thallium(I)-acetate)

Class : 6.1 Packing group : II

Labels : Division 6.1 - Toxic substances

Packing instruction (cargo: 676

aircraft)

Packing instruction : 669

(passenger aircraft)

IMDG-Code

UN number : UN 1707

Proper shipping name : THALLIUM COMPOUND, N.O.S.

(thallium(I)-acetate)

Class : 6.1
Packing group : II
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number : UN 1707

Proper shipping name : Thallium compounds, n.o.s.

(thallium(I)-acetate)

Class : 6.1 Packing group : II

Labels : Division 6.1 - Toxic substances

ERG Code : 151 Marine pollutant : no

Sigma-Aldrich - 14765

Millipore Sigma Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
thallium(I)-acetate	563-68-8	100	100

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

thallium(I)- 563-68-8 >= 90 - <= 100 % acetate

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

thallium(I)-acetate 563-68-8 >= 90 - <= 100 %

This product does not contain any priority pollutants related to the U.S. Clean Water Act

Sigma-Aldrich - 14765

Page 12 of 14



US State Regulations

Massachusetts Right To Know

thallium(I)-acetate 563-68-8

Pennsylvania Right To Know

thallium(I)-acetate 563-68-8

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV) : USA. NIOSH Recommended Exposure Limits NIOSH REL

: USA. Occupational Exposure Limits (OSHA) - Table Z-OSHA Z-1

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -

Sigma-Aldrich - 14765 Page 13 of 14



International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

