

## SAFETY DATA SHEET

Version 8.9  
Revision Date 04/29/2025  
Print Date 04/30/2025

## SECTION 1. IDENTIFICATION

## 1.1 Product identifiers

Product name : 4,4'-Diaminodiphenylmethane

Product Number : 18139  
Brand : Sigma-Aldrich  
Index-No. : 612-051-00-1  
CAS-No. : 101-77-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

## 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 3

Skin sensitization : Category 1

Germ cell mutagenicity	: Category 2
Carcinogenicity	: Category 1B
Specific target organ toxicity - single exposure	: Category 1 (Liver, eye - retina)
Specific target organ toxicity - repeated exposure	: Category 2 (Liver)
Short-term (acute) aquatic hazard	: Category 1
Long-term (chronic) aquatic hazard	: Category 2

### Other hazards

None known.

### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements :

- H301 Toxic if swallowed.
- H317 May cause an allergic skin reaction.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H370 Causes damage to organs (Liver, eye - retina).
- H373 May cause damage to organs (Liver) through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

**Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
4,4'-Diaminobiphenylmethane	101-77-9*	>= 90 - <= 100	-

\* Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

---

### SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Immediately call in physician.

If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist.  
Remove contact lenses.

- If swallowed : If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

---

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder

Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting : Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products : Carbon oxides  
  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods	: No data available
Further information	: Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-fighters	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	: Do not let product enter drains.
Methods and materials for containment and cleaning up	: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling	: Work under hood. Do not inhale substance/mixture.
Further information on storage conditions	: Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.
Storage class	: 6.1C, Combustible, acute toxic Cat.3 / toxic

compounds or compounds which causing chronic effects

Recommended storage temperature : 59 - 77 °F / 15 - 25 °C

Further information on storage stability : Moisture sensitive.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-Diaminobiphenylmethane	101-77-9	TWA	0.1 ppm	ACGIH
		PEL	0.01 ppm	OSHA CARC
		STEL	0.1 ppm	OSHA CARC

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm

Protective index : Full contact  
Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm  
Protective index : Splash contact  
Manufacturer : KCL 741 Dermatril® L

Remarks : Handle with impervious gloves.  
This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : crystalline

Color : light yellow

Odor : No data available

Odor Threshold : No data available  
pH : No data available

Melting point/ range : 192 - 196 °F / 89 - 91 °C

Boiling point/boiling range : 480 - 487 °F / 249 - 253 °C (20 hPa)

Flash point : 430 °F / 221 °C

Method: closed cup

Sigma-Aldrich - 18139

Page 7 of 16

Evaporation rate	: No data available
Burning rate	: No data available
Self-ignition	: 959 °F / 515 °C 977 - 983 hPa GLP: yes
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: < 1 Pa (77 °F / 25 °C) Method: OECD Test Guideline 104 GLP: yes
Relative vapor density	: No data available
Relative density	: 1.15 (68 °F / 20 °C) Method: Regulation (EC) No. 440/2008, Annex, A.3 GLP: yes
Density	: 1.05 g/cm <sup>3</sup> (212 °F / 100 °C)
Solubility(ies)	
Water solubility	: 1.01 g/l soluble (77 °F / 25 °C) Method: OECD Test Guideline 105 GLP: yes
Solubility in other solvents	: soluble Solvent: Acetone  soluble Solvent: Ether  soluble Solvent: Methanol
Partition coefficient: n- octanol/water	: log Pow: 1.55 (77 °F / 25 °C) Method: OECD Test Guideline 107 GLP: yes Bioaccumulation is not expected.
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available

Sigma-Aldrich - 18139

Page 8 of 16



Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: No data available
Oxidizing properties	: none
Molecular weight	: 198.27 g/mol
Particle characteristics	
Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Forms explosive mixtures with air on intense heating.  A range from approx. 15 Kelvin below the flash point is to be rated as critical.  The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: No data available
Conditions to avoid	: Strong heating.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 100 mg/kg

Remarks: Liver:Other changes.

(RTECS)

LC50 Inhalation - Rat - male and female - 6 h - > 0.46 mg/l - dust/mist

(OECD Test Guideline 403)  
LD50 Dermal - Rat - male and female - > 2,500 mg/kg  
Remarks: (50% solution)  
(ECHA)  
No data available

**Skin corrosion/irritation**

Skin - Rabbit  
Result: No skin irritation - 24 h  
Remarks: (ECHA)

**Serious eye damage/eye irritation**

Eyes - Rabbit  
Result: No eye irritation  
Remarks: (ECHA)

**Respiratory or skin sensitization**

Maximization Test - Guinea pig  
Result: positive  
(OECD Test Guideline 406)  
(Regulation (EC) No 1272/2008, Annex VI)

**Germ cell mutagenicity**

Suspected of causing genetic defects.  
Test Type: Ames test  
Test system: Escherichia coli/Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: Positive results were obtained in some in vitro tests.  
Test Type: Mutagenicity (mammal cell test): chromosome aberration.  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Chromosome aberration test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection

Result: positive

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection

Result: positive

**Carcinogenicity**

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (4,4'-Diaminobiphenylmethane)

NTP: RAHC - Reasonably anticipated to be a human carcinogenThe reference note has

been added by TD based on the background information of the NTP. (4,4'-Diaminobiphenylmethane)

OSHA: OSHA specifically regulated carcinogen (4,4'-Diaminobiphenylmethane)

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Causes damage to organs. - Liver, eye - retina

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Specific target organ toxicity - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

- Liver

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Aspiration hazard**

No data available

**11.2 Additional Information**

Repeated dose toxicity - Guinea pig - male - Inhalation - 10 Days

Remarks: (ECHA)

RTECS: BY5425000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Fever, Vomiting, prolonged or repeated exposure can cause:, Kidney injury may occur., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**4,4'-Diaminobiphenylmethane:**

Toxicity to fish : LC50 (Oryzias latipes): 20.6 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.35 mg/l  
End point: Immobilization  
Exposure time: 48 h

Sigma-Aldrich - 18139

Page 11 of 16

Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 14.4 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.005 mg/l  
End point: reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### **Persistence and degradability**

#### **Components:**

#### **4,4'-Diaminobiphenylmethane:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 0.5 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 46 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### **Bioaccumulative potential**

#### **Components:**

#### **4,4'-Diaminobiphenylmethane:**

Bioaccumulation : Species: *Cyprinus carpio* (Carp)  
Bioconcentration factor (BCF): 3 - 14

Sigma-Aldrich - 18139

Page 12 of 16

Temperature: 77 °F / 25 °C  
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 1.55 (77 °F / 25 °C)  
pH: 6.82 - 6.94  
Method: OECD Test Guideline 107  
GLP: yes  
Remarks: Bioaccumulation is not expected.

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

##### **IATA-DGR**

UN/ID No. : UN 2651  
Proper shipping name : 4,4'-Diaminodiphenylmethane  
Class : 6.1  
Packing group : III  
Labels : Division 6.1 - Toxic substances  
Packing instruction (cargo aircraft) : 677  
Packing instruction (passenger aircraft) : 670

##### **IMDG-Code**

UN number : UN 2651  
Proper shipping name : 4,4'-DIAMINODIPHENYLMETHANE  
  
Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

#### **Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

## National regulation

### 49 CFR Road

UN/ID/NA number : UN 2651  
Proper shipping name : 4,4'-Diaminodiphenyl methane

Class : 6.1  
Packing group : III  
Labels : Division 6.1 - Toxic substances  
ERG Code : 153  
Marine pollutant : yes

Poison Inhalation Hazard : No

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4'-Diaminobiphenylmethane	101-77-9	10	10

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-Diaminobiphenylmethane	101-77-9	>= 90 - <= 100 %
-----------------------------	----------	------------------

## US State Regulations

### Massachusetts Right To Know

4,4'-Diaminobiphenylmethane	101-77-9
-----------------------------	----------

### Pennsylvania Right To Know

4,4'-Diaminobiphenylmethane	101-77-9
-----------------------------	----------

### Maine Chemicals of High Concern

Product does not contain any listed chemicals

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### **California Prop. 65**

WARNING: This product can expose you to chemicals including 4,4'-Diaminobiphenylmethane, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### **The ingredients of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## **SECTION 16. OTHER INFORMATION**

### **Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
ACGIH / TWA	: 8-hour, time-weighted average
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA CARC / STEL	: Excursion limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed

(Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/29/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN