

# SAFETY DATA SHEET

Version 8.11 Revision Date 09/07/2024 Print Date 09/08/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Dimethyl sulfide

Product Number : 471577

Brand : Sigma-Aldrich

CAS-No. : 75-18-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 471577

Page 1 of 11



### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapor.

H402 Harmful to aquatic life.

**Precautionary Statements** 

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Methyl sulfide

DMS

Formula :  $C_2H_6S$ Molecular weight : 62.13 g/mol

CAS-No. : 75-18-3 EC-No. : 200-846-2

Component	Classification	Concentration
dimethyl sulphide		
	Flam. Liq. 2; Aquatic Acute 3; H225, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 471577

\_\_\_\_

Page 2 of 11

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 471577

Aillipore

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Handle and store under inert gas. Refrigerate before opening. Handle and open container with care. hygroscopic

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

Sigma-Aldrich - 471577

מממינויי

Page 4 of 11

Component	CAS-No.		Control parameters	Basis
dimethyl sulphide	75-18-3	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)

**Derived No Effect Level (DNEL)** 

Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Long-term systemic effects	31.5 mg/m3
Workers	Skin contact	Long-term systemic effects	80mg/kg BW/d
Consumers	Inhalation	Long-term systemic effects	5.6 mg/m3

**Predicted No Effect Concentration (PNEC)** 

1 · · · · · · · · · · · · · · · · · · ·			
Compartment	Value		
Soil	0.0072 mg/kg		
Sea water	0.0029 mg/l		
Fresh water	0.29 mg/l		
Fresh water sediment	0.12 mg/kg		

# 8.2 Exposure controls

# **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

# Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 30 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

#### **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

Recommended Filter type: Filter type AX

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

Sigma-Aldrich - 471577

Millipore

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor malodorous, sulfurous

c) Odor Threshold No data availabled) pH No data available

e) Melting point/ range: -98 °C (-144 °F) - lit.

point/freezing point

f) Initial boiling point 38 °C 100 °F - lit. and boiling range

g) Flash point -36 °C (-33 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available gas)

j) Upper/lower flammability or explosive limits Upper explosion limit: 19.7 %(V) Lower explosion limit: 2.2 %(V)

k) Vapor pressure 532 hPa at 20 °C (68 °F)

I) Vapor density No data available

m) Density 0.846 g/cm3 at 25 °C (77 °F) - lit.

Relative density 0.8520 °C

n) Water solubility 7.28 g/l at 20 °C (68 °F) - soluble

o) Partition coefficient: log Pow: 0.84 at 20 °C (68 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition 220 °C (428 °F) at 999.7 - 1,001 hPa

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

Sigma-Aldrich - 471577

Page 6 of 11

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Peroxides

Dioxane

with

Nitric acid

Risk of ignition or formation of inflammable gases or vapours with:

Oxidizing agents

Oxygen

## 10.4 Conditions to avoid

Warming.

# 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD0 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 423)

Remarks: Limit Test

LC50 Inhalation - Rat - male and female - 4 h - 102 mg/l - vapor

(OECD Test Guideline 403)

Remarks: Lungs, Thorax, or Respiration:Other changes.

LD50 Dermal - Rabbit - > 5,000 mg/kg

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Sigma-Aldrich - 471577

Millipore SigMa Result: negative

(OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 14 Weeks - NOAEL (No observed

adverse effect level) - >= 250 mg/kg

Remarks: Subchronic toxicity

RTECS: PV5075000

Nausea, Headache, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

Systemic effects:

Sigma-Aldrich - 471577

**Millipore** 

After absorption of large quantities:

CNS disorders somnolence Dizziness agitation, spasms narcosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 213

mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 29 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

113.7 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 77 % - Readily biodegradable.

(OECD Test Guideline 301D)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

Sigma-Aldrich - 471577



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1164 Class: 3 Packing group: II

Proper shipping name: Dimethyl sulfide

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1164 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: DIMETHYL SULPHIDE

**IATA** 

UN number: 1164 Class: 3 Packing group: II

Proper shipping name: Dimethyl sulphide

# **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

Hazards

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

**US State Regulations** 

**Massachusetts Right To Know** 

dimethyl sulphide 75-18-3

**Pennsylvania Right To Know** 

Sigma-Aldrich - 471577

Page 10 of 11



### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.11 Revision Date: 09/07/2024 Print Date: 09/08/2024

