

SAFETY DATA SHEET

Version 6.5 Revision Date 03/02/2024 Print Date 05/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1-Methylpyrrolidine

Product Number : 69110

Brand : Sigma-Aldrich CAS-No. : 120-94-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332

Skin corrosion (Category 1A), H314

Sigma-Aldrich - 69110

Page 1 of 11



Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram Signal Word Danger Hazard Statements Highly flammable liquid and vapor. H225 Toxic if swallowed. H301 Causes severe skin burns and eye damage. H314 H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects. **Precautionary Statements** P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face P280 protection. P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue P310 rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. P363 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved waste disposal

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.

Store locked up.

Sigma-Aldrich - 69110

Page 2 of 11



P403 + P235

P405

P501

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : $C_5H_{11}N$ Molecular weight : 85.15 g/mol CAS-No. : 120-94-5EC-No. : 204-438-5

Component	Classification	Concentration	
1-methylpyrrolidine			
	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 2; Aquatic Chronic 2; H225, H301, H332, H314, H318, H401, H411	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 69110

Page 3 of 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Sigma-Aldrich - 69110

Page 4 of 11



Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 55 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Sigma-Aldrich - 69110

Millipore

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor amine-like

c) Odor Threshold No data available

d) pH 12.3 at 10.2 g/l at 20 °C (68 °F)

e) Melting point: < -80 °C (< -112 °F)

point/freezing point

f) Initial boiling point 76 - 80 °C 169 - 176 °F

and boiling range

g) Flash point -18 °C (-0.40 °F) - closed cup - Regulation (EC) No. 440/2008,

Annex, A.9

h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 9.1 %(V) flammability or Lower explosion limit: 1.1 %(V)

explosive limits

k) Vapor pressure 107.46 hPa at 20 °C (68 °F) - OECD Test Guideline 104

Sigma-Aldrich - 69110

Page 6 of 11



I) Vapor density 2.94

0.8 g/mL at 20 °C (68 °F) m) Density

Relative density No data available n) Water solubility completely miscible

log Pow: 1.1 at 23 °C (73 °F) - OECD Test Guideline 117 o) Partition coefficient:

n-octanol/water Bioaccumulation is not expected.

temperature

180 °C (356 °F) at 1,013.25 hPa p) Autoignition

q) Decomposition temperature

No data available

No data available r) Viscosity No data available s) Explosive properties

t) Oxidizing properties none

9.2 Other safety information

2.94 Relative vapor

density

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

Strong acids, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 280 mg/kg

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Sigma-Aldrich - 69110

Page 7 of 11

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 1.1 - 2.5 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - In vitro study Result: Corrosive

(OECD Test Guideline 435)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 1 h (OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: UY1420500

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Sigma-Aldrich - 69110

AilliPORE

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Danio rerio (zebra fish) - 46.4 - 100 mg/l -

96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 7.29 mg/l - 48 h

(Directive 67/548/EEC, Annex V, C.2.)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

162.69 mg/l - 72 h

(OECD Test Guideline 201)

static test EC10 - Pseudokirchneriella subcapitata (green algae) -

69.07 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria $\,$ static test EC20 - activated sludge - > 100 mg/l - 0.5 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 10 d

Result: 98 % - Readily biodegradable.

(OECD Test Guideline 302B)

Biochemical Oxygen < 2 mg/g

Demand (BOD) Remarks: (External MSDS)

Chemical Oxygen 1,880 mg/g

Demand (COD) Remarks: (External MSDS)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II

Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (1-methylpyrrolidine)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3286 Class: 3 (6.1, 8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1-

methylpyrrolidine) Marine pollutant : yes

IATA

UN number: 3286 Class: 3 (6.1, 8) Packing group: II

Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (1-methylpyrrolidine)

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date 1-methylpyrrolidine 120-94-5 1993-04-24

CAS-No. Revision Date 1-methylpyrrolidine 120-94-5 1993-04-24

Sigma-Aldrich - 69110

Page 10 of 11



Pennsylvania Right To Know Components 1-methylpyrrolidine	CAS-No. 120-94-5	Revision Date 1993-04-24
1-methylpyrrolidine	CAS-No. 120-94-5	Revision Date 1993-04-24
New Jersey Right To Know Components 1-methylpyrrolidine	CAS-No. 120-94-5	Revision Date

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 03/02/2024 Print Date: 05/12/2024

Sigma-Aldrich - 69110 Page 11 of 11

