

# SAFETY DATA SHEET

Version 6.8 Revision Date 11/06/2025 Print Date 11/07/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : 4-Vinyl-1-cyclohexene

Product Number : 94950

Brand : Sigma-Aldrich CAS-No. : 100-40-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose

under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Flammable liquids : Category 2

Skin irritation : Category 2

Sigma-Aldrich - 94950

Page 1 of 14



Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Aspiration hazard : Category 1

Short-term (acute)

aguatic hazard

Category 3

Long-term (chronic) aquatic hazard

: Category 3

#### Other hazards

None known.

# **GHS label elements**

Hazard pictograms







Signal word Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements: **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

#### Response:

Sigma-Aldrich - 94950

Page 2 of 14

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical

advice/ attention.

P362 Take off contaminated clothing and wash before

reuse

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

CAS-No. : 100-40-3

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
4-vinylcyclohexene	100-40-3*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Sigma-Aldrich - 94950

Page 3 of 14



Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: caution if victim vomits. Risk of

aspiration! Keep airways free.

Pulmonary failure possible after aspiration of vomit.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along

floors.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Forms explosive mixtures with air at ambient

temperatures.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

: No data available

Sigma-Aldrich - 94950



methods

Further information : Remove container from danger zone and cool with

water.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Advice on safe handling :

: Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Sigma-Aldrich - 94950

Page 5 of 14



Storage class : 3, Flammable liquids

Recommended storage

temperature

: 36 - 46 °F / 2 - 8 °C

Further information on

storage stability

: Store under inert gas.

Air sensitive.

Packaged under inert gas.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4-vinylcyclohexene	100-40-3	TWA	0.1 ppm	ACGIH
		TWA	1 ppm	US WEEL

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : Flame retardant antistatic protective clothing.

Sigma-Aldrich - 94950

Page 6 of 14



Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colourless

Odor : unpleasant

Odor Threshold : 0.0083 ppm

pH : No data available

Melting point/ range : -150 °F / -101 °C

Method: lit.

Boiling point/boiling range : 259 - 261 °F / 126 - 127 °C

Method: lit.

Flash point :  $61 \, ^{\circ}\text{F} / 16 \, ^{\circ}\text{C}$ 

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 15 hPa (68 °F / 20 °C)

Relative vapour density : 3.73

(Air = 1.0)

Relative density : No data available

Sigma-Aldrich - 94950

: 0.832 g/mL (77 °F / 25 °C) Density

Method: lit.

Solubility(ies)

Water solubility : 0.05 g/l (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 516 °F / 269 °C

Decomposition temperature

: No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 20 mm2/s (752 °F / 400 °C)

Flow time : No data available

: No data available Explosive properties

Oxidizing properties : No data available

Molecular weight : 108.18 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Vapours may form explosive mixture with air.

: The product is chemically stable under standard Chemical stability

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : Warming.

Incompatible materials : Strong oxidizing agents

products

Hazardous decomposition : In the event of fire: see section 5

Sigma-Aldrich - 94950



#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 6,300 mg/kg Inhalation: No data available

LD50 Dermal - Rabbit - 16,620 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

# Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (4-vinylcyclohexene)

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

Suspected human reproductive toxicant

#### Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 11.2 Additional Information

RTECS: GW6650000

Tremors, Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Sigma-Aldrich - 94950

Page 9 of 14

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

4-vinylcyclohexene:

Toxicity to fish : LC50 (Oryzias latipes): 17 mg/l

Exposure time: 48 h

Persistence and degradability

**Components:** 

4-vinylcyclohexene:

Biodegradability : Result: According to the results of tests of

biodegradability this product is not readily

biodegradable.

**Bioaccumulative potential** 

Components:

4-vinylcyclohexene:

Bioaccumulation : Remarks: No data available

Mobility in soil

**Components:** 

4-vinylcyclohexene:

Stability in soil : Remarks: No data available

Other adverse effects

**Components:** 

4-vinylcyclohexene:

Additional ecological

information

: No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

Sigma-Aldrich - 94950

Page 10 of 14



#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**IATA-DGR** 

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(4-vinylcyclohexene)

Class : 3 Packing group : II

Labels : Class 3 - Flammable liquids

364

Packing instruction (cargo:

aircraft)

Packing instruction : 353

(passenger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(4-vinylcyclohexene)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National Regulations**

49 CFR Road

UN/ID/NA number : UN 1993

Proper shipping name : Flammable liquids, n.o.s.

(4-vinylcyclohexene)

Class : 3 Packing group : II

Labels : Class 3 - Flammable liquids

ERG Code : 128 Marine pollutant : no

Poison Inhalation Hazard : No

# **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Sigma-Aldrich - 94950

lipore

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

**Hazards** Chronic Health Hazard

**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### **US State Regulations**

# **Massachusetts Right To Know**

4-vinylcyclohexene 100-40-3

#### Pennsylvania Right To Know

4-vinylcyclohexene 100-40-3

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including 4-vinylcyclohexene, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

# The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Sigma-Aldrich - 94950

Aillipore

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
US WEEL : USA. Workplace Environmental Exposure Levels

(WEEL)

ACGIH / TWA : 8-hour, time-weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 94950

\_\_\_\_

Page 13 of 14

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich - 94950



Page 14 of 14