www.sigmaaldrich.com

Sigma-Aldrich.

## **SAFETY DATA SHEET**

Version 6.6 Revision Date 04/24/2025 Print Date 04/24/2025

## SECTION 1. IDENTIFICATION

#### **1.1 Product identifiers**

Product name : Barium sulfate Product Number : B8675

i i ouuce number	•	00075
Brand	:	Sigma-Aldrich
CAS-No.	:	7727-43-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Laboratory chemicals, Synthesis of substances	
Uses advised against	: The product is being supplied under the TSCA R&D Exem (40 CFR Section 720.36). It is the recipient's responsibilit comply with the requirements of the R&D exemption. Th product may not be used for a non-exempt commercial p under TSCA unless appropriate consent is granted in wri MilliporeSigma.	ty to e ourpose

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052
Emergency telephone		

## **1.4 Emergency telephone**

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### Other hazards

None known. Sigma-Aldrich - B8675

Page 1 of 13



Not a hazardous substance or mixture.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

## Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
barium sulphate	7727-43-7*	>= 90 - <= 100	-

\* Indicates that the identifier is a CAS No. Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	After inhalation: fresh air.
In case of skin contact	:	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	:	After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
Most important symptoms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.
Hazardous combustion products	:	Sulfur oxides
		Barium oxide
Specific extinguishing	:	No data available
Sigma-Aldrich - B8675		

Page 2 of 13



methods

Further information	:	Suppress (knock down) gases/vapors/mists with a water spray jet.
Special protective equipment for fire- fighters	:	In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	:	No special precautionary measures necessary.
Methods and materials for containment and cleaning up	:	Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions	:	Tightly closed. Dry.
Storage class	:	11, Combustible Solids
Recommended storage temperature	:	Recommended storage temperature see product label.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

	Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ſ	barium sulphate	7727-43-7	TWA	5 mg/m3	ACGIH

Sigma-Aldrich - B8675

Page 3 of 13



(Inhalable particulate matter)		
TWA (Respirable )	5 mg/m3	NIOSH REL
TWA (total)	10 mg/m3	NIOSH REL
TWA (total dust)	15 mg/m3	OSHA Z-1
TWA (respirable fraction)	5 mg/m3	OSHA Z-1

Engineering measures : No data available

## **Personal protective equipment**

Respiratory protection		required when dusts are generated.
		Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Full contact KCL 741 Dermatril® L
Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Splash contact KCL 741 Dermatril® L
Remarks	:	Handle with impervious gloves. This recommendation applies only to the product

Sigma-Aldrich - B8675

Page 4 of 13



		stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Hygiene measures	:	Change contaminated clothing. Wash hands after working with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

	Appearance	:	powder
	Color	:	white
	Odor	:	No data available
	Odor Threshold pH	:	No data available 7
	Melting point/ range	:	2,876 °F / 1,580 °C
	Boiling point/boiling range	:	2,912 °F / 1,600 °C (1013 hPa)
	Flash point	:	Not applicable
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	No data available
	Flammability (liquids)	:	No data available
	Burning rate	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
ır	Vapor pressure	:	No data available

Sigma-Aldrich - B8675

Page 5 of 13



Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	4.400 g/cm3 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	233.39 g/mol
Particle characteristics Particle size	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No data available
Chemical stability	:	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	:	No data available
Conditions to avoid	:	no information available
Incompatible materials	:	Aluminum Phosphorus
Hazardous decomposition products	:	In the event of fire: see section 5

Sigma-Aldrich - B8675

Page 6 of 13



## SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 307,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

## Skin corrosion/irritation

Skin - In vitro study Result: negative (OECD Test Guideline 439) Remarks: The value is given in analogy to the following substances: Barium chloride dihydrate

## Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429) Remarks: The value is given in analogy to the following substances: Barium chloride dihydrate

## Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Barium chloride dihydrateTest Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: The value is given in analogy to the following substances: Barium chloride dihydrateTest Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: The value is given in analogy to the following substances: Barium chloride dihydrateCarcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Sigma-Aldrich - B8675

Page 7 of 13



OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

#### **Aspiration hazard**

No data available

#### **11.2 Additional Information**

#### RTECS: CR0600000

Prolonged inhalation of dust may cause baritosis, a benign pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation., Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Since the substance is poorly absorbed, no hazardous properties are to be anticipated.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Components:

#### barium sulphate:

Toxicity to fish: LC50 (Danio rerio (zebra fish)): > 174 mg/l<br/>Exposure time: 96 h<br/>Test Type: static test<br/>Analytical monitoring: yes<br/>Method: OECD Test Guideline 203<br/>GLP: yes<br/>Remarks: The value is given in analogy to the<br/>following substances:<br/>The value is given in analogy to the following<br/>substances: Barium chloride dihydrate

Sigma-Aldrich - B8675

Page 8 of 13



Toxicity to algae/aquatic : plants	algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Barium chloride dihydrate						
	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Barium chloride dihydrate						
Toxicity to fish (Chronic : toxicity)	NOEC (Danio rerio (zebra fish)): >= 100 mg/l Exposure time: 33 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 210 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Barium chloride dihydrate						
Toxicity to : microorganisms	EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Barium chloride dihydrate						
Persistence and degradab	Persistence and degradability						
<u>Components:</u>							

## barium sulphate:

Biodegradability : Remarks: The methods for determining the biological

Sigma-Aldrich - B8675

Page 9 of 13



degradability are not applicable to inorganic substances.

Bioaccumulative potentia	I	
Components:		
barium sulphate:		
Partition coefficient: n- : octanol/water		Remarks: Not applicable for inorganic substances
Mobility in soil		
No data available		
Other adverse effects		
Components:		
barium sulphate:		
Additional ecological : information		No ecological problems are to be expected when the product is handled and used with due care and attention.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues :	Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
-----------------------	--

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **National regulation**

#### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

Sigma-Aldrich - B8675

Page 10 of 13



: Not classified as dangerous in the meaning of transport regulations.

## SECTION 15. REGULATORY INFORMATION

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312	:	Chronic Health Hazard
Hazards		

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations	
Massachusetts Right To Know	
barium sulphate	7727-43-7
Pennsylvania Right To Know	
barium sulphate	7727-43-7
Maine Chemicals of High Concern	
Product does not contain any listed chemicals	
Vermont Chemicals of High Concern	
Product does not contain any listed chemicals	

## Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## The ingredients of this product are reported in the following inventories:

TSCA

: All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Sigma-Aldrich - B8675

Page 11 of 13



#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-
		1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-
		hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Accelerating -Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any Sigma-Aldrich - B8675

Page 12 of 13



guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/24/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich - B8675

Page 13 of 13

