

# SAFETY DATA SHEET

Version 6.7  
Revision Date 08/07/2024  
Print Date 08/08/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Lithium dodecyl sulfate

Product Number : L5901  
Brand : Sigma-Aldrich  
CAS-No. : 2044-56-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 1), H228  
Acute toxicity, Oral (Category 4), H302  
Skin irritation (Category 2), H315  
Serious eye damage (Category 1), H318

Sigma-Aldrich - L5901

Page 1 of 10

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Short-term (acute) aquatic hazard (Category 2), H401  
Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements

P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P261	Avoid breathing dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Dodecyl sulfate  
Dodecyl lithium sulfate  
Lithium lauryl sulfate  
Lauryl sulfate lithium salt

Formula : C<sub>12</sub>H<sub>25</sub>LiO<sub>4</sub>S  
Molecular weight : 272.33 g/mol  
CAS-No. : 2044-56-6  
EC-No. : 218-058-2

Component	Classification	Concentration
<b>lithium dodecyl sulphate</b>		
	Flam. Sol. 1; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H228, H302, H315, H318, H335, H401, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

No data available

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

No data available

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides  
Sulfur oxides  
Lithium oxides  
Combustible.

### 5.3 Advice for firefighters

No data available

## 5.4 Further information

No data available

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

### 6.2 Environmental precautions

No data available

### 6.3 Methods and materials for containment and cleaning up

No data available

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

No data available

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

No data available

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                   |   |
|-------------------|---|
| a) Appearance     | Form: solid   |
| b) Odor           | No data available   |
| c) Odor Threshold | No data available   |
| d) pH             | No data available   |
| e) Melting        | Melting point/ range: 100 - 123 °C (212 - 253 °F) - OECD Test |

Sigma-Aldrich - L5901

Page 4 of 10

point/freezing point	Guideline 102
f) Initial boiling point and boiling range	No data available
g) Flash point	( )No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1. - Flammability (solids)
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	ca.1.17 g/cm <sup>3</sup> - OECD Test Guideline 109
Relative density	No data available
n) Water solubility	350 g/l at 20 °C (68 °F) - OECD Test Guideline 105
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	366 °C (691 °F) - Relative self-ignition temperature for solids
q) Decomposition temperature	ca.165 °C (ca.329 °F) -
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

No data available

Sigma-Aldrich - L5901

Page 5 of 10

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 977 mg/kg

(OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritations

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

#### Respiratory or skin sensitization

Maximization Test

Result: negative

Remarks: (IUCLID)

The value is given in analogy to the following substances: dodecyl sulphate sodium salt

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Test Type: Mutagenicity (mammal cell test):

Test system: Mouse lymphoma test

Method: OECD Test Guideline 476

Result: negative

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt **Carcinogenicity**

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

## 11.2 Additional Information

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of toxic quantities:

Tiredness  
vasodilation

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt
------------------	--

Toxicity to daphnia and other aquatic invertebrates	EC0 - E.sulcatum - 40 mg/l - 72 h Remarks: (Lit.) The value is given in analogy to the following substances: dodecyl sulphate sodium salt
	EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h Remarks: (IUCLID) The value is given in analogy to the following substances: dodecyl sulphate sodium salt
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 53 mg/l - 72 h (DIN 38412) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt
Toxicity to bacteria	EC50 - activated sludge - 130 mg/l - 3 h (OECD Test Guideline 209) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Ceriodaphnia dubia (water flea) - 0.88 mg/l - 7 d (US-EPA) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

## 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable. (OECD Test Guideline 301B) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt
------------------	---

Ratio BOD/ThBOD	99 % Remarks: (Lit.)
-----------------	-------------------------

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available

Sigma-Aldrich - L5901

Page 8 of 10



---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### DOT (US)

UN number: 1325    Class: 4.1    Packing group: II  
Proper shipping name: Flammable solids, organic, n.o.s. (lithium dodecyl sulphate)  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

UN number: 1325    Class: 4.1    Packing group: II    EMS-No: F-A, S-G  
Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (lithium dodecyl sulphate)

### IATA

UN number: 1325    Class: 4.1    Packing group: II  
Proper shipping name: Flammable solid, organic, n.o.s. (lithium dodecyl sulphate)

---

## SECTION 15: Regulatory information

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **US State Regulations**

### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### **The ingredients of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.7

Revision Date: 08/07/2024

Print Date: 08/08/2024