AVANTI® POLAR LIPIDS Part of Croda International Plc

SAFETY DATA SHEET

Version 8.2 Revision Date 03/13/2024 Print Date 05/05/2024

Avanti Polar Lipids, Inc. 700 Industrial Park Drive, Alabaster, AL 35007, USA • (800) 227-0651 • (205) 663-2494

- Fax(800) 229-1004•(205) 663-0756 E-mail Orders: orders@avantilipids.com E-mail Inquiries: info@avantilipids.com
- E-mail Technical Questions: technical@avantilipids.com Visit www.avantilipids.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2-furaldehyde

Product Number : PHR3290 Brand : Sigma-Aldrich Index-No. : 605-010-00-4 CAS-No. : 98-01-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 2), H401

Sigma-Aldrich - PHR3290

Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pi	ictogram	
Si	ignal Word	Danger
H	azard Statements	
H	226	Flammable liquid and vapor.
H.	301	Toxic if swallowed.
	312	Harmful in contact with skin.
	315	Causes skin irritation.
	319	Causes serious eye irritation.
	330	Fatal if inhaled.
	335	May cause respiratory irritation.
	351	Suspected of causing cancer.
	401	·
		Toxic to aquatic life.
	412	Harmful to aquatic life with long lasting effects.
	recautionary Statements	
	201	Obtain special instructions before use.
P2	202	Do not handle until all safety precautions have been read and understood.
P2	210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P2	233	Keep container tightly closed.
	240	Ground/bond container and receiving equipment.
	241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
	242	Use only non-sparking tools.
	243	Take precautionary measures against static discharge.
	260	Do not breathe mist or vapors.
	264	Wash skin thoroughly after handling.
	270	Do not eat, drink or smoke when using this product.
	271	Use only outdoors or in a well-ventilated area.
	273	Avoid release to the environment.
	280	Wear protective gloves/ protective clothing/ eye protection/ face
1 4	200	protection.
P	284	Wear respiratory protection.
P.	301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		Rinse mouth.
P.	303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
		clothing. Rinse skin with water/ shower.
P	304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
D'	305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
Γ,	303 + F331 + F336	Remove contact lenses, if present and easy to do. Continue
D.	209 ± D212	rinsing. IF exposed or concerned: Get modical advice/ attention
	308 + P313	IF exposed or concerned: Get medical advice/ attention.
	332 + P313	If skin irritation occurs: Get medical advice/ attention.
	337 + P313	If eye irritation persists: Get medical advice/ attention.
	362	Take off contaminated clothing and wash before reuse.
P.	370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P	403 + P233	Store in a well-ventilated place. Keep container tightly closed.
	403 + P235	Store in a well-ventilated place. Keep cool.
	drich - PHR3290	·
-		Page 2 of 12

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C5H4O2

Molecular weight : 96.09 g/mol

CAS-No. : 98-01-1

EC-No. : 202-627-7

Index-No. : 605-010-00-4

Component	Classification	Concentration
2-furaldehyde		
	Flam. Liq. 3; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H226, H301, H330, H312, H315, H319, H351, H335, H401, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

<u> </u>				
Component	CAS-No.	Value	Control	Basis
			parameters	
2-furaldehyde	98-01-1	TWA	0.2 ppm	USA. ACGIH Threshold Limit
,				Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to		
		humans		
		Danger of cutaneous absorption		
		TWA	5 ppm	USA. Occupational Exposure
			20 mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		Skin designation		
		PEL	2 ppm	California permissible exposure
			8 mg/m3	limits for chemical
			J.	contaminants (Title 8, Article
				107)
		Skin	•	

Biological occupational exposure limits

biological occupational exposure inities						
Component	CAS-No.	Parameters	Value	Biological specimen	Basis	
2-furaldehyde	98-01-1	Furoic acid	200 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
	Remarks	End of shift (As soon as possible after exposure ceases)				

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butvl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 120 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, viscous, liquid

Color: light brown

b) Odor No data available

c) Odor Threshold 0.024 ppm

No data available d) рН

Melting Melting point: -38.7 °C (-37.7 °F) e)

point/freezing point

Initial boiling point 18.5 °C 65.3 °F at 1.33 hPa and boiling range

g) Flash point ()No data available No data available h) Evaporation rate No data available

Flammability (solid,

gas)

Upper explosion limit: 19.3 %(V) Lower explosion limit: 2.1 %(V)

Upper/lower j) flammability or explosive limits

k) Vapor pressure 2.3 hPa at 20 °C (68 °F)

Vapor density 3.32 - (Air = 1.0)

1.1563 g/cm3 at 25 °C (77 °F) m) Density

Relative density No data available

n) Water solubility soluble

log Pow: 0.41 - Bioaccumulation is not expected. o) Partition coefficient: n-octanol/water

No data available p) Autoignition temperature

q) Decomposition temperature

No data available

No data available Viscosity r)

Not classified as explosive. s) Explosive properties

t) Oxidizing properties none

9.2 Other safety information

43.5 mN/m at 20 °C (68 °F) Surface tension

Relative vapor 3.32 - (Air = 1.0)

density

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with: alkali hydroxides

Sigma-Aldrich - PHR3290

alkalines Strong oxidizing agents acids Risk of explosion with: mineral acids

10.4 Conditions to avoid

Air Avoid moisture. Light. Heating.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 108 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 0.54 - < 1.63 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available Acute toxicity estimate Der

Acute toxicity estimate Dermal - 1,100.1 mg/kg

(Expert judgment) No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. - 24 h

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: positive

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: unscheduled DNA synthesis assay

Species: Mouse Cell type: Liver cells Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay

Species: Mouse Cell type: Liver cells Application Route: Oral Method: US-EPA

Test Type: Chromosome aberration test

Species: Mouse

Result: negative

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 475

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Suspected of causing cancer.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - nasal cavity

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male - 13 Weeks - NOAEL (No observed adverse effect level) - 53 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system depression, Headache, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough To the best of our knowledge, the chemical, physical, and toxicological properties have not

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

been thoroughly investigated.

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 16.79 - 26.35 mg/l

- 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic

and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 10 - 56 mg/l - 48 h

Remarks: (ECOTOX Database)

Toxicity to bacteria

static test EC50 - activated sludge - 760 mg/l - 30 min

(OECD Test Guideline 209)

Toxicity to

semi-static test NOEC - Danio rerio (zebra fish) - 0.33 mg/l - 12 d

fish(Chronic toxicity) Remarks: (ECHA)

Toxicity to daphnia

flow-through test NOEC - Daphnia magna (Water flea) - 1.9 mg/l -

and other aquatic

21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 100 % - Readily biodegradable.

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1199 Class: 6.1 (3) Packing group: II

Proper shipping name: Furaldehydes Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1199 Class: 6.1 (3) Packing group: II EMS-No: F-E, S-D

Proper shipping name: FURALDEHYDES

IATA

UN number: 1199 Class: 6.1 (3) Packing group: II

Proper shipping name: Furaldehydes

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

	 •		
		CAS-No.	Revision Date
2-furaldehyde		98-01-1	1993-02-16

Pennsylvania Right To Know Components

2-furaldehyde	CAS-No.	Revision Date
	98-01-1	1993-02-16

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.2 Revision Date: 03/13/2024 Print Date: 05/05/2024