

## SAFETY DATA SHEET

Version 8.5 Revision Date 08/05/2024 Print Date 08/06/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Bromoform

Product Number : PHR3495
Brand : Sigma-Aldrich
Index-No. : 602-007-00-X
CAS-No. : 75-25-2

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose

under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin irritation (Category 2), H315

Sigma-Aldrich - PHR3495

Page 1 of 13



Eye irritation (Category 2A), H319 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram Signal Word Danger Hazard Statements H226 Flammable liquid and vapor. Harmful if swallowed. H302 H315 Causes skin irritation. H319 Causes serious eye irritation. Toxic if inhaled. H331 H402 Harmful to aquatic life. H411 Toxic to aquatic life with long lasting effects. **Precautionary Statements** Keep away from heat/ sparks/ open flames/ hot surfaces. No P210 smokina. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing mist or vapors. P261 P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271 P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 + P330 unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. P332 + P313

foam to extinguish.

Collect spillage.

Store locked up.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep cool.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

Store in a well-ventilated place. Keep container tightly closed.

Sigma-Aldrich - PHR3495

P337 + P313

P370 + P378

P403 + P233 P403 + P235

P362

P391

P405

Millipore Sigma plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : CHBr3

Molecular weight : 252.75 g/mol CAS-No. : 75-25-2 EC-No. : 200-854-6 Index-No. : 602-007-00-X

Component	Classification	Concentration
Bromoform		
	Flam. Liq. 3; Acute Tox. 4;	<= 100 %
	Acute Tox. 3; Skin Irrit. 2;	
	Eye Irrit. 2A; Aquatic	
	Acute 3; Aquatic Chronic	
	2; H226, H302, H331,	
	H315, H319, H402, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Sigma-Aldrich - PHR3495

Page 3 of 13



### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen bromide gas

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

Sigma-Aldrich - PHR3495

MILLIPORE

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

<u> </u>	ingredients with workplace control parameters						
Component	CAS-No.	Value	Control	Basis			
			parameters				
Bromoform	75-25-2	TWA	0.5 ppm	USA. ACGIH Threshold Limit			
				Values (TLV)			
	Remarks	Confirmed animal carcinogen with unknown relevance to					
		humans					
		TWA	0.5 ppm	USA. NIOSH Recommended			
			5 mg/m3	Exposure Limits			
		Potential for dermal absorption					
		TWA	0.5 ppm	USA. Occupational Exposure			
			5 mg/m3	Limits (OSHA) - Table Z-1			
			_	Limits for Air Contaminants			
		Skin designation					



PEL	0.5 ppm 5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

## 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 10 min

Material tested:Butoject® (KCL 898)

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.



#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

## .1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odorc) Odor ThresholdNo data available

d) pH No data available

e) Melting point/ range: 8.0 °C (46.4 °F) point/freezing point

f) Initial boiling point and boiling range

148.1 °C 298.6 °F at 986.58 hPa

g) Flash point 30 °C (86 °F)

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 6.7 hPa at 20.0 °C (68.0 °F)

I) Vapor density No data available

m) Density 2.89 g/cm3 at 15 °C (59 °F)

Relative density No data available n) Water solubility No data available

o) Partition coefficient: log Pow: 2.16 at 30 °C (86 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition 368 °C (694 °F) at 988 - 1,025 hPa

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Acetone

Potassium hydroxide

Exothermic reaction with:

Alkaline earth metals

Bases

strong alkalis

can decompose violently in contact with:

Alkali metals

Powdered metals

#### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 933 mg/kg

Remarks: Lungs, Thorax, or Respiration: Dyspnea.

(RTECS)

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Dermal: No data available

## Skin corrosion/irritation

Remarks: Causes skin irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Sigma-Aldrich - PHR3495

Millipore Sigma

## Respiratory or skin sensitization

In Chemico Skin Sensitisation: Direct Peptide Reactivity Assay (DPRA) - In vitro study

Result: negative

(OECD Test Guideline 442C)

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation

Method: OECD Test Guideline 479

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Method: OECD Test Guideline 490

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

Sigma-Aldrich - PHR3495

Millipore

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Blueqill sunfish) - 29 mg/l -

96 h (US-EPA)

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 46 mg/l - 48 h

(US-EPA)

orates Remarks: (ECHA)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 13 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata - 2.8 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

static test NOEC - activated sludge - < 10 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 6 % - Not readily biodegradable.

(OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich - PHR3495

Page 10 of 13



## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2515 Class: 6.1 Packing group: III

Proper shipping name: Bromoform Reportable Quantity (RQ): 100 lbs

Marine pollutant: yes Poison Inhalation Hazard: No

**IMDG** 

UN number: 2515 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: BROMOFORM

Marine pollutant : yes Marine pollutant : yes

**IATA** 

UN number: 2515 Class: 6.1 Packing group: III

Proper shipping name: Bromoform

### **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Bromoform	75-25-2	100	100

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ. Sigma-Aldrich - PHR3495

Page 11 of 13



**SARA 313** 

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Bromoform 75-25-2 >= 90 - <= 100 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Bromoform 75-25-2 >= 90 - <= 100 %

This product contains the following priority pollutants related to the U.S. Clean Water Act: Bromoform 75-25-2 >= 90 - <= 100 %

## **US State Regulations**

## **Massachusetts Right To Know**

Bromoform 75-25-2

**Maine Chemicals of High Concern** 

Bromoform 75-25-2

**Vermont Chemicals of High Concern** 

Bromoform 75-25-2

**Washington Chemicals of High Concern** 

Bromoform 75-25-2

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.5 Revision Date: 08/05/2024 Print Date: 08/06/2024

