

# SAFETY DATA SHEET

Version 6.6 Revision Date 03/02/2024 Print Date 04/14/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : TERGITOL™ TMN-100X solution, 90% in

water

Product Number : STS0004 Brand : Sigma-Aldrich

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose

under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

Sigma-Aldrich - STS0004

Page 1 of 10



For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

**Hazard Statements** 

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : Polyethylene glycol trimethylnonyl ether

Component		Classification	Concentration
Polyethylene glyc	ol trimethylnonyl ethe	er	
CAS-No.	60828-78-6	Eye Dam. 1; Aquatic Acute 3; Aquatic Chronic 3; H318, H402, H412	>= 70 - < 90 %
Polyethylene oxid	le		
CAS-No. EC-No.	25322-68-3 500-038-2		>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

# **General advice**

Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich - STS0004

Page 2 of 10



#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

# 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Sigma-Aldrich - STS0004

Page 3 of 10



# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed.

Air sensitive. Handle and store under inert gas.

### Storage class

Storage class (TRGS 510): 10: Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control	Basis
			parameters	
Polyethylene oxide	25322-68- 3	TWA	10 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)

#### 8.2 Exposure controls

### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

### Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# **Skin protection**

required

Sigma-Aldrich - STS0004

Page 4 of 10



#### **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: yellow

b) Odor pungent

c) Odor Threshold No data availabled) pH No data available

e) Melting No data available

point/freezing point

f) Initial boiling point ca.107 °C ca.225 °F and boiling range

g) Flash point  $> 110 \, ^{\circ}\text{C} \, (> 230 \, ^{\circ}\text{F})$ 

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.011 g/cm3

Relative density No data available

n) Water solubility No data available

o) Partition coefficient: No data available

) Partition coefficient: N n-octanol/water

Sigma-Aldrich - STS0004

Millipore SigMa p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Mixture**

# **Acute toxicity**

Oral: No data available

Symptoms: Possible symptoms:, mucosal irritations Acute toxicity estimate Dermal - > 5,000 mg/kg

(Calculation method)

## Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Sigma-Aldrich - STS0004



# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

# Polyethylene glycol trimethylnonyl ether

#### **Acute toxicity**

LD50 Oral - Rat - 5,650 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rabbit - 4,493 mg/kg

Remarks: (RTECS)

## Skin corrosion/irritation

Remarks: No data available

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

Remarks: (RTECS)

### Respiratory or skin sensitization

No data available

Sigma-Aldrich - STS0004

# Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# Polyethylene oxide

## **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

No data available

## **Skin corrosion/irritation** Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

#### Reproductive toxicity

No data available No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available



# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Mixture**

No data available

# 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

#### **Components**

## Polyethylene glycol trimethylnonyl ether

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 15 mg/l - 96

h

Remarks: (External MSDS)

## Polyethylene oxide

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

Sigma-Aldrich - STS0004

Page 9 of 10



Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No.

#### SARA 311/312 Hazards

Acute Health Hazard

## **Massachusetts Right To Know Components**

water 7732-18-5

**Revision Date** 

#### **SECTION 16: Other information**

# **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 03/02/2024 Print Date: 04/14/2024

Sigma-Aldrich - STS0004

Page 10 of 10

