

# **SAFETY DATA SHEET**

Version 6.7 Revision Date 03/02/2024 Print Date 04/13/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Bromine

Product Number : 207888 Brand : SIGALD

Index-No. : 035-001-00-5 CAS-No. : 7726-95-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 1), H330 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

SIGALD - 207888

Page 1 of 12



Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

**Precautionary Statements** 

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

IE IN EXES: Pinco cautiously with water for soveral minutes.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula : Br<sub>2</sub>

Molecular weight : 159.81 g/mol CAS-No. : 7726-95-6 EC-No. : 231-778-1 Index-No. : 035-001-00-5

Component	Classification	Concentration
Bromine		
	Acute Tox. 1; Skin Corr.	<= 100 %

SIGALD - 207888

Page 2 of 12



1A; Eye Dam. 1; Aquatic Acute 1; H330, H314, H318, H400 M-Factor - Aquatic Acute:	
10	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Hydrogen bromide gas

Container explosion may occur under fire conditions.

SIGALD - 207888



Page 3 of 12

Not combustible.

Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4** Further information

May intensify fire; oxidizer.Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store in polyethylene containers. Handle and open container with care.

### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

SIGALD - 207888

Page 4 of 12



# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Bromine	7726-95-6	TWA	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	0.2 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.1 ppm 0.7 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	0.3 ppm 2 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.1 ppm 0.7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		С	0.1 ppm 0.7 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

SIGALD - 207888



Page 5 of 12

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 10 min

Material tested:Butoject® (KCL 898)

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 0.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: brown

b) Odor suffocating

c) Odor Threshold No data availabled) pH No data available

e) Melting point/range: 7.2 °C (45.0 °F) - lit.

point/freezing point

f) Initial boiling point 58.8 °C 137.8 °F - lit.

and boiling range

g) Flash point ()No data available
h) Evaporation rate No data available
i) Flammability (solid, No data available

gas)

No data available

j) Upper/lower flammability or explosive limits

k) Vapor pressure 233 hPa at 20 °C (68 °F)

SIGALD - 207888



I) Vapor density 5.52 at 15 °C(59 °F) - (Air = 1.0) m) Density 3.119 g/mL at 25 °C (77 °F) - lit.

Relative density No data available

n) Water solubility 36.5 g/l at 20 °C (68 °F) - (External MSDS)

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Relative vapor 5.52 at 15 °C (59 °F) - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Exothermic reaction with:

hydrides

amides

phenols

Ether

halogen-halogen compounds

halogen oxides

nonmetals

**Alcohols** 

**Organic Substances** 

alkali oxides

Alkali metals

semimetals

Acetylene

**Amines** 

Ketones

Aldehydes

nitrides

Germanium

SIGALD - 207888



rubber

phosphides

Metals

Sodium hydroxide

iron/iron-containing compounds

Mercury

Titanium

**Boranes** 

Risk of explosion with:

Ammonia

azides

silanes

zinc diethyl

Hydrogen

**Organic Substances** 

Ozone

Nitriles

halogen oxides

phosphines

Potassium

sodium

carbides

Nickel carbonyl

phosphine

phosphorus

Reducing agents

oxidisable substances

Hydrogen

with

Pressure

heat

Metals

with

Moisture.

Lithium

sensitive to shock

antimony

in powder form

Risk of ignition or formation of inflammable gases or vapours with:

acetylidene

Aluminum

halides

hydrides

Hydrocarbons

Fluorine

fluorides

lithium silicide

Oxides of phosphorus

Tin

arsenic

in powder form

SIGALD - 207888

Page 8 of 12

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 2,600 mg/kg

LC50 Inhalation - Mouse - female - 4 h - 0.1427 mg/l - vapor

Remarks: (ECHA)

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes severe burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Serious eye damage/eye irritation** Remarks: Causes serious eye damage.

# Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

In vivo tests did not show mutagenic effects

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: US-EPA Result: positive

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: US-EPA Result: positive

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Method: US-EPA Result: negative

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

SIGALD - 207888

Page 9 of 12



identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

# **Specific target organ toxicity - single exposure**

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: EF9100000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Cyanosis, Cardiovascular effects., Respiratory disorders, Lachrymation, Nose bleeding, Vertigo, Irritability, loss of appetite, joint pain, Abdominal pain, Diarrhea, hoarseness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Blueqill sunfish) - 0.54 mg/l

- 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia static test NOEC - Daphnia magna (Water flea) - 0.46 mg/l - 48 h

and other aquatic Remarks: (ECOTOX Database) invertebrates(Chronic

toxicity)

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

SIGALD - 207888



### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1744 Class: 8 (6.1I) Packing group: I

Proper shipping name: Bromine

Reportable Quantity (RQ):

Poison Inhalation Hazard: Hazard Zone A

**IMDG** 

UN number: 1744 Class: 8 (6.1) Packing group: I EMS-No: F-A, S-B

Proper shipping name: BROMINE

Marine pollutant : yes

**IATA** 

UN number: 1744 Class: 8 (6.1) Proper shipping name: Bromine

IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

### **SECTION 15: Regulatory information**

# **SARA 302 Components**

Bromine CAS-No. Revision Date 7726-95-6 2008-11-03

SIGALD - 207888

Page 11 of 12

Millipore SiGMa

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Bromine	CAS-No. 7726-95-6	Revision Date 2008-11-03
Massachusetts Right To Know Components	CAC N	<b>D D</b> .
Bromine	CAS-No. 7726-95-6	Revision Date 2008-11-03
Pennsylvania Right To Know Components		
Bromine	CAS-No. 7726-95-6	Revision Date 2008-11-03

### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 03/02/2024 Print Date: 04/13/2024

SIGALD - 207888



Page 12 of 12