

# SAFETY DATA SHEET

Version 6.7 Revision Date 03/07/2024 Print Date 04/21/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Diethylene glycol methyl ether

Product Number : 579548 Brand : SIGALD

Index-No. : 603-107-00-6 CAS-No. : 111-77-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16. SIGALD - 579548

Page 1 of 10



### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

**Hazard Statements** 

H227 Combustible liquid.

H360 May damage fertility or the unborn child.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : 2-(2-Methoxyethoxy)ethanol

Methyldiglycol Methyl CARBITOL®

Component	Classification	Concentration
Diethylene glycol monomethyl ether		
	· · · · · · · · · · · · · · · · · · ·	<= 100 %
	H227, H360	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 579548

Page 2 of 10



### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 579548

Page 3 of 10

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. hygroscopic

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 579548



## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 60 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

# **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

SIGALD - 579548

Aillipore

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Form: clear, liquid **Appearance** 

Color: light yellow

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

Melting point/range: -70 °C (-94 °F) - lit. e) Melting

point/freezing point

194 °C 381 °F - lit. Initial boiling point and boiling range

g) Flash point 87 °C (189 °F) - closed cup

h) Evaporation rate No data available

Flammability (solid,

gas)

No data available

Upper explosion limit: 22.7 %(V) Upper/lower j) flammability or Lower explosion limit: 1.38 %(V) explosive limits

0.3 hPa at 20 °C (68 °F) k) Vapor pressure

Vapor density 4.15 - (Air = 1.0)

m) Density 1.023 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available n) Water solubility completely miscible

o) Partition coefficient: log Pow: -0.47 at 20 °C (68 °F)

n-octanol/water

p) Autoignition No data available

q) Decomposition No data available

temperature

temperature

No data available r) Viscosity

No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

> Relative vapor 4.15 - (Air = 1.0)

density

SIGALD - 579548

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Aluminum

Light metals

Exothermic reaction with:

bases

Strong oxidizing agents

chlorosulfonic acid

fuming sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with:

calcium hypochlorite

## 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Aluminum, rubber, various plastics, Copper, Light metals

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - > 7,000 mg/kg Inhalation: No data available

LD50 Dermal - Rabbit - 9,404 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 72 h

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h

# Respiratory or skin sensitization

Maximization Test - Guinea pig

SIGALD - 579548

Millipore SigMa Result: Does not cause skin sensitization.

## Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is OSHA:

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

May damage the unborn child.

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus - 7,500 mg/l - 96 h

LC50 - Pimephales promelas (fathead minnow) - 5,741 mg/l - 96 h

Toxicity to daphnia

and other aquatic

invertebrates

EC50 - Daphnia magna (Water flea) - 1,192 mg/l - 48 h

EC50 - Selenastrum capricornutum (green algae) - > 1,000 mg/l -Toxicity to algae

96 h

### 12.2 Persistence and degradability

Biodegradability Result: 100 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

No data available

SIGALD - 579548

Page 8 of 10

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Diethylene glycol monomethyl ether)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

Revision Date

SIGALD - 579548

Page 9 of 10



Diethylene glycol monomethyl ether	111-77-3	1993-04-24
SARA 311/312 Hazards Fire Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Diethylene glycol monomethyl ether	CAS-No. 111-77-3	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Diethylene glycol monomethyl ether	CAS-No.	<b>Revision Date</b>
	111-77-3	1993-04-24

# **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 03/07/2024 Print Date: 04/21/2024

SIGALD - 579548 Page 10 of 10

