

# SAFETY DATA SHEET

Version 6.7 Revision Date 09/07/2024 Print Date 09/08/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Sodium hypochlorite solution

Product Number : 71696 Brand : SIGALD

Index-No. : 017-011-00-1 CAS-No. : 7681-52-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

SIGALD - 71696

Page 1 of 13



Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

**Hazard Statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P305 + P351 + P338 +

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P391 Collect spillage. P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates toxic gas.

### **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

P310

Formula : CINaO Molecular weight : 74.44 g/mol

Component		Classification	Concentration
sodium hypochlo	rite solution		
CAS-No.	7681-52-9	Met. Corr. 1; Skin Corr.	>= 10 - < 20

SIGALD - 71696



Page 2 of 13

EC-No.	231-668-3	1B; Eye Dam. 1; Aquatic	%
Index-No.	017-011-00-1	Acute 1; Aquatic Chronic	
		1; H290, H314, H318,	
		H400, H410	
		Concentration limits:	
		>= 5 %: , EUH031;	
		M-Factor - Aquatic Acute:	
		10 - Aquatic Chronic: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SIGALD - 71696

Page 3 of 13



## 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

No metal containers.

Tightly closed.

Do not store near acids.

**Storage stability**Recommended storage temperature

2 - 8 °C

### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 71696

<u> 1illipore</u>

Page 4 of 13

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
sodium hypochlorite solution	7681-52-9	STEL	2 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)

## 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

protective clothing

SIGALD - 71696



## Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

uid
uid

b) Odor No data available c) Odor Threshold No data available No data available d) pH

e) Melting -30 - -20 °C (-22 - -4 °F) point/freezing point

Initial boiling point and boiling range

111 °C 232 °F at 1,013 hPa

g) Flash point ()No data available h) Evaporation rate No data available Flammability (solid, No data available

gas)

No data available Upper/lower j) flammability or explosive limits

23.3 hPa at 20 °C (68 °F) k) Vapor pressure

Vapor density No data available

1.25 g/mL at 20 °C (68 °F) m) Density

Relative density No data available

n) Water solubility completely misciblesoluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition Not applicable

temperature

Decomposition temperature

No data available

SIGALD - 71696



r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Generates dangerous gases or fumes in contact with:

Acids

The generally known reaction partners of water.

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Strong acids, Organic materials, Powdered metals, Forms shock-sensitive mixtures with certain other materials., Amines, Reacts violently with ammonium salts, aziridine, methanol, and phenylaceto primary aliphatic or aromatic amines to form explosively unstable n-chlor 55°C.Metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

LD50 Oral - Rat - male - 1,100 mg/kg (sodium hypochlorite solution)

(OECD Test Guideline 401)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Inhalation: No data available

SIGALD - 71696

Millipore

LD50 Dermal - Rabbit - male and female - > 20,000 mg/kg (sodium hypochlorite solution) (OECD Test Guideline 402)

### Skin corrosion/irritation

Remarks: Mixture causes burns.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

- Guinea pig (sodium hypochlorite solution)

Result: Not a skin sensitizer. (OECD Test Guideline 406)

### Germ cell mutagenicity

Metabolic activation: Metabolic activation

Method: Mutagenicity (Escherichia coli - reverse mutation assay)

Result: negative

(sodium hypochlorite solution)

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (sodium hypochlorite solution)

Other dangerous properties can not be excluded.

SIGALD - 71696

Page 8 of 13



Handle in accordance with good industrial hygiene and safety practice.

### Components

### sodium hypochlorite solution

### **Acute toxicity**

LD50 Oral - Rat - male - 1,100 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 20,000 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

- Guinea pig

Result: Not a skin sensitizer. (OECD Test Guideline 406)

## Germ cell mutagenicity

Result: negative

Method: Mutagenicity (micronucleus test)

Species: Mouse - male

Carcinogenicity
No data available

Result: negative

## Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

# Mixture

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.08 mg/l - 96 h

(sodium hypochlorite solution)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

(ECOTOX Database)

SIGALD - 71696 Page 9 of 13



Toxicity to daphnia and other aquatic

EC50 - Daphnia magna (Water flea) - 0.04 mg/l - 48 h (sodium

hypochlorite solution)

invertebrates Remarks: (Regulation (EC) No 1272/2008, Annex VI)

(ECOTOX Database)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0.036 mg/l - 72

h (sodium hypochlorite solution) (OECD Test Guideline 201)

static test EC10 - Pseudokirchneriella subcapitata - 0.02 mg/l - 72 h

(sodium hypochlorite solution) (OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 77.1 mg/l - 3 h (sodium

hypochlorite solution) (OECD Test Guideline 209)

Remarks: (ECHA)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

#### Components

### sodium hypochlorite solution

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.08 mg/l -

96 h

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

EC50 - Daphnia magna (Water flea) - 0.04 mg/l - 48 h

(ECOTOX Database)

Toxicity to daphnia and other aquatic

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

invertebrates (ECOTOX Database)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0.036 mg/l

- 72 h

SIGALD - 71696 Page 10 of 13



(OECD Test Guideline 201)

static test EC10 - Pseudokirchneriella subcapitata - 0.02 mg/l -

72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 77.1 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: (ECHA)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1791 Class: 8 Packing group: III

Proper shipping name: Hypochlorite solutions

Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1791 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: HYPOCHLORITE SOLUTION (sodium hypochlorite solution)

Marine pollutant : yes Marine pollutant : yes

IATA

UN number: 1791 Class: 8 Packing group: III

Proper shipping name: Hypochlorite solution IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)

SIGALD - 71696 Page 11 of 13



### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

## **US State Regulations**

## **Massachusetts Right To Know**

water	7732-18-5
sodium hypochlorite solution	7681-52-9

## Pennsylvania Right To Know

sodium hypochlorite solution 7681-52-9

### **Maine Chemicals of High Concern**

water 7732-18-5

### **Vermont Chemicals of High Concern**

water 7732-18-5

## **Washington Chemicals of High Concern**

water 7732-18-5

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

SIGALD - 71696

....

Page 12 of 13

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 09/07/2024 Print Date: 09/08/2024

SIGALD - 71696 Page 13 of 13

