

# **SAFETY DATA SHEET**

Version 6.10 Revision Date 07/23/2025 Print Date 07/24/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Kaempferol

Product Number : 60010 Brand : Sigma CAS-No. : 520-18-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2A

Sigma - 60010

Page 1 of 16



Germ cell mutagenicity : Category 2

#### Other hazards

None known.

### **GHS label elements**

Hazard pictograms





Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye

protection and face protection.

**Response:** 

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P332 + P313 If skin irritation occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical

advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Components

Sigma - 60010

Page 2 of 16



Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
3,4',5,7- Tetrahydroxyflavone	520-18-3*	>= 80 - <= 100	TSC
acetone	67-64-1*	>= 1 - <= 5	TSC
ethanol	64-17-5*	>= 1 - <= 5	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Sigma - 60010

Page 3 of 16

Specific hazards during fire fighting

: Combustible.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Dry.

Sigma - 60010

....

Page 4 of 16

Storage class : 11, Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Light sensitive.

Store under inert gas.

Air sensitive.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL

# **Biological occupational exposure limits**

Components	CAS-No.	Control parameter s	Biological specimen	Samplin g time	Permissibl e concentrat ion	Basis
acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposur e ceases)	25 mg/l	ACGIH BEI

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

Sigma - 60010

Page 5 of 16

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Sigma - 60010

Page 6 of 16



Color : light yellow

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point : 531 °F / 277 °C

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 1.688 g/cm3 (68 °F / 20 °C)

(calculated)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Sigma - 60010

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 286.24 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : The following applies in general to flammable organic

substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

strong oxidising agents

Conditions to avoid : no information available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: In the event of fire: see section 5

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

### **Acute toxicity**

Acute toxicity estimate Oral - 2,501 mg/kg

(Calculation method)

Acute toxicity estimate Oral - 2,501 mg/kg

(Expert judgement)

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin irritation.

**Serious eye damage/eye irritation** Remarks: Causes serious eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Sigma - 60010

Millipore Sigma Suspected of causing genetic defects.

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Exposure can cause dilation of the blood vessels and an increase in contraction of some smooth muscles., Dermatitis

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

Skin - Dermatitis - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

# acetone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 6,210

mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic

: LC50 (Daphnia pulex (Water flea)): 8,800 mg/l

End point: mortality

Sigma - 60010

Page 9 of 16



invertebrates Exposure time: 48 h

Test Type: static test Remarks: (ECHA)

Toxicity to algae/aquatic

plants

NOEC (M.aeruginosa): 530 mg/l

Exposure time: 8 d Test Type: static test Method: DIN 38412

Remarks: (maximum permissible toxic concentration)

(IUCLID)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 2,212 mg/l

End point: reproduction rate

Exposure time: 28 d

Test Type: flow-through test

Remarks: (ECHA)

Toxicity to

microorganisms

: EC50 (activated sludge): 61.15 mg/l

Exposure time: 30 min Test Type: static test

Method: OECD Test Guideline 209

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):

15,300 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: US-EPA

Toxicity to daphnia and

other aquatic invertebrates

: LC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

End point: mortality Exposure time: 48 h Test Type: static test Remarks: (ECHA)

Toxicity to algae/aquatic

plants

: ErC50 (Chlorella vulgaris (Fresh water algae)): 275

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC (Danio rerio (zebra fish)): 250 mg/l

Exposure time: 120 h Test Type: semi-static test

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

: NOEC (Daphnia magna (Water flea)): 9.6 mg/l

End point: reproduction rate

Exposure time: 9 d

Sigma - 60010



toxicity) Test Type: semi-static test

Remarks: (ECHA)

Toxicity to : IC50 (activated sludge): > 1,000 mg/l

microorganisms Exposure time: 3 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 209

The value is given in analogy to the following

substances: Methanol

# Persistence and degradability

# **Components:**

#### acetone:

Biodegradability : aerobic

Inoculum: activated sludge Result: Readily biodegradable.

Biodegradation: 91 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Biochemical Oxygen

Demand (BOD)

: 1,850 mg/g

Incubation time: 5 d Remarks: (IUCLID)

Chemical Oxygen : 2,070 mg/g

Demand (COD) Remarks: (IUCLID)

ThOD : 2,200 mg/g

Remarks: (Lit.)

### ethanol:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable. Biodegradation: ca. 95 % Exposure time: 15 d

Method: OECD Test Guideline 301E

Biochemical Oxygen

Demand (BOD)

: 930 - 1,670 mg/g Incubation time: 5 d

Remarks: (Lit.)

ThOD : 2,100 mg/g

Remarks: (Lit.)

# **Bioaccumulative potential**

# **Components:**

acetone:

Bioaccumulation : Bioconcentration factor (BCF): < 10

Remarks: Does not bioaccumulate.

ethanol:

Bioaccumulation : Remarks: Due to the distribution coefficient n-

octanol/water, accumulation in organisms is not

expected.

Partition coefficient: n-

octanol/water

: log Pow: -0.35 (75 °F / 24 °C)

pH: 7.4

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

### Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **Components:**

# 3,4',5,7-Tetrahydroxyflavone:

Additional ecological

information

: Discharge into the environment must be avoided.

#### acetone:

Results of PBT and vPvB

assessment

: Not persistent, bioaccumulative, and toxic (PBT). Not

very persistent and very bioaccumulative (vPvB).

: Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

#### ethanol:

Results of PBT and vPvB

assessment

: Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

Sigma - 60010

Page 12 of 16



#### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National Regulations**

# 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

### **Special precautions for user**

Remarks : Not classified as dangerous in the meaning of

transport regulations.

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

Sigma - 60010

Aillipore

Page 13 of 16

### SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

acetone 67-64-1 >= 1 - < 5 %ethanol 64-17-5 >= 1 - < 5 %

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# **US State Regulations**

# **Massachusetts Right To Know**

acetone	67-64-1
ethanol	64-17-5

# Pennsylvania Right To Know

acetone	67-64-1
ethanol	64-17-5

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

Sigma - 60010



Page 14 of 16

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants8-hour, time-weighted average

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma - 60010 Page 15 of 16



The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/23/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma - 60010

