

SAFETY DATA SHEET

Version 8.10 Revision Date 04/24/2024 Print Date 04/28/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium azide

Product Number : 71289 Brand : Sigma

Index-No. : 011-004-00-7 CAS-No. : 26628-22-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 1), H310

Sigma - 71289

Page 1 of 12



Specific target organ toxicity - repeated exposure, Oral (Category 2), Brain, H373 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs (Brain) through prolonged or

repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe dust.

P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Rinse mouth.

P302 + P350 + P310 IF ON SKIN: Gently wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

Sodium Azide may react with lead and copper plumbing to form highly explosive metal azides., Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : N₃Na

Molecular weight : 65.01 g/mol CAS-No. : 26628-22-8

Sigma - 71289

Page 2 of 12



EC-No. : 247-852-1 Index-No. : 011-004-00-7

Component	Classification	Concentration			
sodium azide					
	Acute Tox. 2; Acute Tox. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H300, H330, H310, H373, H400, H410 M-Factor - Aquatic Acute: 1 M-Factor - Aquatic Chronic: 1	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma - 71289

4illiPDRE

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Sand Special powder against metal fire Cement

Unsuitable extinguishing media

Foam Water

5.2 Special hazards arising from the substance or mixture

Sodium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Sigma - 71289

Page 4 of 12

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Heat sensitive.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

ingredients with workplace control parameters						
Component	CAS-No.	Value	Control parameters	Basis		
sodium azide	26628-22- 8	С	0.29 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Not classifiable as a human carcinogen				
		С	0.11 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Not classifiable as a human carcinogen				
		С	0.1 ppm	USA. NIOSH Recommended Exposure Limits		
		Potential for dermal absorption				
		С	0.3 mg/m3	USA. NIOSH Recommended Exposure Limits		
		Potential for dermal absorption				
		С	0.1 ppm 0.3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		Skin				

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Sigma - 71289

Page 5 of 12



Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odor odorless

c) Odor Threshold No data available

d) pH 10 at 65 g/l at 25 °C (77 °F)

e) Melting Melting point/range: 370 - 425 °C (698 - 797 °F) - ASTM E 537-

point/freezing point 76 - Decomposition

Sigma - 71289 Page 6 of 12



Initial boiling point No data available and boiling range

g) Flash point ()Not applicable No data available h) Evaporation rate Flammability (solid, No data available i)

gas)

j)

l)

Upper/lower

flammability or explosive limits k) Vapor pressure No data available Vapor density No data available

1.850 g/cm3 at 20 °C (68 °F) m) Density

Relative density No data available

n) Water solubility 65 g/l at 20 °C (68 °F) - completely soluble

No data available

o) Partition coefficient: Not applicable for inorganic substances n-octanol/water

309 °C (588 °F) at 1,013 hPa - Relative self-ignition p) Autoignition temperature temperature for solids

q) Decomposition 370 - 425 °C (698 - 797 °F), 0.8 kJ/kg temperature

No data available r) Viscosity

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

highly reactive

Risk of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Contact with acids liberates very toxic gas.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Heavy metals Bromine

Sigma - 71289

Page 7 of 12



dimethylsulfate

Acid

dichloromethane

carbon disulfide

sulfuric acid

Halogenated hydrocarbon

Copper

Lead

chromyl chloride

Generates dangerous gases or fumes in contact with:

Acids

Water

with

Heat.

Violent reactions possible with:

nitrates

benzoyl chloride

Generates dangerous gases or fumes in contact with:

Acids

10.4 Conditions to avoid

An explosion occurred when a mixture of sodium azide, methylene chloride, dimethyl sulfoxide, and sulfuric acid were being concentrated on a rotary evaporator. Strong heating (decomposition).

Exposure to moisture. no information available

10.5 Incompatible materials

Aluminum, Heavy metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 27 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Rat - male and female - 4 h - 0.054 - 0.52 mg/l - dust/mist

(US-EPA)

LD50 Dermal - Rabbit - 20 mg/kg

Remarks: (RTECS) No data available

Skin corrosion/irritation

Skin - In vitro study Result: No skin irritation

Sigma - 71289



(OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: No eye irritation - 4 h (OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: unscheduled DNA synthesis assay Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 479

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure.

- Brain

Aspiration hazard

No data available

11.2 Additional Information

RTECS: VY8050000

Nausea, Headache, Vomiting, Laboratory experiments in animals have shown sodium azide to produce a profound hypotensive effect, demyelination of myelinated nerve fibers in the

Sigma - 71289

Page 9 of 12



central nervous system, testicular damage, blindness, attacks of rigidity, and hepatic and cerebral effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 2.75

mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0.35 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Sigma - 71289

Page 10 of 12

SECTION 14: Transport information

DOT (US)

UN number: 1687 Class: 6.1 Packing group: II

Proper shipping name: Sodium azide Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1687 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: SODIUM AZIDE

Marine pollutant : yes

IATA

UN number: 1687 Class: 6.1 Packing group: II

Proper shipping name: Sodium azide

SECTION 15: Regulatory information

SARA 302 Components

sodium azide CAS-No. Revision Date 26628-22-8 2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III,

Section 313:

Sodium azide CAS-No. Revision Date 26628-22-8 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Sodium azide CAS-No. Revision Date 26628-22-8 2007-07-01

Pennsylvania Right To Know Components

sodium azide CAS-No. Revision Date 26628-22-8 2007-07-01

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent

Sigma - 71289 Page 11 of 12



any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.10 Revision Date: 04/24/2024 Print Date: 04/28/2024

Sigma - 71289

