

# SAFETY DATA SHEET

Version 6.7 Revision Date 03/04/2024 Print Date 05/12/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Ammonium nitrate

Product Number : A3795 Brand : Sigma CAS-No. : 6484-52-2

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 3), H272 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma - A3795

Page 1 of 12



## 2.2 GHS Label elements, including precautionary statements

**Pictogram** 



Signal Word Warning

Hazard Statements

H272 May intensify fire; oxidizer. H319 Causes serious eye irritation.

**Precautionary Statements** 

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula :  $H_4N_2O_3$  Molecular weight : 80.04 g/mol CAS-No. : 6484-52-2 EC-No. : 229-347-8

Component	Classification	Concentration
Ammonium nitrate		
	Ox. Sol. 3; Eye Irrit. 2A;	<= 100 %
	H272, H319	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

Sigma - A3795

Page 2 of 12



#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Sigma - A3795

Page 3 of 12



### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

## **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Away from combustible materials and sources of ignition and heat. TRGS 511 must be observed.

Hygroscopic. Store under inert gas.

## Storage class

Storage class (TRGS 510): 5.1C: Ammonium nitrate and ammonium nitrate containing preparations

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Sigma - A3795

Page 4 of 12



### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a) Appearance Form: solid

Color: white

b) Odor No data available c) Odor Threshold No data available

d) pH 4.5 - 6.0 at 80.40 g/l at 25 °C (77 °F) Melting point/range: 169 °C (336 °F) - lit. Melting

point/freezing point

Sigma - A3795

Page 5 of 12



f) Initial boiling point 210 °C 410 °F - lit. and boiling range

g) Flash point ()Not applicable
 h) Evaporation rate No data available
 i) Flammability (solid, gas)

j) Upper/lower flammability or explosive limits No data available

k) Vapor pressure Not applicable

I) Vapor density 2.8

m) Density 1.725 g/cm3 at 25 °C (77 °F)

Relative density No data available n) Water solubility completely soluble

o) Partition coefficient: Not applicable for inorganic substances n-octanol/water

p) Autoignition No data available temperature

q) Decomposition > 180 °C (> 356 °F) - temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 3.

# 9.2 Other safety information

Relative vapor 2.8 density

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Risk of explosion with: Alkali metals aluminium chloride Ammonia ammonium compounds

Sigma - A3795



Barium nitrate combustible substances

carbides

charcoal

chlorates

Chlorites

2,4 Dinitrotoluene

Esters urea

iron(III) compounds

Potassium

potassium permanganate

Hydrocarbons

copper compounds

Nitro compounds

oils

perchlorates

Powdered metals

powdered aluminium

Reducing agents

Rust

sodium

sodium hypochlorite

sulfur

Wood/Sawdust

sugars

Organic Substances

hypochlorous acid

organic nitro compounds

Aluminum

antimony

Bismuth

Lead

cadmium

chromium

Iron

Copper

magnesium

Manganese

Nickel

Zinc

Tin

Mild steel

in powder form

Water

with

Heat.

metallic oxides

with

charcoal

Acetic anhydride

with

Sigma - A3795



Nitric acid

Risk of ignition or formation of inflammable gases or vapours with:

potassium dichromate

nitrites

Metals

phosphorus

acetic acid

with

heat

Exothermic reaction with:

metallic chlorides

salts of oxyhalogenic acids

Sulfides

organic nitro compounds

Oxidizing agents

alkalines

nonmetals

Acids

### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 2,950 mg/kg

(OECD Test Guideline 401)

Symptoms: Nausea, Vomiting, Diarrhea, Irritations of mucous membranes in the mouth,

pharynx, oesophagus and gastrointestinal tract.

LC50 Inhalation - Rat - 4 h - > 88.8 mg/l - dust/mist

Remarks: (IUCLID)

Symptoms: Symptoms may be delayed., mucosal irritations

LD50 Dermal - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. - 24 h

Sigma - A3795

(OECD Test Guideline 405)

## Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: The value is given in analogy to the following substances: Nitric acid ammonium

calcium salt (1:?:?)

# Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

## Aspiration hazard

No data available

## 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 256 - 284 mg/kg

Remarks: The value is given in analogy to the following substances: ammonium sulphate

RTECS: BR9050000

Gastrointestinal disturbance, Blood disorders

Sigma - A3795

**MILLIPORE** 

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

Methaemoglobinaemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea, and spasms, key symptom: cyanosis (blue colouration of the blood).

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to daphnia and other aquatic

EC50 - Daphnia magna (Water flea) - 490 mg/l - 48 h

Remarks: (ECHA)

invertebrates The value is given in analogy to the following substances: potassium

nitrate

Toxicity to algae static test ErC50 - diatoms - > 1,700 mg/l - 10 Days

Remarks: (ECHA)

The value is given in analogy to the following substances: potassium

nitrate

Toxicity to bacteria EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following substances:

sodium nitrate

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

Sigma - A3795

Page 10 of 12

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

Biological effects:

Hazard for drinking water supplies.

Fertilising effect possible.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

# **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1942 Class: 5.1 Packing group: III

Proper shipping name: Ammonium nitrate

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1942 Class: 5.1 Packing group: III EMS-No: F-H, S-Q

Proper shipping name: AMMONIUM NITRATE

**IATA** 

UN number: 1942 Class: 5.1 Packing group: III

Proper shipping name: Ammonium nitrate

## **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

Sigma - A3795

Page 11 of 12



The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Ammonium nitrate 6484-52-2 1993-04-24

## SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

CAS-No. Revision Date Ammonium nitrate 6484-52-2 1993-04-24

# **Pennsylvania Right To Know Components**

Ammonium nitrate CAS-No. Revision Date 6484-52-2 1993-04-24

### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 03/04/2024 Print Date: 05/12/2024

