

## • SAFETY DATA SHEET

Version 6.13  
Revision Date 11/06/2025  
Print Date 11/07/2025

### SECTION 1. IDENTIFICATION

#### 1.1 Product identifiers

Product name : 3-Amino-1,2,4-triazole  
Product Number : A8056  
Brand : Sigma  
Index-No. : 613-011-00-6  
CAS-No. : 61-82-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances  
Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

##### Hazards for the product as supplied

Reproductive toxicity : Category 2

Sigma - A8056

Page 1 of 15

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore**  
**Sigma**

Specific target organ toxicity - repeated exposure : Category 2

Long-term (chronic) aquatic hazard : Category 2

### **Other hazards**

None known.

### **GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

CAS-No. : 61-82-5

Sigma - A8056

Page 2 of 15

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore  
Sigma**

## Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
3-Amino-1H-1,2,4-triazole	61-82-5*	>= 90 - <= 100	-

\* Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

---

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder

Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting	: Combustible.
	Development of hazardous combustion gases or vapours possible in the event of fire.
Hazardous combustion products	: Carbon oxides
	Nitrogen oxides (NOx)
Specific extinguishing methods	: No data available
Further information	: Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-fighters	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	: Do not let product enter drains.
Methods and materials for containment and cleaning up	: Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on storage conditions : Tightly closed.  
Dry.

Storage class : 11, Combustible Solids

Recommended storage temperature : -4 °F / -20 °C

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
3-Amino-1H-1,2,4-triazole	61-82-5	TWA	0.2 mg/m <sup>3</sup>	ACGIH
		TWA	0.2 mg/m <sup>3</sup>	NIOSH REL

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when dusts are generated.  
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Hand protection

Material : Nitrile rubber

Break through time : 480 min

Glove thickness : 0.11 mm

Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber

Break through time	: 480 min
Glove thickness	: 0.11 mm
Protective index	: Splash contact
Manufacturer	: KCL 741 Dermatril® L
Remarks	: This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ).
Eye protection	: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin and body protection	: protective clothing
Hygiene measures	: Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: light yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/ range	: 302 - 307 °F / 150 - 153 °C Method: lit.
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Burning rate	: No data available
Self-ignition	: Method: Relative self-ignition temperature for solids GLP: yes

	does not ignite
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: < 0.1 hPa (68 °F / 20 °C) Method: OECD Test Guideline 104 GLP: yes
Relative vapour density	: No data available
Relative density	: 1.54 (68 °F / 20 °C) Method: OECD Test Guideline 109 GLP: yes
Density	: 1.54 g/cm3 (68 °F / 20 °C) Method: OECD Test Guideline 109 GLP: yes
Solubility(ies)	
Water solubility	: 264 g/l completely soluble (68 °F / 20 °C) Method: OECD Test Guideline 105 GLP: yes
Partition coefficient: n-octanol/water	: log Pow: -0.93 (68 °F / 20 °C) Method: OECD Test Guideline 107 GLP: yes Bioaccumulation is not expected.
Autoignition temperature	: > 437 °F / > 225 °C Method: DIN 51794
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: No data available
Oxidizing properties	: none
Surface tension	: 73.3 mN/m, 1 g/l, 68 °F / 20 °C, Surface tension, GLP: yes
Molecular weight	: 84.08 g/mol

Particle characteristics  
Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability : The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions : Exothermic reaction with:  
Strong oxidizing agents  
Strong acids  
acid halides  
Acid anhydrides  
Aluminium  
Iron  
Copper

Conditions to avoid : no information available

Incompatible materials : Aluminium  
Copper  
Mild steel

Hazardous decomposition : In the event of fire: see section 5 products

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female -  $\geq$  10,000 mg/kg  
(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h -  $>$  439 mg/m<sup>3</sup> - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female -  $>$  2,000 mg/kg

(OECD Test Guideline 402)

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation - 30 s

(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

**Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

In vivo tests showed mutagenic effects

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: RAHC - Reasonably anticipated to be a human carcinogen (3-Amino-1H-1,2,4-triazole)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Aspiration hazard**

No data available

## 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 10 Weeks - Lowest observed adverse effect level - <= 1.5 mg/kg

RTECS: XZ3850000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

##### **3-Amino-1H-1,2,4-triazole:**

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): > 1,000 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 5.1 mg/l Exposure time: 5 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

## Persistence and degradability

### Components:

#### **3-Amino-1H-1,2,4-triazole:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 103 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

## Bioaccumulative potential

### Components:

#### **3-Amino-1H-1,2,4-triazole:**

Partition coefficient: n-octanol/water : log Pow: -0.93 (68 °F / 20 °C)  
pH: 4.5  
Method: OECD Test Guideline 107  
GLP: yes  
Remarks: Bioaccumulation is not expected.

## Mobility in soil

No data available

## Other adverse effects

### Components:

#### **3-Amino-1H-1,2,4-triazole:**

Additional ecological information : Discharge into the environment must be avoided.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

Sigma - A8056

Page 11 of 15

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore**  
**Sigma**

	(3-Amino-1H-1,2,4-triazole)
Class	: 9
Packing group	: III
Labels	: Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
<b>IMDG-Code</b>	
UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (3-Amino-1H-1,2,4-triazole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### **Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

#### **National Regulations**

##### **49 CFR Road**

Not regulated as a dangerous good

Poison Inhalation Hazard : No

#### **Special precautions for user**

Remarks	: EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9
---------	--

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
3-Amino-1H-1,2,4-triazole	61-82-5	10	10

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

3-Amino-1H-1,2,4-triazole 61-82-5 >= 90 - <= 100 %

**US State Regulations****Massachusetts Right To Know**

3-Amino-1H-1,2,4-triazole 61-82-5

**Pennsylvania Right To Know**

3-Amino-1H-1,2,4-triazole 61-82-5

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**California Prop. 65**

WARNING: This product can expose you to chemicals including 3-Amino-1H-1,2,4-triazole, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information

in the document regarding the product remains unchanged and matches the product ordered.  
For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN

Sigma - A8056

Page 15 of 15

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**Millipore**  
**Sigma**