

## SAFETY DATA SHEET

Version 6.7  
Revision Date 05/17/2025  
Print Date 05/18/2025

## SECTION 1. IDENTIFICATION

## 1.1 Product identifiers

Product name : Esculin hydrate

Product Number : E8250  
Brand : Sigma  
CAS-No. : 531-75-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

**Other hazards**

None known.

Sigma - E8250

Page 1 of 10

## GHS label elements

Not a hazardous substance or mixture.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### Components

No ingredients are hazardous according to OSHA criteria.

---

### SECTION 4. FIRST AID MEASURES

|                                                             |                                                                                                                       |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : After inhalation: fresh air.                                                                                        |
| In case of skin contact                                     | : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.             |
| In case of eye contact                                      | : After eye contact: rinse out with plenty of water. Remove contact lenses.                                           |
| If swallowed                                                | : After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.                  |
| Most important symptoms and effects, both acute and delayed | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 |
| Protection of first-aiders                                  | : For personal protection see section 8.                                                                              |
| Notes to physician                                          | : No data available                                                                                                   |

---

### SECTION 5. FIREFIGHTING MEASURES

|                                                |                                                                                                 |
|------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Unsuitable extinguishing media                 | : For this substance/mixture no limitations of extinguishing agents are given.                  |
| Hazardous combustion products                  | : Carbon oxides                                                                                 |
| Specific extinguishing methods                 | : No data available                                                                             |
| Further information                            | : Prevent fire extinguishing water from contaminating surface water or the ground water system. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.                                |

Sigma - E8250

Page 2 of 10

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Advice for non-emergency personnel:<br>Avoid inhalation of dusts.<br>Evacuate the danger area, observe emergency procedures, consult an expert.<br>Advice for emergency responders:<br>For personal protection see section 8. |
| Environmental precautions                                           | : Do not let product enter drains.                                                                                                                                                                                              |
| Methods and materials for containment and cleaning up               | : Cover drains. Collect, bind, and pump off spills.<br>Observe possible material restrictions (see sections 7 and 10).<br>Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.                  |

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

|                                           |                                                      |
|-------------------------------------------|------------------------------------------------------|
| Further information on storage conditions | : Tightly closed.<br>Dry.                            |
| Storage class                             | : 11, Combustible Solids                             |
| Recommended storage temperature           | : Recommended storage temperature see product label. |

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter : Filter type P1

type:

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Hand protection

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material           | : Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Break through time | : 480 min                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Glove thickness    | : 0.11 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Protective index   | : Full contact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Manufacturer       | : Dermatrill® (KCL 740 / Aldrich Z677272, Size M)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Material           | : Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Break through time | : 480 min                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Glove thickness    | : 0.11 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Protective index   | : Splash contact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Manufacturer       | : Dermatrill® (KCL 740 / Aldrich Z677272, Size M)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Manufacturer       | : data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Remarks            | : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.<br>If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. |
| Eye protection     | : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Safety glasses                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Hygiene measures   | : Change contaminated clothing. Wash hands after working with substance.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Sigma - E8250

Page 4 of 10

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

**MILLIPORE**  
**SIGMA**

|                                                     |                               |
|-----------------------------------------------------|-------------------------------|
| Appearance                                          | : powder                      |
| Color                                               | : off-white                   |
| Odor                                                | : No data available           |
| Odor Threshold                                      | : No data available           |
| pH                                                  | : No data available           |
| Melting point/ range                                | : 383 - 388 °F / 195 - 198 °C |
| Boiling point/boiling range                         | : No data available           |
| Flash point                                         | : No data available           |
| Evaporation rate                                    | : No data available           |
| Flammability (solid, gas)                           | : No data available           |
| Flammability (liquids)                              | : No data available           |
| Burning rate                                        | : No data available           |
| Upper explosion limit /<br>Upper flammability limit | : No data available           |
| Lower explosion limit /<br>Lower flammability limit | : No data available           |
| Vapor pressure                                      | : No data available           |
| Relative vapour density                             | : No data available           |
| Relative density                                    | : No data available           |
| Density                                             | : No data available           |
| Water solubility                                    | : No data available           |
| Partition coefficient: n-<br>octanol/water          | : No data available           |
| Autoignition temperature                            | : No data available           |
| Decomposition<br>temperature                        | : No data available           |
| Viscosity, dynamic                                  | : No data available           |

|                          |                     |
|--------------------------|---------------------|
| Viscosity, kinematic     | : No data available |
| Flow time                | : No data available |
| Explosive properties     | : No data available |
| Oxidizing properties     | : No data available |
| Molecular weight         | : 340.28 g/mol      |
| Particle characteristics |                     |
| Particle size            | : No data available |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                           |
|------------------------------------|-------------------------------------------------------------------------------------------|
| Reactivity                         | : No data available                                                                       |
| Chemical stability                 | : The product is chemically stable under standard ambient conditions (room temperature) . |
| Possibility of hazardous reactions | : No data available                                                                       |
| Conditions to avoid                | : no information available                                                                |
| Incompatible materials             | : Strong oxidizing agents                                                                 |
| Hazardous decomposition products   | : In the event of fire: see section 5                                                     |

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available  
 Inhalation: No data available  
 Dermal: No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

Sigma - E8250

Page 6 of 10

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: DJ3085000

Weakness, Vomiting, Diarrhoea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### National Regulations

#### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15. REGULATORY INFORMATION

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

| Components | CAS-No. | Component TPQ (lbs) |
|------------|---------|---------------------|
|------------|---------|---------------------|

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

Aesculin 531-75-9

#### New Jersey Right To Know

Aesculin 531-75-9

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is

Sigma - E8250

Page 9 of 10

applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 05/17/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN