

# **SAFETY DATA SHEET**

Version 6.7 Revision Date 03/02/2024 Print Date 04/28/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1** Product identifiers

	Product name	:	Phenyl isothiocyanate
	Product Number Brand CAS-No.		P1034 Sigma 103-72-0
1.2	2 Relevant identified uses of the substance or mixture and uses advised against		of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Inc.

# 1.3

company	•	3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #		800-424-9300 CHEMTREC (USA

#### 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone # 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 3), H301 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Sigma - P1034

1.4

Page 1 of 11



Respiratory sensitization (Category 1), H334 Skin sensitization (Category 1), H317 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard Statements H227 H301 H314 H317 H334 H411	Combustible liquid. Toxic if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Toxic to aquatic life with long lasting effects.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P261 P264 P270 P272	Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace.
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285 P301 + P310 + P330	In case of inadequate ventilation wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 P342 + P311	If skin irritation or rash occurs: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P363 P370 + P378	Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 P403 + P235 P405	Collect spillage. Store in a well-ventilated place. Keep cool. Store locked up.

Sigma - P1034

Page 2 of 11



Dispose of contents/ container to an approved waste disposal plant.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Lachrymator.

# SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Synonyms	:	PITC		
	Formula Molecular weight CAS-No. EC-No.	:	C7H5NS 135.19 g/mol 103-72-0 203-138-1		
	Component			Classification	Concentration
	Phenylisothiocyanate				
				Flam. Liq. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Aquatic Acute 2; Aquatic Chronic 2; H227, H301, H314, H318, H334, H317, H401, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

## If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal Sigma - P1034

Page 3 of 11



(20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media Foam Water

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

Sigma - P1034

Page 4 of 11



# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage stability**Recommended storage temperature 2 - 8 °C

Moisture sensitive.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Sigma - P1034

Page 5 of 11



# **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 30 min Material tested:Butoject® (KCL 898)

# **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available

d) pH No data available

e) Melting Melting point/range: -21 °C (-6 °F) - lit. point/freezing point

Sigma - P1034

Page 6 of 11



f)	Initial boiling point and boiling range	218 °C 424 °F - lit.
g)	Flash point	88 °C (190 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.132 g/mL at 20 °C (68 °F) - lit.
	Relative density	No data available
n)	Water solubility	insoluble
0)	Partition coefficient: n-octanol/water	log Pow: > 3
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety informatio	n

**9.2 Other safety information** No data available

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## **10.3** Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Alcohols Amines Water alkalines acids chlorates

Sigma - P1034

Page 7 of 11



nitrates Oxidizing agents

#### **10.4 Conditions to avoid** Heat. Avoid moisture. Strong heating.

**10.5 Incompatible materials** No data available

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Mouse - 87 mg/kg Remarks: Kidney, Ureter, Bladder:Urine volume increased. Inhalation: No data available Dermal: No data available No data available

#### **Skin corrosion/irritation** Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

**Respiratory or skin sensitization** No data available

#### Germ cell mutagenicity

Species: Mammal

Application Route: Skin

Remarks: Cytogenetic analysis

## Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available No data available

Sigma - P1034

Page 8 of 11



#### Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

# Aspiration hazard

No data available

# **11.2 Additional Information**

RTECS: NX9275000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to daphnia LC50 - Daphnia magna (Water flea) - 0.1 mg/l - 48 h and other aquatic invertebrates

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

## **12.4 Mobility in soil** No data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

## 12.7 Other adverse effects

No data available

Sigma - P1034

Page 9 of 11



# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### DOT (US)

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquids, toxic, n.o.s. (Phenylisothiocyanate) Reportable Quantity (RQ): Poison Inhalation Hazard: No

## IMDG

UN number: 2922 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Phenylisothiocyanate)

## ΙΑΤΑ

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquid, toxic, n.o.s. (Phenylisothiocyanate)

## **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent

Sigma - P1034

Page 10 of 11



any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

 Version: 6.7
 Revision Date: 03/02/2024
 Print Date: 04/28/2024

Sigma - P1034

Page 11 of 11

