

# SAFETY DATA SHEET

Version 6.7 Revision Date 10/09/2025 Print Date 10/10/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Suberic acid bis(3-sulfo-N-

hydroxysuccinimide ester) sodium salt

Product Number : S5799
Brand : Sigma
CAS-No. : 82436-77-9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Hazards for the product as supplied

Not a hazardous substance or mixture.

Sigma - S5799

Page 1 of 13



#### Other hazards

None known.

#### **GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

## Components

	CAS No./Unique ID	Concentration (% w/w)	Trade secret
ethanol	64-17-5*	>= 0.5 - <= 1.5	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : After inhalation: fresh air.

In case of skin contact: Take off immediately all In case of skin contact

contaminated clothing. Rinse skin with water/ shower.

: After eye contact: rinse out with plenty of water. In case of eye contact

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most). Consult doctor if feeling unwell.

Most important

symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

Sigma - S5799

: For this substance/mixture no limitations of

Page 2 of 13

media extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Sodium oxides

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: In the event of fire, wear self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials : Cover drains. Collect, bind, and pump off spills.

Sigma - S5799

Page 3 of 13



for containment and cleaning up

Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

## **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on

: Tightly closed.

storage conditions

Dry.

Storage class

: 11, Combustible Solids

Recommended storage

temperature

: -4 °F / -20 °C

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL

**Engineering measures** : No data available

#### **Personal protective equipment**

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

: Filter type P2

type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Sigma - S5799

Page 4 of 13

#### Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Sigma - S5799

Millipore

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition

temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : 572.43 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Sigma - S5799

Page 6 of 13

: The following applies in general to flammable organic Reactivity

> substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

: The product is chemically stable under standard Chemical stability

ambient conditions (room temperature).

Possibility of hazardous

reactions

: No data available

Conditions to avoid : no information available

: Strong oxidizing agents Incompatible materials

products

Hazardous decomposition : In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

# **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is NTP:

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is OSHA:

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

Sigma - S5799

4illiPORE

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## **Components:**

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):

15,300 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: US-EPA

Toxicity to daphnia and

other aquatic invertebrates

: LC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

End point: mortality Exposure time: 48 h Test Type: static test Remarks: (ECHA)

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC (Danio rerio (zebra fish)): 250 mg/l

Exposure time: 120 h Test Type: semi-static test

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 9.6 mg/l

End point: reproduction rate

Exposure time: 9 d

Test Type: semi-static test

Remarks: (ECHA)

Toxicity to : IC50 (activated sludge): > 1,000 mg/l

microorganisms Exposure time: 3 h
Test Type: static test

Sigma - S5799 Page 8 of 13

Analytical monitoring: yes

Method: OECD Test Guideline 209

The value is given in analogy to the following

substances: Methanol

#### Persistence and degradability

#### **Components:**

## ethanol:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable. Biodegradation: ca. 95 % Exposure time: 15 d

Method: OECD Test Guideline 301E

Biochemical Oxygen

Demand (BOD)

: 930 - 1,670 mg/g Incubation time: 5 d Remarks: (Lit.)

ThOD : 2,100 mg/g

Remarks: (Lit.)

## **Bioaccumulative potential**

#### **Components:**

#### ethanol:

: Remarks: Due to the distribution coefficient n-Bioaccumulation

octanol/water, accumulation in organisms is not

expected.

Partition coefficient: n-

octanol/water

: log Pow: -0.35 (75 °F / 24 °C)

pH: 7.4

Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as

defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Sigma - S5799

#### **Components:**

#### ethanol:

Results of PBT and vPvB

assessment

: Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues

: Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

#### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

#### Special precautions for user

Remarks : Not classified as dangerous in the meaning of

transport regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

Sigma - S5799

Page 10 of 13



SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ethanol 64-17-5 >= 1 - < 5 %

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

# **Massachusetts Right To Know**

ethanol 64-17-5

#### Pennsylvania Right To Know

ethanol 64-17-5

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

## TSCA list

No substances are subject to a Significant New Use Rule.

Sigma - S5799

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma - S5799



The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 10/09/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma - S5799



Page 13 of 13