

SAFETY DATA SHEET

Version 6.9 Revision Date 03/04/2024 Print Date 05/05/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	2,4-Diaminotoluene
Product Number Brand Index-No. CAS-No.	:	442311 Supelco 612-099-00-3 95-80-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax		+1 314 771-5765 +1 800 325-5052
ŀ	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 3), H311 Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - repeated exposure (Category 2), Liver, Kidney, H373 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

Hours/day; 7 Days/week

Supelco - 442311

1.4

Page 1 of 12



For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard Statements H301 + H311 H317 H341 H350 H361 H373	Toxic if swallowed or in contact with skin. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs (Liver, Kidney) through prolonged or repeated exposure.
H400 H411	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary Statements P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and
P260 P264 P270	understood. Do not breathe dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313 P333 + P313 P362 P391 P405 P501	IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Collect spillage. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: 4-Methyl-m-phenylenediamine 2,4-Toluenediamine 2,4-Diaminotoluene 4-Methyl-1,3-phenylenediamine

Supelco - 442311

Page 2 of 12



Formula	:	$C_7H_{10}N_2$
Molecular weight	:	122.17 g/mol
CAS-No.	:	95-80-7
EC-No.	:	202-453-1
Index-No.	:	612-099-00-3

Component	Classification	Concentration
4-methyl-m-phenylenediamine		
	Acute Tox. 3; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 2; H301, H311, H317, H341, H350, H361, H373, H400, H411	<= 100 %
	M-Factor - Aquatic Acute:	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Supelco - 442311

Page 3 of 12



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Supelco - 442311

Page 4 of 12



Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
4-methyl-m- phenylenediamine	95-80-7	TWA	0.005 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Skin		
		Potential Occupational Carcinogen		

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eve/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L

Supelco - 442311

Page 5 of 12



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm

Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: dark brown
b)	Odor	ammoniacal
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 97 - 99 °C (207 - 210 °F) - lit.
f)	Initial boiling point and boiling range	283 - 285 °C 541 - 545 °F - lit.
g)	Flash point	160 °C (320 °F) - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available

Supelco - 442311

Page 6 of 12



k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.26 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109
	Relative density	1.2620 °C - Regulation (EC) No. 440/2008, Annex, A.3
n)	Water solubility	38 g/l at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex, A.6 - completely soluble
o)	Partition coefficient: n-octanol/water	log Pow: 0.074 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	er safety informatio	n

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with: Strong oxidizing agents Acid anhydrides acid halides acids Copper Copper alloys

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials No data available

Supelco - 442311

Page 7 of 12



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 73 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - 650 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization

May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: positive Remarks: (National Toxicology Program) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: positive

Carcinogenicity

Presumed to have carcinogenic potential for humans

- IARC: 2B - Group 2B: Possibly carcinogenic to humans (4-methyl-mphenylenediamine)
- RAHC Reasonably anticipated to be a human carcinogen (4-methyl-m-NTP: phenylenediamine)
- No component of this product present at levels greater than or equal to 0.1% is OSHA: on OSHA's list of regulated carcinogens.

Supelco - 442311

Page 8 of 12



Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Liver, Kidney

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 103 Weeks - LOAEL (Lowest observed adverse effect level) - 5.9 mg/kg

RTECS: XS9625000

Liver injury may occur., Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Possible symptoms:

Cough Discomfort Nausea Dizziness

Absorption can result in damage to:

Kidney Liver

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).

Symptoms may be delayed.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Supelco - 442311

Page 9 of 12



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Fish - 0.41 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia	semi-static test EC50 - Daphnia magna (Water flea) - 1.6 mg/l - 48
and other aquatic	h
invertebrates	(US-EPA)
Toxicity to	NOEC - Oryzias latipes (Orange-red killifish) - 40.3 mg/l - 28 d
fish(Chronic toxicity)	Remarks: (ECOTOX Database)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 66 % - Not readily biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 14 d at 25 °C(4-methyl-m-phenylenediamine)

> Bioconcentration factor (BCF): < 5 (OECD Test Guideline 305C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Discharge into the environment must be avoided.

Supelco - 442311

Page 10 of 12



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1709 Class: 6.1 Packing group: III Proper shipping name: 2,4-Toluylenediamine, solid Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1709 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: 2,4-TOLUYLENEDIAMINE, SOLID Marine pollutant : yes

ΙΑΤΑ

UN number: 1709 Class: 6.1 Packing group: III Proper shipping name: 2,4-Toluylenediamine, solid

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

4-methyl-m-phenylenediamine	CAS-No. 95-80-7	Revision Date 2020-07-14
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
4-methyl-m-phenylenediamine	CAS-No. 95-80-7	Revision Date 2020-07-14
Pennsylvania Right To Know Components		
4-methyl-m-phenylenediamine	CAS-No.	Revision Date
	95-80-7	2020-07-14

Supelco - 442311

Page 11 of 12



CAS-No. 95-80-7

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/04/2024 Print Date: 05/05/2024

Supelco - 442311

Page 12 of 12

