

# SAFETY DATA SHEET

Version 8.9 Revision Date 04/30/2025 Print Date 05/01/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : N-Nitrosodiethylamine

Product Number : 442687 Brand : Supelco CAS-No. : 55-18-5

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose

under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 3

Carcinogenicity : Category 1B

Supelco - 442687

Page 1 of 12



Short-term (acute) aquatic hazard

: Category 3

Long-term (chronic) aquatic hazard

: Category 3

#### Other hazards

None known.

#### **GHS label elements**

Hazard pictograms





Signal Word : Danger

Hazard Statements : H301 Toxic if swallowed.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call

a POISON CENTER/ doctor. Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Components

Supelco - 442687

Page 2 of 12



Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Diethylnitrosoamine	55-18-5*	>= 90 - <= 100	-

<sup>\*</sup> Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : If swallowed: give water to drink (two glasses at

most). Seek medical advice immediately. In

exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and

consult a doctor as quickly as possible.

Most important symptoms and effects,

both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during : Combustible.

Supelco - 442687

Page 3 of 12



Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Supelco - 442687

Page 4 of 12



Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on

storage conditions

: Tightly closed.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to

qualified or authorized persons.

Storage class : 6.1C, Combustible, acute toxic Cat.3 / toxic

compounds or compounds which causing chronic

effects

Recommended storage

temperature

: Recommended storage temperature see product label.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# **Personal protective equipment**

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Supelco - 442687

illipore

Page 5 of 12

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available рH : No data available

: < 77 °F / < 25 °C Melting point/ range

Boiling point/boiling range : 351 °F / 177 °C

Method: lit.

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit /

Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit

: No data available

: No data available Vapor pressure

Relative vapor density : No data available

Relative density : No data available

: 0.95 g/cm3 Density

Method: lit.

Water solubility : No data available

Supelco - 442687

Partition coefficient: n-

octanol/water

: log Pow: 0.48

Bioaccumulation is not expected.

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : No data available

Oxidizing properties : none

Molecular weight : 102.14 g/mol

Particle characteristics

Particle size : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : no information available

Incompatible materials : Strong oxidizing agents

products

Hazardous decomposition : In the event of fire: see section 5

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 220 mg/kg

Remarks: Diarrhea

Liver: Fatty liver degeneration.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

(RTECS)

Inhalation: No data available

Supelco - 442687

Page 7 of 12

Dermal: No data available

## Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

## Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2A - Group 2A: Probably carcinogenic to humans (Diethylnitrosoamine)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Diethylnitrosoamine)

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### **DiethyInitrosoamine:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 775

mg/l

Exposure time: 96 h

Remarks: (ECOTOX Database)

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)):

10.2 mg/l

Exposure time: 96 h

Remarks: (ECOTOX Database)

Supelco - 442687

Page 8 of 12

## Persistence and degradability

No data available

#### Bioaccumulative potential

#### **Components:**

#### **DiethyInitrosoamine:**

Partition coefficient: n- : log Pow: 0.48

octanol/water

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

#### Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR

UN/ID No. : UN 2810

: Toxic liquid, organic, n.o.s. Proper shipping name

(Diethylnitrosoamine)

Class : 6.1 Packing group : III

Division 6.1 - Toxic substances Labels

Packing instruction (cargo: 663

aircraft)

Packing instruction : 655

(passenger aircraft)

IMDG-Code

UN number : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

(Diethylnitrosoamine)

Class : 6.1 Packing group : III Labels : 6.1 EmS Code : F-A, S-A

Marine pollutant : no

Supelco - 442687 Page 9 of 12



# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National regulation**

49 CFR Road

UN/ID/NA number : UN 2810

Proper shipping name : Toxic, liquids, organic, n.o.s.

(Diethylnitrosoamine)

Class : 6.1 Packing group : III

Labels : Division 6.1 - Toxic substances

ERG Code : 153 Marine pollutant : no

Poison Inhalation Hazard : No

## **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
Diethylnitrosoamine	55-18-5	1	1

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPO.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Diethylnitrosoa 55-18-5 >= 90 - <= 100 %

mine

**US State Regulations** 

**Massachusetts Right To Know** 

Diethylnitrosoamine 55-18-5

**Massachusetts Right To Know** 

Diethylnitrosoamine 55-18-5

Supelco - 442687 Page 10 of 12

## Pennsylvania Right To Know

Diethylnitrosoamine 55-18-5

# Pennsylvania Right To Know

Diethylnitrosoamine 55-18-5

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## **New Jersey Right To Know**

Diethylnitrosoamine 55-18-5

## California Prop. 65

WARNING: This product can expose you to chemicals including Diethylnitrosoamine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory;

Supelco - 442687 Page 11 of 12



LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/30/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Supelco - 442687

