

# SAFETY DATA SHEET

Version 6.14  
Revision Date 01/02/2025  
Print Date 01/03/2025

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : *N,N*-Diethylaniline  
Product Number : 185868  
Brand : Aldrich  
Index-No. : 612-054-00-8  
CAS-No. : 91-66-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances  
Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 3

Skin irritation : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H227 Combustible liquid.  
 H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.  
 H315 Causes skin irritation.  
 H373 May cause damage to organs through prolonged or repeated exposure if swallowed.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
 P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
 P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
 P314 Get medical advice/ attention if you feel unwell.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
 P391 Collect spillage.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Diethylaniline	91-66-7	>= 90 - <= 100

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Remove contact lenses.

- If swallowed : If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

---

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Foam  
Dry powder
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.
- Specific hazards during fire fighting : Combustible.
- Vapors are heavier than air and may spread along floors.
- Forms explosive mixtures with air on intense heating.
- Development of hazardous combustion gases or vapours possible in the event of fire.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : No data available

- Further information : Remove container from danger zone and cool with water.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:  
Do not breathe vapors, aerosols.  
Avoid substance contact.  
Ensure adequate ventilation.  
Keep away from heat and sources of ignition.  
Evacuate the danger area, observe emergency procedures, consult an expert.  
Advice for emergency responders:  
For personal protection see section 8.
- Environmental precautions : Do not let product enter drains.
- Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills.  
Observe possible material restrictions (see sections 7 and 10).  
Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

- Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.  
Take precautionary measures against static discharge.
- Advice on safe handling : Work under hood. Do not inhale substance/mixture.  
Avoid generation of vapours/aerosols.
- Further information on storage conditions : Tightly closed.  
Keep in a well-ventilated place.  
Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class : 6.1C, Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Recommended storage temperature : Recommended storage temperature see product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Hand protection

Material : Viton®  
Break through time : 480 min  
Glove thickness : 0.7 mm  
Protective index : Full contact  
Manufacturer : Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Material : butyl-rubber  
Break through time : 240 min  
Glove thickness : 0.7 mm  
Protective index : Splash contact  
Manufacturer : Butoject® (KCL 898)

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

- Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Safety glasses
- Skin and body protection : protective clothing
- Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : clear, liquid
- Color : yellow
- Odor : No data available
- Odor Threshold : No data available  
pH : 6.6 (77 °F / 25 °C)
- Melting point/ range : -36 °F / -38 °C  
Method: lit.
- Boiling point/boiling range : 423 °F / 217 °C  
Method: lit.
- Flash point : 190 °F / 88 °C  
Method: closed cup
- Evaporation rate : No data available
- Burning rate : No data available
- Upper explosion limit /  
Upper flammability limit : No data available
- Lower explosion limit /  
Lower flammability limit : No data available
- Vapor pressure : 1 hPa (121.5 °F / 49.7 °C)  
13 hPa (198.3 °F / 92.4 °C)

Relative vapor density	: 5.15 (Air = 1.0)
Relative density	: No data available
Density	: 0.938 g/cm <sup>3</sup> (77 °F / 25 °C) Method: lit.
Solubility(ies)	
Water solubility	: 0.139 g/l (77 °F / 25 °C)
Partition coefficient: n-octanol/water	: log Pow: 3.904 (77 °F / 25 °C) Method: OECD Test Guideline 117 Bioaccumulation is not expected.
Autoignition temperature	: 1166 °F / 630 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: 15.71 mPa.s (68 °F / 20 °C) Method: OECD Test Guideline 114
	: 13.33 mPa.s (104 °F / 40 °C) Method: OECD Test Guideline 114
Viscosity, kinematic	: 16.95 mm <sup>2</sup> /s (68 °F / 20 °C) Method: OECD Test Guideline 114
	: 14.4 mm <sup>2</sup> /s (104 °F / 40 °C) Method: OECD Test Guideline 114
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Molecular weight	: 149.23 g/mol
Particle characteristics	
Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Forms explosive mixtures with air on intense heating.  A range from approx. 15 Kelvin below the flash point is to be rated as critical.
------------	---



Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with: Strong oxidizing agents acids
Conditions to avoid	: Strong heating.
Incompatible materials	: No data available
Hazardous decomposition products	: In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Acute toxicity estimate Oral - 100 mg/kg

(Expert judgment)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Oral: No data available

Acute toxicity estimate Inhalation - Expert judgment - 4 h - 3.1 mg/l - vapor

(Expert judgment)

Acute toxicity estimate Dermal - 300 mg/kg

(Expert judgment)

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

Oral - May cause damage to organs through prolonged or repeated exposure.  
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Aspiration hazard**

No data available

## **11.2 Additional Information**

RTECS: BX3400000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Nausea  
Vomiting

Systemic effects:

Headache  
agitation  
Cardiac irregularities  
CNS disorders  
Shortness of breath

Effect potentiated by: ethanol

The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

This substance should be handled with particular care.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **N,N-Diethylaniline:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 42.25 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35.2 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 7.42 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

##### **N,N-Diethylaniline:**

- Biodegradability : Inoculum: activated sludge  
Concentration: 100 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 14 d  
Remarks: (ECHA)

### Bioaccumulative potential

#### Components:

##### **N,N-Diethylaniline:**

- Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 44 - 161  
Exposure time: 8 Weeks  
Concentration: 0.2 mg/l

Partition coefficient: n-octanol/water : log Pow: 3.904 (77 °F / 25 °C)  
Method: OECD Test Guideline 117  
Remarks: Bioaccumulation is not expected.

#### **Mobility in soil**

No data available

#### **Other adverse effects**

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602  
Class I Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as de-  
fined by the U.S. Clean Air Act Section 602 (40 CFR  
82, Subpt. A, App.A + B).

#### **Components:**

#### **N,N-Diethylaniline:**

Additional ecological in-formation : Discharge into the environment must be avoided.

---

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance  
with the national and local regulations. Leave chemi-  
cals in original containers. No mixing with other  
waste. Handle uncleaned containers like the product  
itself.

---

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### **IATA-DGR**

UN/ID No. : UN 2432  
Proper shipping name : N,N-Diethylaniline  
Class : 6.1  
Packing group : III  
Labels : Division 6.1 - Toxic substances  
Packing instruction (cargo : 663  
aircraft)  
Packing instruction (pas- : 655

Aldrich- 185868

Page 12 of 16

The life science business of Merck operates as MilliporeSigma in  
the US and Canada



senger aircraft)

**IMDG-Code**

UN number : UN 2432  
Proper shipping name : N,N-DIETHYLANILINE

Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National regulation**

**49 CFR Road**

UN/ID/NA number : UN 2432  
Proper shipping name : N,N-Diethylaniline

Class : 6.1  
Packing group : III  
Labels : Division 6.1 - Toxic substances  
ERG Code : 153  
Marine pollutant : no

Poison Inhalation Hazard : No

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
N,N-Diethylaniline	91-66-7	1000	1000

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### **Massachusetts Right To Know**

N,N-Diethylaniline 91-66-7

#### **Pennsylvania Right To Know**

N,N-Diethylaniline 91-66-7

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### **The ingredients of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/02/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN