

SAFETY DATA SHEET

Version 8.7 Revision Date 08/12/2025 Print Date 08/13/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Tris(nonylphenyl) phosphite

Product Number : 441805 Brand : Aldrich CAS-No. : 26523-78-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Serious eye damage : Category 1

Aldrich - 441805

Page 1 of 17



Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Short-term (acute)

aquatic hazard

: Category 1

Long-term (chronic) aquatic hazard

Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms









Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn

child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed

out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get

Aldrich - 441805

Page 2 of 17

medical advice/ attention.

P362 Take off contaminated clothing and wash before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---------------------------------|----------------------|-----------------------|-----------------|
| Tris(monononylphenyl)p hosphite | 26523-78-4* | >= 90 - <= 100 | - |
| 4-Nonylphenol, branched | 84852-15-3* | >= 1 - < 5 | - |

 $[\]ensuremath{^{*}}$ Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Aldrich - 441805

Millipore SigMa

Page 3 of 17

Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapours are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Oxides of phosphorus

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Aldrich - 441805 Page 4 of 17

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb ${\Bbb R}$). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Storage class : 10, Combustible liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type ABEK

Aldrich - 441805



The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.4 mm
Protective index : Full contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.4 mm

Protective index

Protective index : Splash contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be

evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

Aldrich - 441805

Aillipore

Page 6 of 17

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colourless, light yellow

Odor : phenol-like

Odor Threshold : No data available : No data available Ηg

: 43 °F / 6 °C

Method: OECD Test Guideline 102

Boiling point/boiling range : 356 °F / 180 °C (4 hPa)

: 405 °F / 207 °C Flash point

(1,013 hPa)

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

: No data available Burning rate

Self-ignition : 824 °F / 440 °C

1,013 hPa

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit

: No data available

: 0.039 hPa (68 °F / 20 °C) Vapor pressure

Relative vapour density : No data available

: 0.98 (68 °F / 20 °C) Relative density

Method: OECD Test Guideline 109

: 0.99 g/mL (77 °F / 25 °C) Density

Method: lit.

Solubility(ies) Aldrich - 441805



Water solubility : 0.0006 g/l insoluble (81 °F / 27 °C, 7 hPa)

Method: OECD Test Guideline 105

Partition coefficient: n-

octanol/water

: log Pow: 14 (77 °F / 25 °C)

Method: OECD Test Guideline 117

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : Strong heating.

Incompatible materials : Oxidizing agents

> Strong reducing agents Organic materials

acids

Strong acids and strong bases

Water

products

Hazardous decomposition : In the event of fire: see section 5

Aldrich - 441805 Page 8 of 17



SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eve damage/eve irritation

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: RB2451000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich - 441805

AilliPORE

Page 9 of 17

Components

Tris(monononylphenyl)phosphite

Acute toxicity

LD50 Oral - Rat - male and female - 16,200 - 21,800 mg/kg

Remarks: (ECHA)

Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

4-Nonylphenol, branched

Acute toxicity

LD50 Oral - Rat - male and female - 1,412 mg/kg

Remarks: (ECHA)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Inhalation: No data available Dermal: No data available

Aldrich - 441805

1illiPDRE

Page 10 of 17

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 72 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Tris(monononylphenyl)phosphite:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

: EC50 (Daphnia magna (Water flea)): 0.3 mg/l

other aquatic invertebrates

Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Aldrich - 441805 Page 11 of 17

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Raphidocelis subcapitata (freshwater green

alga)): 100 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic

toxicity)

: 1

M-Factor (Chronic aquatic: 1

toxicity)

4-Nonylphenol, branched:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.083

mg/l

Exposure time: 96.0 h Test Type: mortality Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.0844 mg/l

End point: mortality Exposure time: 48 h

Test Type: semi-static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 1.3

mq/l

Exposure time: 72 h Test Type: static test Remarks: (ECHA)

M-Factor (Acute aquatic

toxicity)

: 10

Toxicity to fish (Chronic

toxicity)

NOEC (Oryzias latipes): >= 0.0029 mg/l

End point: mortality Exposure time: 16 Weeks Test Type: flow-through test Analytical monitoring: ves

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 0.13 mg/l

End point: mortality Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes

Aldrich - 441805

Page 12 of 17

Method: OECD Test Guideline 202

M-Factor (Chronic aquatic: 10

toxicity)

Toxicity to : EC50 (activated sludge): 950 mg/l

microorganisms Exposure time: 3 h

Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Persistence and degradability

Components:

Tris(monononylphenyl)phosphite:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: < 4 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

4-Nonylphenol, branched:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 13 mg/l

Result: Inherently biodegradable.

Biodegradation: 48.2 % Exposure time: 35 d

Method: OECD Test Guideline 301B

GLP: yes

Bioaccumulative potential

Components:

Tris(monononylphenyl)phosphite:

Partition coefficient: n- : log Pow: 14 (77 °F / 25 °C)

octanol/water pH: 7

Method: OECD Test Guideline 117 Remarks: Potential bioaccumulation

4-Nonylphenol, branched:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): 740

Exposure time: 28 d

Partition coefficient: n- : log Pow: 5.4 (73 °F / 23 °C)

octanol/water pH: 5.7

Aldrich - 441805 Page 13 of 17

Method: OECD Test Guideline 117 Remarks: Potential bioaccumulation

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3082

: Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

(Tris(monononylphenyl)phosphite, 4-Nonylphenol,

branched)

Class 9 Packing group : III

Labels Class 9 - Miscellaneous dangerous substances and

articles

Packing instruction (cargo: 964

aircraft)

Packing instruction : 964

(passenger aircraft)

IMDG-Code

: UN 3082 UN number

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Proper shipping name

LIQUID, N.O.S.

(Tris(monononylphenyl)phosphite, 4-Nonylphenol,

branched)

Class 9 IIIPacking group Labels EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

Aldrich - 441805 Page 14 of 17



49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

Special precautions for user

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code

2.10.3) for single packagings and combination packagings containing inner packagings with

Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not

dangerous goods of Class 9

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RO.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard
Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Tris(monononylphenyl)phosphite 26523-78-4 4-Nonylphenol, branched 84852-15-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Aldrich - 441805

Aillipore

Page 15 of 17

Vermont Chemicals of High Concern

4-Nonylphenol, branched 84852-15-3

Washington Chemicals of High Concern

4-Nonylphenol, branched 84852-15-3

New Jersey Right To Know

Tris(monononylphenyl)phosphite 26523-78-4 4-Nonylphenol, branched 84852-15-3

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: 4-Nonylphenol, branched 84852-15-3 Proposed Rule

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

4-Nonylphenol, branched 84852-15-3

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and

Aldrich - 441805 Page 16 of 17



Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 08/12/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 441805

