

for acids, bases and solvents

and Canada Life Science business of Merck KGaA, Darmstadt, Germany.

Supelco_® **Analytical Products**

TAKE FULL CONTROLWITH ONE HAND

New 1 | HDPE bottle and popular 2.5 | HDPE bottle for acids, bases and solvents

Molded for hands. Made for handiness.

Safe and simple handling of hazardous liquids is key to protecting personnel from accidents and health risks. That's why we created the new "easy grip" 1 I HDPE bottle. Just like our popular 2.5 I HDPE bottle, the smaller version has an ergonomically perfected design to ensure a firm grip and full control – no matter how big or small your hands.

Developed with scientists. For scientists.

Today's performance requirements for lab reagents go well beyond product properties. Besides analytical purity, aspects such as handling, safety, ecology and economy play an increasingly crucial role for our customers.

All of these factors are directly influenced by packaging – particularly for acids, bases and solvents. Glass bottles are still the preferred option. As a container for all types of chemicals, glass is a valuable inert material for daily lab use. But there is always the risk of breakage.

At MilliporeSigma, we have been developing the most innovative and practical packaging concepts for many years. Our experts have collaborated with scientists like you to come up with the perfect packaging for solvents, acids and bases: our HDPE (high density polyethylene) bottle range. Developed and used exclusively by MilliporeSigma, it incorporates safety, environmental protection, and cost savings along the entire process chain. Meet our new "easy grip" bottle and feel how it makes your lab work safer, quicker and easier every time.





PACKED WITH ADDED ADVANTAGES

For maximum user safety and product quality, the bottles are made of a specially treated, high quality HDPE that is extremely durable, inert and shock resistant. What's more, the bottles' unique shapes ensure optimal pouring characteristics and high pressure stability. MilliporeSigma's exclusive S40 thread and lid assure an absolutely tight seal. Moreover, it's designed to provide smooth liquid flow to prevent spills. MilliporeSigma HDPE bottles also protect the environment. Besides cardboard boxes, they require no additional protective material (like polystyrene). So there's much less packaging waste compared to glass bottles.

Sharp thread lip Specially formed for

safe, drip-free pouring





Ergonomic grip

Optimal handling and pouring

Smart labels

As with all our products, the new bottles come with unique, clear and complete labels which include a 2D data matrix barcode for fast and easy access to digitalized product data.



| Height | 206 mm | |
|----------------|-----------|--|
| Diameter | 101 mm | |
| Minimum volume | 1190 ml | |
| Weight | min. 66 g | |





MilliporeSigma's exclusive S40 thread and lid

Our S40 thread ensures a consistently tight seal thanks to a higher contact pressure. To enhance product safety, every cap is provided with a tamper-evident seal. After the cap is first opened, the tamper-proof ring remains on the bottleneck.

Ergonomic integrated handle

Optimal handling and pouring



Low bottle weight

Easy, safe and economical handling and transportation



For certain chemicals, bottles are colored to protect against UV light.

2.5 I

| Height | 332 mm | |
|----------------|------------|--|
| Diameter | 125 mm | |
| Minimum volume | 2690 ml | |
| Weight | min. 145 g | |

Special base geometry

Ensures high pressure stability and prevents bulging.

NEW SHAPE. NO _ CHANGE.





Our new easy grip 1 I HDPE bottle is made of the same material as its predecessor. So the packaging material is still perfectly compatible with its chemical contents. Also, the new bottle has exactly the same height and diameter, so you won't need to adapt your safety cabinets or shelves.

Previous
1 | HDPE bottle

Ordering information

NEW

1 I "easy grip" HDPE bottle

| Acids | | |
|---|--------------|---------------|
| Product | 1 l* | 2.5 l |
| Acetic acid 96% for analysis EMSURE® | 1.00062.1011 | 1.00062.2511 |
| Acetic acid (glacial) 100% anhydrous for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00063.1011 | 1.00063.2511 |
| Acetic acid (glacial) 100% for analysis EMPARTA® ACS | | 1.01830.2500 |
| Hydrochloric acid 25% for analysis EMSURE® | 1.00316.1011 | 1.00316.2511 |
| Hydrochloric acid 32% for analysis EMSURE® | 1.00319.1011 | 1.00319.2511 |
| Hydrochloric acid fuming 37% for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00317.1011 | 1.00317.2011+ |
| Hydrochloric acid fuming 37% for analysis EMPARTA® ACS | | 1.01834.2011+ |
| Hydrofluoric acid 38-40% EMPLURA® | 1.00337.1000 | 1.00337.2500 |
| Hydrofluoric acid 40% for analysis EMSURE® ISO, Reag. Ph Eur | 1.00338.1000 | 1.00338.2500 |
| Hydrofluoric acid 48% for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00334.1000 | 1.00334.2500 |
| Hydrogen peroxide 30% (Perhydrol®) for analysis EMSURE® ISO | 1.07209.1000 | 1.07209.2500 |
| Hydrogen peroxide 30% (Perhydrol®) (stabilized for higher storage temp.) for analysis EMSURE® ISO | 1.07210.1000 | 1.07210.2500 |
| ortho-Phosphoric acid 85% for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00573.1000 | 1.00573.2500 |
| Sodium hypochlorite solution (6-14% active chlorine) EMPLURA® | | 1.05614.2500 |
| Sulfuric acid 25% for analysis EMSURE® | 1.00716.1000 | |
| Sulfuric acid 62% for analysis for the determination of fat in cheese (d 1.52) EMSURE® | 4.80531.1000 | 4.80531.2500 |
| Sulfuric acid 95-97% for analysis EMSURE® ISO | 1.00731.1011 | 1.00731.2511 |
| Sulfuric acid 95-97% for analysis EMPARTA® ACS | | 1.01833.2500 |
| Sulfuric acid 96% for the determination of viscosity acc. to DIN EN ISO 307 | 1.08131.1000 | 1.08131.2500 |

| Bases | | |
|--|--------------|--------------|
| Product | 1 l* | 2.5 l |
| Ammonia solution 25% for analysis EMSURE® ISO, Reag. Ph Eur | 1.05432.1011 | 1.05432.2511 |
| Ammonia solution 28-30% for analysis EMSURE® ACS, Reag. Ph Eur | 1.05423.1011 | 1.05423.2511 |
| Ammonia solution 32% EMPLURA® | 1.05426.1011 | 1.05426.2511 |
| Potassium hydroxide solution 47% for analysis EMSURE® | 1.05545.1000 | |
| Sodium hydroxide solution min. 10% (1.11) for analysis EMSURE® | 1.05588.1000 | |
| Sodium hydroxide solution min. 27% (1.30) for analysis (for the determination of nitrogen) EMSURE® | | 1.05591.2500 |
| Sodium hydroxide solution about 32% (for the determination of nitrogen) for analysis EMSURE® | | 1.05590.2500 |
| Sodium hydroxide solution about 32% EMPLURA® | | 1.05587.2500 |
| Sodium hydroxide solution min. 45% for analysis EMSURE® | | 1.11360.2500 |
| Sodium hydroxide solution 50% for analysis EMSURE® | 1.58793.1000 | |

 $^{^{}st}$ New bottle availability is dependent on stock. $^{\tilde{\tild$

| Solvents | | |
|---|--------------|--------------|
| Product | 1 l* | 2.5 l |
| Acetone for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00014.1011 | 1.00014.2511 |
| Acetone for analysis EMPARTA® ACS | | 1.07021.2511 |
| Acetone EMPLURA® | 8.22251.1000 | 8.22251.2500 |
| tert-Amyl alcohol EMPLURA® | 8.06193.1000 | |
| 1-Butanol EMPLURA® | | 8.22262.2500 |
| 2-Butanol EMPLURA® | | 8.22263.2500 |
| Cyclohexane for analysis EMSURE® ACS, ISO, Reag. Ph Eur | | 1.09666.2511 |
| Diethanolamine for analysis EMSURE® | 1.16205.1000 | |
| N,N-Dimethylformamide for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.03053.1011 | 1.03053.2511 |
| N,N-Dimethylformamide for analysis EMPARTA® | 1.03034.1011 | 1.03034.2511 |
| N,N-Dimethylformamide EMPLURA® | 8.22275.1000 | 8.22275.2500 |
| Dimethyl sulfoxide for analysis EMSURE® ACS | 1.02952.1011 | 1.02952.2511 |
| Ethanol absolute for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.00983.1011 | 1.00983.2511 |
| Ethanol absolute for analysis EMPARTA® ACS | | 1.07017.2511 |
| Ethanol absolute EMPLURA® | 8.18760.1000 | 8.18760.2500 |
| Ethanol for analysis completely denatured with 1% Ethyl methyl ketone, 1% Isopropyl alcohol, 1 g/ 100 l Denatonium benzoate EMSURE® | | 1.03771.2500 |
| Ethanol denatured with about 1% methyl ethyl ketone for analysis EMSURE® | 1.00974.1011 | 1.00974.2511 |
| Ethyl acetate for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.09623.1000 | 1.09623.2511 |
| Ethyl acetate EMPLURA® | | 8.22277.2500 |
| Ethylene glycol for analysis EMSURE® Reag. Ph Eur, Reag. USP | 1.09621.1000 | 1.09621.2500 |
| Ethylene glycol EMPLURA® | 1.00949.1000 | 1.00949.2500 |
| Formamide for analysis EMSURE® | 1.09684.1000 | 1.09684.2500 |
| Formamide EMPLURA® | 1.04008.1000 | 1.04008.2500 |
| Glycerol (plant-origin) for analysis EMSURE® ACS, Reag. Ph Eur | | 1.04057.2511 |
| n-Heptane for analysis EMSURE® Reag. Ph Eur | | 1.04379.2511 |
| n-Heptane EMPLURA® | | 1.04365.2511 |
| n-Hexane for analysis EMSURE® ACS | | 1.04367.2511 |
| n-Hexane for analysis EMSURE® ACS, Reag. Ph Eur | | 1.04374.2511 |
| n-Hexane for analysis EMPARTA® ACS | | 1.07023.2511 |
| n-Hexane EMPLURA® | | 1.04368.2511 |
| Isoamyl alcohol (mixture of isomers) EMPLURA® | 8.22255.1000 | 8.22255.2500 |
| Methanol for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.06009.1011 | 1.06009.2511 |
| Methanol for analysis EMPARTA® ACS | | 1.07018.2511 |
| Methanol EMPLURA® | 8.22283.1000 | 8.22283.2500 |
| 1-Methyl-2-pyrrolidone EMPLURA® | 8.06072.1000 | 8.06072.2500 |
| 1,2-Propanediol EMPLURA® | 8.22324.1000 | |
| 2-Propanol for analysis EMSURE® ACS, ISO, Reag. Ph Eur | 1.09634.1011 | 1.09634.2511 |
| 2-Propanol for analysis EMPARTA® ACS | | 1.07022.2511 |
| 2-Propanol EMPLURA® | 8.18766.1000 | 8.18766.2500 |
| Toluene for analysis EMSURE® ACS, ISO, Reag. Ph Eur | | 1.08325.2511 |
| Toluene for analysis EMPARTA® ACS | | 1.07019.2511 |

^{*}New bottle availability is dependent on stock.

| Safety Accessories | | |
|---|--------------|--|
| Product | Ord. No. | |
| Bottle opening key S40/S28 | 1.08801.0001 | |
| Safety stand for 2.5 I HDPE bottles | 9.67213.0001 | |
| Withdrawal system for solvents with manual pressure build-up in S40 bottles | 1.78178.0001 | |

Full range of different pack sizes and packaging types available on SigmaAldrich.com



Supelco_®

Analytical Products

MilliporeSigma 400 Summit Drive Burlington, MA 01803

SigmaAldrich.com



To place an Order or Receive Technical Assistance



Find contact information for your country at SigmaAldrich.com/Offices



For Technical Service, please visit SigmaAldrich.com/TechService

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

© 2022 Merck KGaA, Darmstadt, Germany and its affiliates. All Rights Reserved. MilliporeSigma, the vibrant M, Chemizorb and Supelco are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

