Sigma-Aldrich.

Product Information Sheet

Acetyl Coenzyme A Trisodium Salt

A2056

Product Description

Molecular Formula: C23H35N7O17P3SNa3

Molecular Weight: 875.51

Storage Temperature: -20 °C

E^M: 16,400 (water, 260 nm)¹

E^M: 15,400 (0.1 M PO₄ Buffer, pH 7, 259 nm)

E^M: 8,700 (water, 232 nm)¹

Coenzymes comprise a class of molecules, generally derived from vitamins, which function catalytically in enzyme systems.² The acetic acid moiety, which is bound by a high-energy bond (free energy 34.3 kJ/mole) to the -SH group of coenzyme A, is a precursor to fatty acids, steroids, and other naturally occurring compounds, such as terpenes and acetogenins present in plants.^{3,4} The biosynthetic pathways for Acetyl CoA have been illustrated.³ In the transfer reaction by Acetyl CoA of the C₂ acetyl fragment, either the carboxyl group or the methyl group may react (electrophilic vs. nucleophilic reaction, respectively).⁴

This product is prepared enzymatically by reacting coenzyme A (CoA) with acetyl phosphate and phosphotransacetylase. It is purified by ion exchange chromatography. Several methods of preparation and methods for the determination of Acetyl CoA and other CoA derivatives have been published.⁵⁻⁷

Several dissertations have cited use of this product in their research. $^{8\mathchar`18}$

Precautions and Disclaimer

This product is for R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Storage/Stability

Store the product desiccated at -20 °C.

Preparation Instructions

This product is tested for solubility in water at 100 mg/mL.

Aqueous CoA solutions stored in aliquots at -20 °C are expected to be stable for no longer than 2 weeks. Acetyl CoA is generally stable in neutral and moderately acidic solutions, even at elevated temperatures for a short time; aqueous solutions at pH 3.5–5 can be heated to 100 °C without decomposition.¹ Acetyl CoA hydrolyzes in strong acid and hydrolyzes more rapidly in alkaline solutions.¹⁹

References

- Dawson, R.M.C. *et al.*, *Data for Biochemical Research*, 3rd edition. Clarendon Press (Oxford, UK), pp. 116-117 (1993).
- Meyers, R.A., *Molecular Biology and Biotechnology: A Comprehensive Desk Reference*. VCH Publishers, Inc. (New York, NY), p. 960 (1995).
- 3. Lehninger, A.L., *Biochemistry*. Worth Publishers, Inc., p. 534 (1972).
- Scott, T., and Eagleson, M., *Concise Encyclopedia: Biochemistry*, 2nd edition. Walter de Guyter Press (New York, NY), p. 4 (1988).
- Simon, E.J., and Shemin, D., J. Am. Chem. Soc., 75(10), 2520, (1953).
- Stadtman, E.R., *Meth. Enzymol.*, **3**, 931-941 (1957).
- Bergmeyer, H.-U. *et al.*, *Methods of Enzymatic Analysis*, 2nd edition, Vol. 4 (Bergmeyer, H.-U., ed.). Verlag Chemie/Academic Press, pp. 1988-2000 (1974).



- 8. Ginetis, Dziugas, "SRF activation in immediate early gene transcription". University College London, Ph.D. dissertation, p. 232 (2001).
- Dixon, Stacy E., "GCN5-B is a novel nuclear histone acetyltransferase that is crucial for viability in the protozoan parasite *Toxoplasma gondii*". Indiana University, Ph.D. dissertation, p. 57 (2010).
- Hardman, Rebecca E., "Global Acetylation Dynamics in the Heat Shock Response of Saccharomyces cerevisiae". University of Arkansas - Fayetteville, Ph.D. dissertation, p. 73 (2012).
- Pietrocola, Federico, "Regulation of autophagy by Acetyl Coenzime [sic] A: from the mechanisms to a revised definition of caloric restriction mimetics". Université Paris Sud, Ph.D. dissertation, p. 89 (2015).
- Schöttl, Theresa, "Novel experimental strategies to assess the interplay between white adipocyte mitochondrial bioenergetics and systemic glucose homeostasis in C57BL/6 mice". Technischen Universität München, Dr. rer. nat. dissertation, pp. 15, 93 (2015).
- Kirshner, Ziv Z., "Effects of estradiol and selective estrogen receptor agonists on biochemical endpoints in the brain: a comparison between transitional and surgical menopause rat models". University of Pittsburgh, Ph.D. dissertation, p. 63 (2019).
- Arietta, Adrian, "Mesencephalic Astrocyte-derived Neurotrophic Factor is an ER-resident Chaperone that Protects Against Reductive Stress in the Heart". University of California San Diego / San Diego State University, Ph.D. dissertation, p. 64 (2020).
- Halbgebauer, Daniel, "The role of secreted factors in white and brown adipogenesis". Ulm University Medical Center, Dr. rer. nat. dissertation, pp. 19, 42 (2020).
- Gunnewiek, Teun M. Klein, "Modelling mitochondrial disease in human neurons". Radboud University Nijmegen, Ph.D. dissertation, pp. 99 (2021).

- Daamen, Franziska, "Phosphoinositides modulate auxin-dependent transcription by controlling the histone acetyltransferase GCN5 in *Arabidopsis*". Martin-Luther-Universität Halle-Wittenberg, Dr. rer. nat. dissertation, Appendix, p. XLVIII (2022).
- Walden, Elizabeth, "Defining roles of the yeast lysine acetyltransferase NuA4 in metabolism". University of Ottawa, Ph.D. dissertation, p. 150 (2023).
- Gadhia, S. *et al.*, "Histone Acetyltransferase Assays in Drug and Chemical Probe Discovery", from *The Assay Guidance Manual* [Internet] (Markossian, S., Grossman, A., Brimacombe, K. *et al.*, eds.; Bethesda, MD), Eli Lilly & Company and the National Center for Advancing Translational Sciences (2004).

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose. The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document

Technical Assistance

Visit the tech service page at <u>SigmaAldrich.com/techservice</u>.

Terms and Conditions of Use

Warranty, use restrictions, and other conditions of sale may be found at <u>SigmaAldrich.com/terms</u>.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

MilliporeSigma, and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources. © 2015-2023 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved. A2056pis Rev 04/23 FEB,RGC,RK,GCY,MAM

