

## Product Information

### ANTI-POTASSIUM CHANNEL GIRK3

Developed in Rabbit, Affinity Isolated Antibody

Product Number **P 3485**

#### Product Description

Anti-Potassium Channel GIRK3 (G-protein-activated inwardly rectifying potassium channel, Kir3.3) is developed in rabbit using a highly purified peptide CRRGRQRYVEKDGRGRC, corresponding to amino acid residues 18-31 of mouse GIRK3<sup>1</sup> with additional C-terminal cysteine as the immunogen. The antibody was affinity isolated on immobilized immunogen.

Anti-Potassium Channel GIRK3 specifically recognizes GIRK3 protein and may be used for the detection of GIRK3 protein (approx. 42 kDa) in total brain extracts from mouse or rat by immunoblotting. This antibody is not recommended for immunohistochemistry.

Potassium channels contribute to maintaining cell volume, membrane potential, neuronal excitability and the secretion of transmitters, salt and hormones. Two families of potassium channels have been identified. One family includes the inwardly rectifying potassium channels, whereas the other family includes: voltage-sensing (KV); big conductance, calcium activated (BK<sub>CA</sub>); and small conductance, calcium activated (SK) potassium channels.<sup>1,2</sup>

The G-protein-activated inwardly rectifying potassium channels (GIRKs) are part of a superfamily of inwardly rectifying potassium channels which include seven members. Four GIRKs, also referred to as Kir3.1-3.4, have been identified in mammals.<sup>3</sup> A fifth GIRK has been identified in *Xenopus* oocytes. GIRK1-3 are widely expressed in the brain, where they are activated by at least eight neurotransmitters. GIRK4 has a limited distribution in the brain. In addition to G-proteins, GIRKs are also modulated by phosphatidylinositol 4,5-bisphosphate, intracellular sodium, ethanol and mechanical stretch.

Native channels are tetrameric and may be composed of several combinations of GIRK subunits.<sup>4</sup> GIRK1 cannot form functional channels by itself and GIRK1/2 is the predominant heterotetramer in brain although it is possible to isolate functional GIRK2/3 channels in brain. Regardless of subunit composition, GIRK channels function to dampen neuronal excitability. The functional significance of subunit composition is poorly understood. GIRK1/4 form functional channels in the atrial and sinoatrial node cells of the heart where they contribute to the regulation of cardiac rate.

#### Reagent

Anti-Potassium Channel GIRK3 is supplied as 25 µg of affinity isolated antibody at approximately 100 µg/ml in 0.05 M sodium phosphate buffer containing 0.2 % gelatin and 0.1 % sodium azide.

#### Precautions and Disclaimer

Due to the sodium azide content, a material safety data sheet (MSDS) for this product has been sent to the attention of the safety officer of your institution. Consult the MSDS for information regarding hazardous and safe handling practices.

#### Storage/Stability

Store the antibody at 2-8°C. **Do not freeze the antibody.** For extended storage, freeze in working aliquots. Repeated freezing and thawing is not recommended. Storage in "frost-free" freezers is not recommended. If slight turbidity occurs upon prolonged storage, clarify the solution by centrifugation before use. Working dilution samples should be discarded if not used within 12 hours.

**Product Profile**

The recommended working dilution is 2 µg/ml for immunoblotting of total brain extract using peroxidase conjugated-goat anti-rabbit IgG and detection by chemiluminescence.

Note: In order to obtain best results and assay sensitivities of different techniques and preparations, we recommend determining optimal working dilutions by titration test.

**References**

1. McFarlane, S. and Pollock, N.S., J. Neurosci., **20**, 1020 (2000).
2. Teschemacher, A.G. et al., Br. J. Pharmacol., **128**, 479 (1999).
3. Mark, M.D. and Herlitze, S., Eur. J. Biochem., **267**, 5830 (2000).
4. Jelacic, T.M. et al., J. Biol. Chem., **275**, 36211 (2000).

mje 11/00

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.