

3050 Spruce Street, St. Louis, MO 63103 USA
Tel: (800) 521-8956 (314) 771-5765 Fax: (800) 325-5052 (314) 771-5757
email: techservice@sial.com sigma-aldrich.com

Product Information

Monoclonal Anti-DNP-Alkaline Phosphatase Conjugate, clone SPE-7

produced in mouse, purified immunoglobulin

Catalog Number A2831

Product Description

Monoclonal Anti-DNP (dinitrophenyl) (mouse IgE isotype) is derived from the hybridoma produced by the fusion of mouse myeloma cells and splenocytes from an immunized mouse. DNP-KLH was used as the immunogen. Monoclonal Anti-DNP is purified from ascites fluid by affinity chromatography using agarose-DNP-BSA. Purified antibody is then conjugated to alkaline phosphatase using 0.2% glutaraldehyde. The isotype is determined by a double diffusion immuno-assay using Mouse Monoclonal Antibody Isotyping Reagents (Catalog Number ISO2).

Specificity of the monoclonal antibody is determined by ELISA and dot immunoblotting.

The antibody is used to induce controlled allergic reactions or as a source of mouse IgE.

Reagent

The conjugate is provided as a liquid in 0.05 M Tris buffer, pH 8.0, containing 1% BSA, 50% glycerol, 1 mM MgCl₂, and 15 mM sodium azide as preservative.

Precautions and Disclaimer

This product is for R&D use only, not for drug, household, or other uses. Please consult the Material Safety Data Sheet for information regarding hazards and safe handling practices.

Storage/Stability

Store the antibody at 2–8 °C. Do not freeze. Protect from prolonged exposure to light. Working dilution samples should be discarded if not used within 12 hours.

Product Profile

Direct ELISA: minimum dilution 1:25,000

<u>Dot Blot</u>: minimum dilution 1:180,000 using 6-25 ng of DNP-BSA/dot with chemiluminescence detection.

Note: In order to obtain the best results using various techniques and preparations, it is recommended each user determine the optimal working dilutions by titration.

References

1. Eshhar, Z., et al., J. Immunol., 124, 775 (1980).

DS,PHC 05/15-1